

Exam Questions OGA-032 Vce | Dumps OGA-032 Download



You must want to receive our OGA-032 practice questions at the first time after payment. Don't worry. As long as you finish your payment, our online workers will handle your orders of the OGA-032 study materials quickly. The whole payment process lasts a few seconds. And if you haven't received our OGA-032 Exam Braindumps in time or there are some trouble in opening or downloading the file, you can contact us right away, and our technicals will help you solve it in the first time.

Now you can trust Exam4Docs OGA-032 exam questions as these ArchiMate 3 Part 2 Exam (OGA-032) exam questions have already helped countless candidates in their OGA-032 exam preparation. They easily got success in their challenging and dream The Open Group OGA-032 Certification Exam. Now they have become certified The Open Group professionals and offer their services to top world brands.

[>> Exam Questions OGA-032 Vce <<](#)

Dumps The Open Group OGA-032 Download | OGA-032 Test Questions Vce

With all of these OGA-032 study materials, your success is 100% guaranteed. Moreover, we have Demos as freebies. The free demos give you a prove-evident and educated guess about the content of our OGA-032 practice materials. As long as you make up your mind on this exam, you can realize their profession is unquestionable. And their profession is expressed in our OGA-032 training prep thoroughly. They are great help to pass the OGA-032 exam and give you an unforgettable experience.

The Open Group recommends that individuals who take the OGA-032 Certification Exam have a good understanding of ArchiMate 3 Part 1 and have practical experience in using the language. OGA-032 exam is designed for enterprise architects, solution architects, and IT professionals who are responsible for designing and implementing enterprise architecture solutions. ArchiMate 3 Part 2 Exam certification program provides a structured approach to learning and understanding the ArchiMate language, ensuring that individuals have the knowledge and skills to apply it to real-world scenarios.

The Open Group ArchiMate 3 Part 2 Exam Sample Questions (Q11-Q16):

NEW QUESTION # 11

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution includes a sophisticated ecosystem of applications and technologies. Designed with a strong emphasis on high availability, it plays a vital role in providing support for a diverse range of document types and managing a substantial volume of document-based transactions on a daily basis.

Recognizing its importance to the business, the document management solution is redundantly hosted at two geographically separate data center sites, both configured identically for seamless operations.

The system software at the core of the document management solution is comprised of three key modules.

The Document Engine serves as a repository, facilitating document storage, retrieval, and various other operations. The Workflow Engine acts as a host for document management applications, while the Application Engine powers the most advanced and sophisticated applications within the system.

Two key factors have driven the Architecture Board's approval of a project aimed at updating this critical solution. Firstly, the supplier of the Workflow Engine has given notice of the end of support for the current software version, necessitating an upgrade. Secondly, the system administrator responsible for the Application Engine has flagged the need for hardware replacement on the server where the software is currently running. Given that the Claim Management application shares infrastructure with the Application Engine, the involvement of the system administrator responsible for this application is crucial in the project planning and execution.

Refer to the Scenario

You are the Enterprise Architect within this organization. You have been assigned the task of modeling the applications and technology for this solution, as well as outlining the motivations driving the need for its update.

Based on the scenario, which answer provides the most complete and accurate description?

- A. A diagram of software development Description automatically generated
 -
- B. A diagram of software development Description automatically generated
 -
- C. A diagram of a software project Description automatically generated
 -
- D. A diagram of software development Description automatically generated
 -

Answer: D

Explanation:

This scenario revolves around ArchiSurance's document management solution and the motivations behind updating the solution due to software and hardware challenges. The task is to model both the applications and technology components involved, along with the motivations driving the need for an update.

Key ArchiMate® 3.2 Concepts Applied:

* Applications and Components:

* Claim Management Application: This application handles key processes such as filing claims and assigning claims, and it shares infrastructure with the Application Engine.

* Document Management Solution: Includes several subsystems such as:

* Document Engine: Manages document storage, retrieval, and processing operations.

* Workflow Engine: Facilitates document workflows and supports document-related operations.

* Application Engine: Hosts sophisticated applications like Claim Management.

* Data Objects:

* Proof of Loss Documents and Proof of Loss Data: are critical components managed by the Document Management Solution. This data is processed and handled by both the Document Engine and the Claim Management application.

* Technology and Infrastructure:

* Hardware Platform Needs Replacing: The Application Engine runs on hardware that needs replacement. This drives a part of the motivation for updating the infrastructure.

* Software Version Needs to Be Updated: The Workflow Engine is running on outdated software, necessitating an upgrade to ensure continued support and functionality.

* High Availability of Infrastructure: Given that the system is redundantly hosted across two data centers, high availability is crucial for seamless operations. This includes continuous availability for the document management processes.

* Motivations and Drivers:

* The end-of-support notice from the Workflow Engine supplier requires an upgrade to maintain operational continuity.

* The system administrator responsible for the Application Engine has raised concerns about hardware needing replacement, adding urgency to the infrastructure upgrade.

Why Option D is Correct:

* Option D provides the most comprehensive representation of the applications, infrastructure, and motivations for updating the solution.

* It clearly shows the Claim Management Application and its interaction with the Claim Assignment Business Rules Data, as well as how it relies on the Application Engine.

* The Document Management Solution and its subsystems (Document Engine, Workflow Engine, and Application Engine) are correctly depicted, with clear relationships to the data they manage (Proof of Loss Documents and Data).

* The motivations for change—specifically, the need to update the Workflow Engine software and replace the hardware platform—are clearly shown, alongside their impact on the overall system.

* The diagram shows the involvement of the system administrator in the update process, which is important for ensuring smooth project execution.

Why Other Options Are Incorrect:

* Option A and Option B do not accurately capture all necessary relationships, particularly the connections between the Claim

Management application and its reliance on the Application Engine infrastructure. They also miss some of the drivers related to the required hardware replacement.

* Option Comits some key details regarding how the Claim Management Application and Document Management Solution components interact with the system, particularly the Claim Assignment Business Rules Data and Proof of Loss Data. Conclusion:

Option D is the best answer because it offers the most complete and accurate representation of the applications, technology infrastructure, and drivers for the update project. It clearly illustrates how the Claim Management and Document Management systems work together, along with the necessary infrastructure updates, in line with ArchiMate® 3.2 modeling standards.

NEW QUESTION # 12

Please read this scenario prior to answering the question

The ArchiSurance Mobile consumer solution is used for selling and renewing insurance products, providing customer service, enabling accurate and convenient home recordkeeping, and capturing and processing claims. The solution consists of three applications. The Consultant application lets customers review their existing coverage, and update it based on common life events, such as getting a new car, moving into a new home, or having a family member move in or out. If necessary, they can speak or chat with a customer service representative. The Home Manager application helps customers photograph and catalogue their valuable possessions in order to support the filing of accurate claims in case of loss or damage. The Claim Manager application enables customers to quickly file a claim for loss or damage to an insured auto, home or possession. It enables customers to describe the incident by referencing information captured with the Consultant and the Home Manager applications. In addition, it allows the customer to add photographs, audio, video and text to support a claim, submit the claim, and monitor its progress.

The ArchiSurance Mobile applications rely on a number of application services hosted by ArchiSurance. The first is an Auto Identification and Description (AID) service that the Consultant application uses to validate and complete auto information entered by customers. The second service, Home Identification and Description (HID) performs the same function for home information, and is used by the Home Manager application. The Consultant application also uses the Virtual Agent service to guide customers as they select coverage options, the Payment Processor service to arrange premium payments, and the Coverage Activator service to generate policies and put them in force.

ArchiSurance Mobile also relies on a number of technology services. The Home Manager application uses a Multimedia Repository service to store and retrieve information about insured homes. The Claim Manager application also uses this service for claim information entered by customers. All three ArchiSurance Mobile applications use a Personal Security service to register and authenticate customers, and to manage their profiles.

Each application service is realized by an application component with the same name. Each technology service is realized by a system software environment, having the same name. ArchiSurance hosts both the application components and system software environments in a virtualized server pool within its data center. Each service has its own virtual server. Each virtual server is connected to a data center network (DCN) which in turn connects to a commercial wide area network (WAN).

Refer to the Scenario

You have been asked to show the applications that make up the ArchiSurance Mobile solution and the technology that supports these applications.

Which of the following answers provides the best description? Note that it is not necessary to model the networks.

- A. A diagram of a server Description automatically generated
 -
- B. A diagram of a computer server Description automatically generated
 -
- C. A diagram of a server Description automatically generated
 -
- D. A diagram of a server Description automatically generated
 -

Answer: B

Explanation:

In this scenario, the focus is on modeling the ArchiSurance Mobile solution, showing the applications that make up this solution and the technology infrastructure that supports them. This includes applications, application services, and the system software environments (technology services) upon which the applications rely.

Key ArchiMate® 3.2 Concepts Applied:

* Application Components and Services:

* Consultant Application: This allows customers to review, update coverage, and speak with customer service representatives. It uses the following application services:

* Auto Identification and Description (AID) for validating auto information.

* Virtual Agent for helping customers select options.

- * Payment Processor to arrange payments.
- * Coverage Activator to generate and activate policies.
- * Home Manager Application: This allows customers to catalogue possessions and use the Home Identification and Description (HID) service to validate home information.
- * Claim Manager Application: Enables filing of claims, referencing data from the Consultant and Home Manager applications and storing information (such as photos, videos) via the Multimedia Repository.
- * Technology Services:
 - * Personal Security Service: Used for customer registration, authentication, and profile management across all three applications.
 - * Multimedia Repository Service: Used to store and retrieve information related to home possessions and claim details, supporting both the Home Manager and Claim Manager applications.
- * Technology Infrastructure:
 - * Each application component (Consultant, Home Manager, Claim Manager) is hosted on its own virtual server within a virtualized server pool.
 - * Each technology service is realized by a corresponding system software environment (e.g., Multimedia Repository, Personal Security), each with its own virtual server.
 - * The infrastructure is hosted in a data center, but the focus here is on the services rather than the network connections.

Why Option C is Correct:

- * Option C accurately represents the key applications (Consultant, Home Manager, Claim Manager) in connection with the appropriate technology services and their respective virtual servers.
- * The model shows the relationships between the applications and their dependencies on Personal Security and Multimedia Repository, aligning with the description provided.
- * The virtual server pool is depicted clearly, showing how the applications and services are realized within this infrastructure.
- * The relationships between applications and application services (AID, HID, Virtual Agent, Payment Processor, Coverage Activator) are not modeled in full detail here, but they are implicitly understood through the applications.

Why Other Options Are Incorrect:

- * Option A and Option D both incorrectly depict some relationships between the applications and their supporting technology services or servers, or miss certain dependencies.
- * Option B does not provide as clear a depiction of the virtualized infrastructure and how the applications relate to the Multimedia Repository and Personal Security services.

Conclusion:

Option C provides the most accurate and complete description of the ArchiSurance Mobile solution and the supporting technology, as required by the scenario. It correctly illustrates the relationships between the applications, the virtual servers, and the supporting technology services according to ArchiMate® 3.2 principles.

NEW QUESTION # 13

Please read this scenario prior to answering the question

The IT Operations (IT Ops) department at ArchiSurance has five core responsibilities, each encompassing a dedicated business process: (1) Batch Operations (Batch Ops), (2) Online Operations (Online Ops), (3) Security Operations (Security Ops), (4) User Support and (5) Continuous Improvement. Service level agreements (SLAs) are in place for Batch Ops and Online Ops, and each Ops process generates monitoring data that is utilized by the Continuous Improvement process.

The System Ops category consists of Batch Ops, Online Ops, and Security Ops, each having an incident management sub-process. These sub-processes are triggered by Batch, Online, and Security Incidents, respectively. In the initial stages of the incident management sub-processes, an Incident Alert is shared with the other System Ops processes by posting it to the Alert Buffer.

Batch Ops relies on a schedule that outlines all batch jobs and their dependencies. This schedule serves two sub-processes: Batch Planning, which updates the schedule for use by the Execution Management sub-process.

The Batch Ops process relies on a suite of interconnected applications to facilitate its operations. Among these applications, the Batch Scheduler plays a vital role by allowing users to manage a comprehensive database of jobs, job schedules, and dependencies. It effectively launches batch jobs according to the information stored in the database.

Working in conjunction with the Batch Scheduler, the Batch Monitor application utilizes the job schedules as a reference point to monitor job execution. It identifies any exceptional conditions that may arise during the execution process. To ensure effective handling of these exceptions, the Batch Monitor communicates the information to both the Batch Scheduler and the Incident Handler applications through the previously mentioned Alert Buffer.

The Incident Handler application operates based on a defined set of business rules. It uses these rules to determine the relevant systems and individuals that need to be notified in the event of each incident.

Subsequently, the Incident Handler

application generates appropriate notifications according to these determinations.

Recognizing the criticality of the Batch Scheduler, Batch Monitor, and Incident Handler applications, ArchiSurance has implemented redundant hosting arrangements across multiple geographically distributed data centers. In each data center, these three applications are supported by fully redundant virtual server clusters. Each cluster is connected to two site local area networks, both of which are

further linked to separate storage array hardware devices.

Refer to the scenario

As part of an IT service management initiative, you have been assigned the task to show how applications and technology support the Batch Ops process. This should show the relationships between the applications, their functions, the data they access, and the technology that hosts the applications and data, along with the networks that connect the servers. It is only necessary to model a single data center.

Which of the following answers provides the most complete and accurate model?

- A. A diagram of a work flow Description automatically generated
 -
- B. A diagram of a work flow Description automatically generated
 -
- C. A diagram of a software system Description automatically generated with medium confidence
 -
- D. A diagram of a firefighter Description automatically generated
 -

Answer: D

Explanation:

The correct answer is C as it provides the most complete and accurate model according to the ArchiMate® 3 framework and the given scenario.

Here's why:

* Business Processes and Sub-Processes:

* Batch Operations (Batch Ops) is one of the core responsibilities in IT Operations, and its processes are modeled clearly. The Batch Scheduler is responsible for managing batch jobs, schedules, and dependencies.

* The Batch Monitor is correctly shown to monitor the job execution and notify exceptions using the Alert Buffer.

* The Incident Handler is used to notify relevant systems and individuals, triggered by the incident detection from Batch Monitor. This is modeled by the use of incident handling rules and notifications.

* Application Layer (Application Components and Functions):

* The Batch Scheduler, Batch Monitor, and Incident Handler are accurately depicted as the main applications. These applications are crucial for managing job scheduling, monitoring execution, and handling incidents.

* These applications share the same virtual server cluster, which is an important detail reflecting redundancy and high availability, which was mentioned in the scenario.

* The interrelationships between applications are accurately depicted: the Batch Scheduler launches jobs, the Batch Monitor checks their status, and the Incident Handler deals with exceptions.

* Data Access:

* The Batch Scheduler accesses and updates batch jobs and schedules, and this is represented clearly.

* The Incident data and Incident notifications are accurately modeled as being used by Incident Handler.

* Technology Layer:

* The Virtual server cluster, Storage arrays, and Site Local Area Networks are appropriately connected to support the application infrastructure.

* Redundancy is shown through the use of multiple storage arrays and network connections, as described in the scenario.

* Accuracy in Relationship Types (ArchiMate® 3) References:

* The relationships between components are modeled using ArchiMate® 3 standards, such as flow relationships between the Batch Monitor and Alert Buffer or between the Incident Handler and storage components.

* Triggering relationships exist between the applications that manage batch jobs and the monitoring / notification process, ensuring correct job execution and incident handling.

Conclusion: Answer C is the most complete model, as it accurately reflects the roles of the various applications, their interactions, and the underlying technology components in support of the Batch Ops process, following the guidelines and modeling standards of ArchiMate® 3.

NEW QUESTION # 14

Please read this scenario prior to answering the question

ArchiCar is a specialized company that focuses on manufacturing luxury electric cars and powertrain components, along with producing battery-charging equipment. With its own distribution network and showrooms, ArchiCar adopts a direct-to- customer sales model through online channels.

The manufacturing of ArchiCar's electric cars is carried out on fully automated assembly lines. Leveraging a cutting-edge manufacturing process, the company boasts an impressive ability to sell and deliver a vehicle within just one month from the time of order placement. Anticipating significant growth, the CEO has set ambitious plans to increase annual production from 100,000 to

500,000 vehicles within a three-year timeframe.

To ensure the highest quality standards, ArchiCar relies on locally manufactured finished steel from the renowned ArchiMetal plant. ArchiMetal specializes in lightweight steels that allow ArchiCar to achieve a reduced vehicle weight without compromising strength and crash performance. The finished steel is efficiently transported by rail to ArchiCar's production plant, where it is stored in a dedicated warehouse until required for the automated car assembly process. Conveyor belts facilitate the seamless transfer of the finished steel from the warehouse to the assembly plant.

At the ArchiCar assembly plant, an optimized and streamlined assembly process is implemented, resulting in the production of 12 vehicles per hour. Once assembled, the cars are transported to a nearby distribution center using specialized trucks.

These vehicles are then stored at the distribution center until they are ready for delivery to their eagerly awaiting new owners.

Refer to the Scenario

You are a consultant to the CIO. She has asked you to illustrate the end-to-end technology processes at ArchiCar from raw materials to assembled cars ready for delivery.

Which of the following answers provides the best description?

- A. A diagram of a vehicle assembly Description automatically generated
- B.
- C.
- D.

Answer: D

Explanation:

In this scenario, the task is to model the end-to-end technology processes at ArchiCar, showing how raw materials (finished steel) are processed through the company's manufacturing, transportation, and distribution system, ultimately resulting in fully assembled cars ready for delivery.

Key ArchiMate® 3.2 Concepts Applied:

* Business Processes:

- * Steel Making: ArchiMetal manufactures finished steel, a key raw material for ArchiCar's production.
- * Transportation: The finished steel is transported by rail from the ArchiMetal steel plant to ArchiCar's warehouse.
- * Storage: The finished steel is stored in the ArchiCar Warehouse until it is required for the assembly process.
- * Car Assembly: The conveyor belt moves the steel from the warehouse to the assembly plant, where cars are assembled on automated lines.
- * Transportation (Specialized Trucks): Once assembled, the cars are transported to a distribution center using specialized trucks.
- * Storage (Distribution Center): The finished cars are stored in the distribution center, awaiting delivery to customers.

* Application and Technology Components:

- * Conveyor Belt: The transfer of finished steel between the warehouse and assembly plant is automated via the conveyor belt.
- * Rail Transport and Specialized Trucks: Rail transport handles the movement of steel, and specialized trucks are used for car transportation to the distribution center.

* End-to-End Flow:

* The model needs to clearly depict the full process flow from the production of steel, through its transportation and storage, to the automated assembly of luxury cars and their eventual transportation to the distribution center.

* The relationships between processes (e.g., steel making, transportation, car assembly, and storage) must be clear and follow the logical flow of operations.

Why Option D is Correct:

- * Option D provides a clear and accurate representation of the end-to-end processes described in the scenario.
- * It begins with the steel-making process at the ArchiMetal steel plant and follows through with the transportation of the finished steel to the warehouse by rail transport.
- * The process of moving steel via the conveyor belt from the warehouse to the assembly plant for car manufacturing is clearly depicted.
- * Once cars are assembled, they are transported to the distribution center using specialized trucks and are then stored until delivery, completing the end-to-end flow.
- * The relationships between processes and supporting components (e.g., conveyor belt, transportation methods) are clearly illustrated, following ArchiMate® standards.

Why Other Options Are Incorrect:

* Option A is incorrect because it misses some key elements of the process. It does not fully clarify the role of the warehouse or how the finished steel is transported between locations.

* Option B represents the process flow, particularly the storage and assembly process. The connection between steel production and car assembly is not as clearly illustrated.

* Option C also lacks clarity in how the finished steel is moved from the warehouse to the assembly plant, and it does not accurately capture the flow of transportation and storage after car assembly.

Conclusion:

Option D is the best answer because it provides the most complete and clear description of the end-to-end technology processes at ArchiCar, from raw materials (finished steel) to assembled luxury cars ready for delivery. It aligns well with the scenario and adheres to ArchiMate® 3.2 modeling standards, showing all necessary relationships between business processes and supporting components.

NEW QUESTION # 15

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution plays a crucial role in supporting a large number of document types and managing a high volume of document-based transactions each day. Given its business-critical nature, the document management solution is hosted redundantly across two geographically separate data center sites: Site A and Site B. Both sites are configured identically to ensure seamless operations.

Each site has a highly available data center network (DCN) that connects to the resilient ArchiSurance wide area network (WAN). Each claim management server is connected to its respective site's DCN, forming a converged network that interconnects servers and storage arrays. A dedicated physical storage array is allocated to the claim management application within each DCN.

Additionally, each site houses four powerful physical servers exclusively dedicated to the claim management application.

Among these servers, one remains on standby at any given time, while the other three take on specific roles in hosting the document, workflow, and application engines.

The standby server is responsible for monitoring the behavior of the other servers, providing a logging and reporting service. The active servers regularly transmit data to facilitate this monitoring functionality. In the event of a server failure, the standby server steps in to perform resource reallocation, replacing the faulty server. However, this task requires manual intervention from a system administrator to reconfigure the logging and reporting service to adapt to the new environment.

Refer to the Scenario

The IT manager has asked you to model the hardware and networks that support the document management solution. This includes capturing the infrastructure components such as data center sites, servers, storage, and networks. Additionally, you are expected to outline the necessary functionality and services required to enable failover within a server cluster. Given that both data centers share an identical configuration, it is sufficient for Site B to only show the associated networking.

Which of the following is the best answer?

- A. A diagram of a server AI-generated content may be incorrect.
 -
- B. A diagram of a software server AI-generated content may be incorrect.
 -
- **C. A diagram of a server AI-generated content may be incorrect.**
 -
- D. A diagram of a server AI-generated content may be incorrect.
 -

Answer: C

Explanation:

We need to identify the most accurate and complete model that represents:

- * Infrastructure Components- Including data centers, servers, storage arrays, and networks.
- * Failover Capabilities- Showing the standby server's role in monitoring and switching functionality upon failure.
- * Redundant Setup- Ensuring the representation of both data centers (Site A and Site B), with Site B showing only networking.
- * Interconnectivity- Between servers, DCN, and WAN.

Why D is the Best Choice:

#All required infrastructure components are included, such as:

- * Physical servers (Document, Workflow, and Application Servers).
- * Standby Server for failover.
- * Claim Management Storage Array.
- * DCN (Data Center Network) for Site A and Site B.
- * ArchiSurance WAN for external connectivity.

#The Standby Server is correctly linked to logging, monitoring, and reporting, showing its role in monitoring and failover.

#Networking is modeled properly:

- * Both Site A and Site B have a DCN, correctly interconnecting storage and servers.
- * Site B does not duplicate servers but represents networking, as per the scenario.

#Functionality of Failover is Modeled Accurately:

- * Monitoring and reporting services are depicted.
- * Manual intervention by a system administrator is present.

Why Not A, B, or C?

- * A: Does not fully capture the network and storage relationships clearly.
- * B: Similar to A but misses some essential network connections.
- * C: Incorrect failover representation, and networking elements are not clearly depicted.

NEW QUESTION # 16

The three versions of our OGA-032 training materials each have its own advantage, now I would like to introduce the advantage of the software version for your reference. On the one hand, the software version can simulate the real OGA-032 examination for all of the users in windows operation system. On the other hand, if you choose to use the software version, you can download our OGA-032 Exam Prep on more than one computer. We strongly believe that the software version of our study materials will be of great importance for you to prepare for the exam and all of the employees in our company wish you early success.

Dumps OGA-032 Download: <https://www.exam4docs.com/OGA-032-study-questions.html>