

# Easy to Use and Compatible VMware 3V0-41.22 Exam Practice Test Questions Formats

---

[Pass VMware 3V0-41.22 Exam with Real Questions](https://www.passquestion.com/3V0-41.22.html)

**VMware 3V0-41.22 Exam**

**Advanced Deploy VMware NSX-T Data Center 3.x**

<https://www.passquestion.com/3V0-41.22.html>



**Pass VMware 3V0-41.22 Exam with PassQuestion 3V0-41.22**  
questions and answers in the first attempt.

<https://www.passquestion.com/>

---

1 / 7

What's more, part of that ActualPDF 3V0-41.22 dumps now are free: [https://drive.google.com/open?id=19OurFqmHADOSSZLj3B6N63\\_AwhH3qc](https://drive.google.com/open?id=19OurFqmHADOSSZLj3B6N63_AwhH3qc)

The clients at home and abroad strive to buy our 3V0-41.22 test materials because they think our products are the best study materials which are designed for preparing the test 3V0-41.22 certification. They trust our 3V0-41.22 certification guide deeply not only because the high quality and passing rate of our 3V0-41.22 qualification test guide but also because our considerate service system. They treat our 3V0-41.22 study materials as the magic weapon to get the 3V0-41.22 certificate and the meritorious statesman to increase their wages and be promoted.

VMware 3V0-41.22 exam is designed to test the knowledge and skills of IT professionals who want to deploy NSX-T Data Center 3.X technology in a virtualized data center environment. 3V0-41.22 exam consists of 60 multiple-choice questions and is time-bound, with a maximum of 120 minutes allocated for completion. On successful completion of 3V0-41.22 exam, candidates will earn the "VMware Certified Advanced Professional - Data Center Virtualization Deploy 2021" certification, thus providing them with a unique edge when it comes to job prospects and career advancement opportunities in the IT industry.

To prepare for the VMware 3V0-41.22 Exam, candidates can take the VMware NSX-T Data Center 3.X: Advanced Topics course, which covers the topics tested in the exam. Candidates can also use practice exams and study materials available on the VMware website to prepare for the exam. With proper preparation and study, IT professionals can pass the VMware 3V0-41.22 exam and prove their expertise in deploying and managing VMware NSX-T Data Center 3.X.

## Practice 3V0-41.22 Engine - 3V0-41.22 Certification Test Answers

In the world of industry, 3V0-41.22 certification is the key to a successful career. If you have achieved credential such as 3V0-41.22 then it means a bright future is waiting for you. Avail the opportunity of 3V0-41.22 dump at ActualPDF.com that helps you in achieving good scores in the exam. Due to these innovative methodologies students get help online. The 3V0-41.22 Exam Questions Answers PDF is very effective and greatly helpful in increasing the skills of students. They can easily cover the exam topics with more practice due to the unique set of 3V0-41.22 exam dump. The 3V0-41.22 certification learning is getting popular with the passage of time.

### VMware Advanced Deploy VMware NSX-T Data Center 3.X Sample Questions (Q11-Q16):

#### NEW QUESTION # 11

##### Task 3

You are asked to deploy a new instance of NSX-T into an environment with two isolated tenants. These tenants each have separate physical data center cores and have standardized on BCP as a routing protocol.

You need to:

Configure a new Edge cluster with the following configuration detail:

Name:	edge-cluster-01
Edge cluster profile:	nsx-default-edge-high-availability-profile
Includes Edges:	nsx-edge-01 and nsx-edge-02

Configure a Tier-0 Gateway with the following configuration detail:

Name:	TO-01
HA Mode:	Active Active
Edge cluster:	edge-cluster-01

Uplink-1

IPs:	External
ame:	Uplink-1
Address/Mask:	192.168.100.2/24
nnected to:	Uplink
ge Node:	nsx-edge-01

Uplink-2

IPs:	External
ame:	Uplink-2
Address/Mask:	192.168.100.3/24
nnected to:	Uplink
ge Node:	nsx-edge-02

Configure BGP on the Tier-0 Gateway with the following detail:

Local AS:	65001
BGP Neighbors:	IP Address: 192.168.100.1 BFD: Disabled Remote AS Number: 65002
Additional Info:	All other values should remain at default while ensuring that ECMP is On
Source Addresses:	192.168.100.2 and 192.168.100.3

Configure VRF Lite for the secondary tenant with the following detail:

Name:	TO-01-vrf
Connected to Tier-0 Gateway:	TO-01

Complete the requested task.

Notes: Passwords are Contained in the user\_readme.txt. Task 3 is dependent on the Completion Of Task and 2.

Other tasks are dependent On the Completion Of this task. Do not wait for configuration changes to be applied in this task as processing may take up to 10 minutes to complete. Check back on completion. This task should take approximately 10 minutes to complete.

#### Answer:

##### Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

## Explanation

To deploy a new instance of NSX-T into an environment with two isolated tenants, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>.

Navigate to System > Fabric > Nodes > Edge Transport Nodes and click Add Edge VM.

Enter a name and an optional description for the edge VM. Select the compute manager, cluster, and resource pool where you want to deploy the edge VM. Click Next.

Select the deployment size and form factor for the edge VM. For this task, you can select Medium as the size and VM as the form factor. Click Next.

Select the datastore and folder where you want to store the edge VM files. Click Next.

Configure the management network settings for the edge VM. Enter a hostname, a management IP address, a default gateway, a DNS server, and a domain search list. Optionally, you can enable SSH and join the edge VM to a domain. Click Next.

Configure the transport network settings for the edge VM. Select an N-VDS as the host switch type and enter a name for it. Select an uplink profile from the drop-down menu or create a new one by clicking New Uplink Profile. Map the uplinks to the physical NICs on the edge VM. For example, map Uplink 1 to fp-eth0 and Uplink 2 to fp-eth1. Optionally, you can configure IP assignment, MTU, or LLDP for the uplinks. Click Next.

Review the configuration summary and click Finish to deploy the edge VM.

Repeat steps 2 to 8 to deploy another edge VM for redundancy.

Navigate to Networking > Tier-0 Gateway and click Add Gateway > VRF.

Enter a name and an optional description for the VRF gateway. Select an existing tier-0 gateway as the parent gateway or create a new one by clicking New Tier-0 Gateway.

Click VRF Settings and enter a VRF ID for the tenant. Optionally, you can enable EVPN settings if you want to use EVPN as the control plane protocol for VXLAN overlay networks.

Click Save to create the VRF gateway.

Repeat steps 10 to 13 to create another VRF gateway for the second tenant with a different VRF ID.

Navigate to Networking > Segments and click Add Segment.

Enter a name and an optional description for the segment. Select VLAN as the connectivity option and enter a VLAN ID for the segment. For example, enter 128 for Tenant A's first uplink VLAN segment.

Select an existing transport zone from the drop-down menu or create a new one by clicking New Transport Zone.

Click Save to create the segment.

Repeat steps 15 to 18 to create three more segments for Tenant A's second uplink VLAN segment (VLAN ID 129) and Tenant B's uplink VLAN segments (VLAN ID 158 and 159).

Navigate to Networking > Tier-0 Gateway and select the VRF gateway that you created for Tenant A.

Click Interfaces > Set > Add Interface.

Enter a name and an optional description for the interface.

Enter the IP address and mask for the external interface in CIDR format, such as 10.10.10.1/24.

In Type, select External.

In Connected To (Segment), select the VLAN segment that you created for Tenant A's first uplink VLAN segment (VLAN ID 128).

Select an edge node where you want to attach the interface, such as Edge-01.

Enter the Access VLAN ID from the list as configured for the segment, such as 128.

Click Save and then Close.

Repeat steps 21 to 28 to create another interface for Tenant A's second uplink VLAN segment (VLAN ID 129) on another edge node, such as Edge-02.

Repeat steps 20 to 29 to create two interfaces for Tenant B's uplink VLAN segments (VLAN ID 158 and 159) on each edge node using their respective VRF gateway and IP addresses.

Configure BGP on each VRF gateway using NSX UI or CLI commands<sup>12</sup>. You need to specify the local AS number, remote AS number, BGP neighbors, route redistribution, route filters, timers, authentication, graceful restart, etc., according to your requirements<sup>34</sup>.

Configure BGP on each physical router using their respective CLI commands<sup>56</sup>. You need to specify similar parameters as in step 31 and ensure that they match with their corresponding VRF gateway settings<sup>78</sup>.

Verify that BGP sessions are established between each VRF gateway and its physical router neighbors using NSX UI or CLI commands. You can also check the routing tables and BGP statistics on each device.

You have successfully deployed a new instance of NSX-T into an environment with two isolated tenants using VRF Lite and BGP.

## NEW QUESTION # 12

### Task 10

You have been notified by the Web Team that they cannot get to any northbound networks from their Tampa web servers that are deployed on an NSX-T network segment. The Tampa web VM's however can access each other.

You need to:

\* Troubleshoot to find out why the Tampa web servers cannot communicate to any northbound networks and resolve the issue. Complete the requested task. To verify your work, ping the Control Center @ 192.168.110.10 Notes: Passwords are contained in the user\_readme.txt. This task is dependent on Task 4. Some exam candidates may have already completed this task if they had done more than the minimum required in Task 4.

This task should take approximately 15 minutes to complete.

**Answer:**

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To troubleshoot why the Tampa web servers cannot communicate to any northbound networks, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>

Navigate to Networking > Tier-0 Gateway and select the tier-0 gateway that connects the NSX-T network segment to the northbound networks. For example, select T0-GW-01.

Click Interfaces > Set and verify the configuration details of the interfaces. Check for any discrepancies or errors in the parameters such as IP address, subnet mask, MTU, etc.

If you find any configuration errors, click Edit and modify the parameters accordingly. Click Save to apply the changes.

If you do not find any configuration errors, check the connectivity and firewall rules between the tier-0 gateway and the northbound networks. You can use ping or traceroute commands from the NSX Edge CLI or the vSphere Web Client to test the connectivity.

You can also use show service router command to check the status of the routing service on the NSX Edge.

If you find any connectivity or firewall issues, resolve them by adjusting the network settings or firewall rules on the NSX Edge or the northbound devices.

After resolving the issues, verify that the Tampa web servers can communicate to any northbound networks by pinging the Control Center @ 192.168.110.10 from one of the web servers.

## NEW QUESTION # 13

### SIMULATION

#### Task 12

An issue with the Tampa web servers has been reported. You would like to replicate and redirect the web traffic to a network monitoring tool outside of the NSX-T environment to further analyze the traffic.

You are asked to configure traffic replication to the monitoring software for your Tampa web overlay segments with bi-directional traffic using this detail:

Session Name:	Network-Monitor-01
Network Appliance Name/Group:	
Direction:	NM-01
TCP/IP Stack:	Bi Directional
Encapsulation Type:	Default
	GRE

Complete the requested configuration.

Notes: Passwords are contained in the user\_readme.txt. This task is not dependent on other tasks. This task should take approximately 10 minutes to complete.

**Answer:**

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

To configure traffic replication to the monitoring software for your Tampa web overlay segments with bi-directional traffic, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to Networking > Segments and select the Tampa web overlay segment that you want to replicate the traffic from. For example, select Web-01 segment that you created in Task 2.

Click Port Mirroring > Set > Add Session and enter a name and an optional description for the port mirroring session. For example, enter Tampa-Web-Monitoring.

In the Direction section, select Bi-directional as the direction from the drop-down menu. This will replicate both ingress and egress traffic from the source to the destination.

In the Source section, click Set and select the VMs or logical ports that you want to use as the source of the traffic. For example, select Web-VM-01 and Web-VM-02 as the source VMs. Click Apply.

In the Destination section, click Set and select Remote L3 SPAN as the destination type from the drop-down menu. This will allow

you to replicate the traffic to a remote destination outside of the NSX-T environment.

Enter the IP address of the destination device where you have installed the network monitoring software, such as 10.10.10.200.

Select an existing service profile from the drop-down menu or create a new one by clicking New Service Profile. A service profile defines the encapsulation type and other parameters for the replicated traffic.

Optionally, you can configure advanced settings such as TCP/IP stack, snap length, etc., for the port mirroring session.

Click Save and then Close to create the port mirroring session.

You have successfully configured traffic replication to the monitoring software for your Tampa web overlay segments with bi-directional traffic using NSX-T Manager UI.

## NEW QUESTION # 14

### Task 9

To prepare for Virtual machine migration from VLAN-backed port groups to an overlay segment in NSX, a test bridge has been configured. The bridge is not functioning, and the -Bridge-VM- is not responding to ICMP requests from the main console.

You need to:

\* Troubleshoot the configuration and make necessary changes to restore access to the application.

Complete the requested task.

Notes: Passwords are contained in the user\_readme.txt. This task is not dependent on another. This task should take approximately 15 minutes to complete.

### Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To troubleshoot the bridge configuration and restore access to the application, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>.

Navigate to Networking > Segments and select the overlay segment that is bridged to the VLAN-backed port group. For example, select Web-01 segment that you created in Task 2.

Click Bridge > Set and verify the configuration details of the bridge. Check for any discrepancies or errors in the parameters such as bridge name, bridge ID, VLAN ID, edge node, etc.

If you find any configuration errors, click Edit and modify the parameters accordingly. Click Save to apply the changes.

If you do not find any configuration errors, check the connectivity and firewall rules between the overlay segment and the VLAN-backed port group. You can use ping or traceroute commands from the NSX Edge CLI or the vSphere Web Client to test the connectivity. You can also use show service bridge command to check the status of the bridge service on the NSX Edge.

If you find any connectivity or firewall issues, resolve them by adjusting the network settings or firewall rules on the NSX Edge or the vSphere Distributed Switch.

After resolving the issues, verify that the bridge is functioning and the Bridge-VM is responding to ICMP requests from the main console. You can also check the MAC addresses learned by the bridge on both sides of the network using show service bridge mac command on the NSX Edge CLI.

## NEW QUESTION # 15

### SIMULATION

#### Task 14

An administrator has seen an abundance of alarms regarding high CPU usage on the NSX Managers. The administrator has successfully cleared these alarms numerous times in the past and is aware of the issue. The administrator feels that the number of alarms being produced for these events is overwhelming the log files.

You need to:

\* Review CPU Sensitivity and Threshold values.

Complete the requested task.

Notes: Passwords are contained in the user\_readme.txt. This task is not dependent on other tasks. This task should take approximately 5 minutes to complete.

### Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To review CPU sensitivity and threshold values, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to System > Settings > System Settings > CPU and Memory Thresholds.

You will see the current values for CPU and memory thresholds for NSX Manager, NSX Controller, and NSX Edge. These values determine the percentage of CPU and memory usage that will trigger an alarm on the NSX Manager UI.

You can modify the default threshold values by clicking Edit and entering new values in the text boxes. For example, you can increase the CPU threshold for NSX Manager from 80% to 90% to reduce the number of alarms for high CPU usage. Click Save to apply the changes.

You can also view the historical data for CPU and memory usage for each component by clicking View Usage History. You can select a time range and a granularity level to see the usage trends and patterns over time.

## NEW QUESTION # 16

.....

Our company has occupied large market shares because of our consistent renovating. We have built a powerful research center and owned a strong team. Up to now, we have got a lot of patents about our VMware study materials. On the one hand, our company has benefited a lot from renovation. Customers are more likely to choose our 3V0-41.22 Materials. On the other hand, the money we have invested is meaningful, which helps to renovate new learning style of the exam. So it will be very convenient for you to buy our product and it will do a lot of good to you.

**Practice 3V0-41.22 Engine:** [https://www.actualpdf.com/3V0-41.22\\_exam-dumps.html](https://www.actualpdf.com/3V0-41.22_exam-dumps.html)

- Valid 3V0-41.22 Preparation Materials and 3V0-41.22 Guide Torrent: Advanced Deploy VMware NSX-T Data Center 3.X - [www.dumpsmaterials.com](http://www.dumpsmaterials.com)  Search for ( 3V0-41.22 ) on [www.dumpsmaterials.com](http://www.dumpsmaterials.com)  immediately to obtain a free download Flexible 3V0-41.22 Learning Mode
- 3V0-41.22 Brain Exam  Exam 3V0-41.22 Reference  Dumps 3V0-41.22 Questions  Search for  3V0-41.22  on [www.pdfvce.com](http://www.pdfvce.com)  immediately to obtain a free download 3V0-41.22 Exam Guide
- 2026 Perfect 100% Free 3V0-41.22 – 100% Free Valid Dumps Free | Practice 3V0-41.22 Engine  Open [www.vce4dumps.com](http://www.vce4dumps.com) ) enter [3V0-41.22](#)  and obtain a free download 3V0-41.22 Training Pdf
- 3V0-41.22 Test Question  3V0-41.22 Exam Guide  Dumps 3V0-41.22 Questions  Copy URL [ [www.pdfvce.com](http://www.pdfvce.com) ] open and search for [3V0-41.22](#)  to download for free Reliable 3V0-41.22 Test Cram
- 2026 Perfect 100% Free 3V0-41.22 – 100% Free Valid Dumps Free | Practice 3V0-41.22 Engine  Search for { 3V0-41.22 } and easily obtain a free download on [www.prepawaypdf.com](http://www.prepawaypdf.com)  Testing 3V0-41.22 Center
- Expert-Verified VMware 3V0-41.22 Exam Questions for Reliable Preparation  Copy URL ( [www.pdfvce.com](http://www.pdfvce.com) ) open and search for [3V0-41.22](#)  to download for free Testing 3V0-41.22 Center
- 3V0-41.22 Valid Exam Voucher  Flexible 3V0-41.22 Learning Mode  Testing 3V0-41.22 Center  Search for [3V0-41.22](#)  on [www.testkingpass.com](http://www.testkingpass.com)  immediately to obtain a free download 3V0-41.22 Exam Guide
- 3V0-41.22 Latest Test Answers  Exam 3V0-41.22 Reference  3V0-41.22 Training Pdf  Enter [www.pdfvce.com](http://www.pdfvce.com)  and search for [3V0-41.22](#)  to download for free Flexible 3V0-41.22 Learning Mode
- Expert-Verified VMware 3V0-41.22 Exam Questions for Reliable Preparation  Search on  [www.exam4labs.com](http://www.exam4labs.com)  for [3V0-41.22](#)  to obtain exam materials for free download 3V0-41.22 Reliable Test Labs
- 3V0-41.22 Valid Test Practice  3V0-41.22 Brain Exam  Exam 3V0-41.22 Cram Review  Open  [www.pdfvce.com](http://www.pdfvce.com)   and search for [3V0-41.22](#)  to download exam materials for free New 3V0-41.22 Test Cram
- Pass Guaranteed Quiz Newest VMware - 3V0-41.22 - Valid Dumps Advanced Deploy VMware NSX-T Data Center 3.X Free  Enter [www.practicevce.com](http://www.practicevce.com)  and search for [3V0-41.22](#)  to download for free Testing 3V0-41.22 Center
- [lms.icft.org.pk](http://lms.icft.org.pk), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [p.me-page.com](http://p.me-page.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [taqqaddm.com](http://taqqaddm.com), [ncon.edu.sa](http://ncon.edu.sa), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [stocksaim.com](http://stocksaim.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [lms.ait.edu.za](http://lms.ait.edu.za), Disposable vapes

P.S. Free & New 3V0-41.22 dumps are available on Google Drive shared by ActualPDF: [https://drive.google.com/open?id=19OurFqmHADOSSZJLj3B6N63\\_AwhH3qc](https://drive.google.com/open?id=19OurFqmHADOSSZJLj3B6N63_AwhH3qc)