

Oracle 1Z0-083無料ダウンロード & 1Z0-083復習攻略問題

Oracle 1Z0-083

Oracle Database Administration II

1



1Z0-083試験勉強過去問 & 1Z0-083無料模擬試験

献身と熱意を持って1Z0-083ガイド資料を段階的に学習する場合[Oracle必死に試験に合格することを保証します。学習資料の構成あるプロバイダーとして、潜在顧客からより多くの注目を集めるために、常に同等のテストと比較して1Z0-083模擬テストの高い合格率を追求しています。それ以外の場合、残念ながら、1Z0-083学習教材で試験に合格しなかった場合、製品費用はすぐに全額返金されます。]1Z0-083研究トレンドは、高い合格率でより魅力的で素晴らしいものになります。

Oracle 1Z0-083試験は、Oracleデータベースでの作業経験を持ち、データベース管理のキャリアを推進したいプロフェッショナルに最適です。この試験は、Oracle 1Z0-082試験を修了し、データベースの概念[SQL/PLSQLについて強い理解を持っている個人を対象としています。この試験に合格することで、候補者が大規模なOracleデータベースを管理し、可用性、セキュリティ、パフォーマンスを確保するために必要なスキルと知識を持っていることが証明されます。さらに[Oracle Database Administrator Certified Professionalになることで、新しい仕事の機会が開かれ、フィールドでの高い給与を得ることができます。

Oracle 1Z0-083試験では[Oracleデータベース管理に関連する幅広いトピックをカバーしています。これらには、バックアップと回復戦略、データベースのチューニングとパフォーマンスの最適化、データベースセキュリティ、および高度なデータベース管理タスクが含まれます。候補者は、これらのトピックを完全に理解し、実際のシナリオに知識を適用できる必要があります。

>> 1Z0-083試験勉強過去問 <<

信頼的な1Z0-083試験勉強過去問 | 最初の試行で簡単に勉強して試験に合格する & よくできたOracle Oracle Database

1Z0-083試験勉強過去問 & 1Z0-083無料模擬試験

ちなみに、JPTestKing 1Z0-083の一部をクラウドストレージからダウンロードできます：
<https://drive.google.com/open?id=1UQsSnIBphiQkObfRexyivkTDO-hBH7I2>

1Z0-083試験資料の3つのバージョンのなかで、PDFバージョンの1Z0-083トレーニングガイドは、ダウンロードと印刷でき、受験者のために特に用意されています。携帯電話にブラウザをインストールでき、私たちの1Z0-083試験資料のApp版を使用することもできます。PC版は、実際の試験環境を模擬し、Windowsシステムのコンピュータに適します。

1Z1-083試験の準備をするために、候補者は、公式の学習ガイド、オンラインコース、練習試験など、Oracleが提供するさまざまな研究資料を利用できます。さらに、候補者は、Oracleデータベースに取り組み、トレーニングプログラムに参加することにより、実際の経験を積むことができます。適切な準備と勤勉さにより、Oracle 1Z1-083認定試験に合格することは、やりがいのある経験であり、専門家の資格に貴重な追加になる可能性があります。

Oracle 1Z1-083（Oracle Database Administration II）認定試験は、データベース管理でのキャリアを促進しようとする個人向けに設計された専門的な認定試験です。この試験は、Database管理者、データベース開発者、およびOracleデータベース管理における能力を証明したい技術サポートの専門家を対象としています。

>> Oracle 1Z0-083無料ダウンロード <<

1Z0-083復習攻略問題、1Z0-083試験勉強攻略

まだOracleの1Z0-083認定試験を悩んでいますかこの情報の時代の中で専門なトレーニングを選択するのと思っていますか？ 良いターゲットのトレーニングを利用すれば有効で君のIT方面の大量の知識を補充 できます。Oracleの1Z0-083認定試験「Oracle Database Administration II」により準備ができて、試験に穏やかな心情をもって扱うことができます。JPTestKingの専門家が研究された問題集を利用してください。

Oracle 1Z1-083 (Oracle Database Administration II) 認定試験は、Oracle データベース管理のエキスパートであることを証明したいデータベース管理者にとって高く求められている認定試験です。この試験は、大規模な Oracle データベースを管理する責任を持つ IT プロフェッショナルの知識と技能をテストするために設計されています。データベースアーキテクチャ、バックアップとリカバリ、パフォーマンスチューニング、セキュリティなど、幅広いトピックをカバーしています。

Oracle Database Administration II 認定 1Z0-083 試験問題 (Q141-Q146):

質問 # 141

Your container database, CDB1, has an application container, HR_ROOT, with an application PDB, HR_PDB1. You have the required privilege to clone HR_PDB1 to container database CDB2, which does not contain HR_ROOT. Which two are always true? (Choose two.)

- A. Cloning HR_ROOT automatically clones HR_PDB1.
- B. All transactions in HR_PDB1 of CDB1 must commit before the cloning process starts.
- C. The HR_PDB1 clone created in CDB2 will be in mount state when cloning ends.
- D. A common user must exist in CDB2 with the CREATE PLUGGABLE DATABASE privilege.
- E. CDB1 and CDB2 must be in shared undo mode.

正解: A、C

質問 # 142

Which two are true about the Oracle database tuning methodology?

- A. Tuning activities should stop once agreed service levels for performance have been met.
- B. The alert log should be used to find the database and instance areas most in need of tuning.
- C. The database instance memory should always be tuned before tuning any file systems.
- D. Tuning activities should stop once the user is satisfied with performance.
- E. SQL statements should always be tuned before tuning any file systems.
- F. The Oracle Database time model should be used to find the database and instance areas most in need of tuning.

正解: E、F

質問 # 143

Examine this output:

SQL> select pluggable_database, shares, parallel_server_limit 2 from dba_cdb_rsrc_plan_directives where plan = 'MY_PLAN' 3 order by pluggable_database;		
PLUGGABLE_DATABASE	SHARES	PARALLEL_SERVER_LIMIT
ORA\$AUTOTASK		100
ORA\$DEFAULT_PDB_DIRECTIVE	1	0
PDB1	2	100
PDB2	2	25
PDB3	1	
SQL> select name, value from v\$parameter 2 where name = 'resource_manager_plan';		
NAME	VALUE	
resource_manager_plan	MY_PLAN	

Which two are true? (Choose two.)

- A. PDB2 is guaranteed at least 25% of the available parallel execution processes if there is enough demand.
- **B. PDB3 can use all available parallel execution processes at times.**
- C. PDB1 is always limited to 40% of the available system resources regardless of demand.
- D. Any PDB not specified in the plan will be able to use a maximum of 16.5% of the available system resources.
- E. PDB3 is guaranteed to receive at least 20% of the available system resources if there is enough demand.
- **F. Any PDB not specified in the plan will be unable to execute statements in parallel.**

正解: B、F

解説:

A). Correct as then a PDB will get assigned the default directive with parallel_server_limit set to 0

B). Correct as parallel_server_limit is not specified for PDB3 and it defaults to 100 Quote:

<https://docs.oracle.com/database/121/ADMIN/dbrm.htm#ADMIN14008>

"If PARALLEL_SERVER_LIMIT is not specified, then it defaults to 100%."

C). Incorrect. A PDB can use more resources:

Quote from

https://docs.oracle.com/database/121/ADMIN/cdb_dbm.htm#ADMIN13777

"However, any PDB can use more than the guaranteed amount of a resource if there is no resource contention."

D). Incorrect. Shares is a minimum guaranteed value. But a PDB can use more as explained above in C.

E). Incorrect. Nothing confirms that there are only 3 PDBs attached. There may be others using the default pdb directive. Then the share for PDB2 is not 20%

F). Incorrect. parallel_server_limit is an upper limit.

質問 # 144

Examine these queries and their output: After a system crash, an instance restart and an attempted opening of the PDBs result in:
Which two are true? (Choose two.)

- A. Data file 24 cannot be recovered while the CDB is opened.
- **B. Data file 24 can be recovered while CDB\$ROOT and PDB\$SEED are opened.**
- C. Data file 24 must be recovered while PDB2 is closed.
- **D. Data file 24 can be recovered while PDB2 is opened.**
- E. Data file 24 must be recovered while the CDB is opened.

正解: B、D

質問 # 145

The HR_ROOT application container must support the execution of a query on a table shared by application local PDBs PDB1 and PDB2, and remote PDB PDB3.

Which three are true? (Choose three.)

- A. A database link must exist in the local CDB root referring to the remote CDB.
- B. PDB3's application root replica must exist in the local CDB.
- C. A proxy PDB must exist in the application root in the remote CDB.
- D. A database link must exist in the remote CDB referring to the local CDB.
- E. A proxy PDB must exist in the application root in the local CDB.
- F. The HR_ROOT replica must exist in the remote CDB.

正解： D、E、F

質問 # 146

• • • • •

1Z0-083復習攻略問題: <https://www.jpctestking.com/1Z0-083-exam.html>

- [illegible]

2026年JPTestKingの最新1Z0-083 PDFダンプおよび1Z0-083試験エンジンの無料共有: <https://drive.google.com/open?id=1UQsSnIbPhiQkObfRcxvYkTdu-hBH7I2>