

Mule-Dev-301인증 시험인기시험자료, Mule-Dev-301시험대비최신버전자료

SAP C-4H430-94 SAP Certified Application Associate - SAP Commissions Implementation 4

- C-C4H430-94 100%시험패스덤프 C-C4H430-94시험패스 가능한 공부자료 C-C4H430-94인증 시험대비덤프공부 C-C4H430-94 무료 다운로드를 위해 C-C4H430-94 *를 검색하려면 www.itdumpskr.com]을(를) 입력하십시오.C-C4H430-94시험유효자료
- C-C4H430-94합격보장 가능한덤프공부 C-C4H430-94유효한 최신덤프자료 C-C4H430-94최신 버전 인기덤프 C-C4H430-94 검색만 하면 www.itdumpskr.com 에서 C-C4H430-94 C-C4H430-94 무료 다운로드 C-C4H430-94 최신덤프
- 시험준비에 가장 좋은 C-C4H430-94퍼펙트 최신버전 공부자료 최신덤프공부 C-C4H430-94 www.itdumpskr.com 에서 검색만 하면 C-C4H430-94 C-C4H430-94 무료 다운로드할 수 있습니다.C-C4H430-94합격보장 가능한덤프공부
- C-C4H430-94 100%시험패스덤프 C-C4H430-94시험유효자료 C-C4H430-94최신버전 인기덤프 C-C4H430-94 www.itdumpskr.com 에서 C-C4H430-94 C-C4H430-94 검색하고 무료 다운로드 받기C-C4H430-94 인기자격을 시험대비 공부자료
- C-C4H430-94완벽한 시험기술자료 C-C4H430-94합격보장 가능한덤프공부 C-C4H430-94유효자료 C-C4H430-94 무료 다운로드를 위해 지금 www.itdumpskr.com 에서 C-C4H430-94 검색C-C4H430-94인증시험대비덤프공부
- C-C4H430-94유효자료 C-C4H430-94최신 시험 최신덤프 C-C4H430-94 100%시험패스덤프 www.itdumpskr.com 웹사이트를 열고 C-C4H430-94 <를 검색하여 무료 다운로드 C-C4H430-94 100%시험패스덤프
- 완벽한 C-C4H430-94퍼펙트 최신버전 공부자료덤프로 시험패스는 한방에 가능 C-C4H430-94 www.itdumpskr.com <웹사이트에서 C-C4H430-94 *를 읽고 검색하여 무료 다운로드 C-C4H430-94 최신 업데이트 인증공부자료
- C-C4H430-94시험패스 가능한 공부자료 C-C4H430-94최신덤프 C-C4H430-94유효자료 C-C4H430-94 무료 다운로드를 위해 지금 www.itdumpskr.com *에서 C-C4H430-94 검색C-C4H430-94완벽한 시험기술자료
- C-C4H430-94인기자격을 시험대비 공부자료 C-C4H430-94최신버전 인기덤프 C-C4H430-94최신덤프샘플문제 다운 C-C4H430-94 무료 문제 다운로드하려면 www.itdumpskr.com 에서 C-C4H430-94 <를 검색하세요C-C4H430-94인기자격을덤프문제

Tags: C-C4H430-94퍼펙트 최신버전 공부자료,C-C4H430-94퍼펙트 최신버전 문제,C-C4H430-94 유효한 통과율덤프문제,C-C4H430-94 유효한 통과율덤프샘플 문제,C-C4H430-94 최신 인증시험덤프문제

C-C4H430-94퍼펙트최신버전공부자료인기인증시험덤프

참고: Pass4Test에서 Google Drive로 공유하는 무료 2026 Salesforce Mule-Dev-301 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1DoZxxdtUNd29KQL9S1Og80e9dwCw-Lrj>

Pass4Test의 Salesforce인증 Mule-Dev-301덤프의 무료샘플을 이미 체험해보셨죠? Pass4Test의 Salesforce인증 Mule-Dev-301덤프에 단번에 신뢰가 생겨 남은 문제도 공부해보고 싶지 않나요? Pass4Test는 고객님의 시험부담을 덜어드리기 위해 가벼운 가격으로 덤프를 제공해드립니다. Pass4Test의 Salesforce인증 Mule-Dev-301로 시험패스하다 더욱 넓고 좋은곳으로 고고싱 하세요.

Pass4Test는 엘리트한 전문가들의 끊임없는 연구와 자신만의 노하우로 Salesforce Mule-Dev-301덤프자료를 만들어 냈으므로 여러분의 꿈을 이루어드립니다. 기존의 Salesforce Mule-Dev-301시험문제를 분석하여 만들어낸 Salesforce Mule-Dev-301덤프의 문제와 답은 실제시험의 문제와 답과 아주 비슷합니다. Salesforce Mule-Dev-301덤프는 합격보장해드리는 고품질 덤프입니다. Pass4Test의 덤프를 장바구니에 넣고 페이지를 통한 안전결제제를 진행하여 덤프를 다운받아 시험합격하세요.

>> Mule-Dev-301인증 시험 인기 시험자료 <<

Mule-Dev-301 덤프자료 & Mule-Dev-301 덤프문제 & Mule-Dev-301 시험자료

Salesforce Mule-Dev-301 인증덤프는 최근 출제된 실제시험문제를 바탕으로 만들어진 공부자료입니다. Salesforce Mule-Dev-301 시험문제가 변경되면 제일 빠른 시일내에 덤프를 업데이트하여 최신버전 덤프자료를 Salesforce Mule-Dev-301 덤프를 구매한 분들께 보내드립니다. 시험탈락시 덤프비용 전액환불을 약속해드리기에 안심하시고 구매 하셔도 됩니다.

최신 Salesforce MuleSoft Mule-Dev-301 무료샘플문제 (Q20-Q25):

질문 # 20

A company with MuleSoft Titanium develops a Salesforce System API using MuleSoft out-of-the-box Salesforce Connector and deploys the API to CloudHub.

Which steps provide the average number of requests and average response time of the Salesforce Connector?

- A. Access Anypoint Monitoring's built-in dashboard. Select a resource.
Locate the information under the Connectors tab.
- B. Change the API Implementation to capture the information in the log.
Retrieve the information from the log file.
- C. Access Anypoint Monitoring's built-in dashboard
Select a resource.
Create a custom dashboard to retrieve the information.
- D. Access Anypoint Monitoring built-in dashboard.
Select a resource.
Locate the information under Log Manager < Raw Data.

정답: A

설명:

To get the average number of requests and average response time of the Salesforce Connector, the developer should access Anypoint Monitoring's built-in dashboard, select a resource (such as an application or an API), and locate the information under the Connectors tab. The Connectors tab shows metrics for each connector used by the resource, such as average requests per minute, average response time, and failures. Reference: <https://docs.mulesoft.com/monitoring/built-in-dashboard-reference>

질문 # 21

A mule application exposes an API for creating payments. An Operations team wants to ensure that the Payment API is up and running at all times in production.

Which approach should be used to test that the payment API is working in production?

- A. Configure the application to send health data to an external system
- B. Create a health check endpoint that listens on a separate port and uses a separate HTTP Listener configuration from the API
- C. Monitor the Payment API directly sending real customer payment data
- D. Create a health check endpoint that reuses the same port number and HTTP Listener configuration as the API itself

정답: B

설명:

To test that the payment API is working in production, the developer should create a health check endpoint that listens on a separate port and uses a separate HTTP Listener configuration from the API. This way, the developer can isolate the health check endpoint from the API traffic and avoid affecting the performance or availability of the API. The health check endpoint should return a simple response that indicates the status of the API, such as OK or ERROR. Reference: <https://docs.mulesoft.com/api-functional-monitoring/afm-create-monitor#create-a-monitor>

질문 # 22

A Mule application needs to invoice an API hosted by an external system to initiate a process. The external API takes anywhere between one minute and 24 hours to complete its process.

Which implementation should be used to get response data from the external API after it completes processing?

- A. Use an HTTP Connector inside Async scope to invoice the API and wait for a response
- B. Expose an HTTP callback API in Mule and register it with the external system
- C. Use an HTTP Connector to invoke the API and wait for a response

- D. Use a Scheduler to check for a response every minute

정답: B

설명:

To get response data from the external API after it completes processing, the developer should expose an HTTP callback API in Mule and register it with the external system. This way, the external API can invoke the callback API with the response data when it is ready, instead of making the Mule application wait for a long time or poll for a response repeatedly. Reference: <https://docs.mulesoft.com/mule-runtime/4.3/http-listener-ref#callback>

질문 # 23

A company has been using CI/CD. Its developers use Maven to handle build and deployment activities. What is the correct sequence of activities that takes place during the Maven build and deployment?

- A. Validate, initialize, compile, test package, verify, install, deploy
- B. Validation, initialize, compile, test, package, install verify, deploy
- C. Validate, initialize, compile, package, test, install, verify, verify, deploy
- D. Initialize, validate, compute, test, package, verify, install, deploy

정답: A

설명:

The correct sequence of activities that takes place during the Maven build and deployment is validate, initialize, compile, test package, verify, install, deploy. These are Maven lifecycle phases that define a sequence of goals to execute during a build process. Each phase represents a stage in the build lifecycle and can have zero or more goals bound to it. Reference: <https://maven.apache.org/guides/introduction/introduction-to-the-lifecycle.html>

질문 # 24

A Mule implementation uses a HTTP Request within an Unit Successful scope to connect to an API. How should a permanent error response like HTTP:UNAUTHORIZED be handle inside Until Successful to reduce latency?

- A. In Until Successful configuration, set the retry count to 1 for error type HTTP: UNAUTHORIZED.
- B. Put the HTTP Request inside a try scope in Unit Successful.
In the error handler, use On Error Continue to catch permanent errors like HTTP UNAUTHORIZED.
- C. Put the HTTP Request inside a try scope in Unit Successful.
In the error handler, use On Error Propagate to catch permanent errors like HTTP UNAUTHORIZED.
- D. Configure retrying until a MULERETRY_EXHAUSTED error is raised or the API responds back with a successful response.

정답: B

설명:

To handle a permanent error response like HTTP:UNAUTHORIZED inside Until Successful, the developer should put the HTTP Request inside a try scope in Unit Successful, and use On Error Continue to catch permanent errors like HTTP UNAUTHORIZED in the error handler. This way, the developer can avoid retrying requests that will always fail due to a permanent error, and reduce latency. On Error Continue allows the flow to continue processing after handling the error. Reference: <https://docs.mulesoft.com/mule-runtime/4.3/until-successful-scope> <https://docs.mulesoft.com/mule-runtime/4.3/on-error-continue-concept>

질문 # 25

.....

고객님의 시간을 조금이라도 절약해드리고 공을 적게 들여도 자격증 취득이 쉬워지도록 Pass4Test의 IT전문가들은 최신 실러버스에 따라 몇년간의 노하우와 경험을 충분히 활용하여Salesforce Mule-Dev-301시험대비자료를 연구제작하였습니다. Salesforce Mule-Dev-301 덤프를 공부하여 시험에서 떨어지는 경우 덤프비용환불 혹은 다른 과목으로 교환하는중 한가지 서비스를 제공해드립니다.

Mule-Dev-301시험대비 최신버전 자료 : <https://www.pass4test.net/Mule-Dev-301.html>

그 외, Pass4Test Mule-Dev-301 시험 문제집 일부가 지금은 무료입니다: <https://drive.google.com/open?id=1DoZxxdtUNd29KQL9S1Og80e9dwCw-Lrj>