

FCP_FGT_AD-7.6合格率 & FCP_FGT_AD-7.6認定資格試験



2025年Jpshikenの最新FCP_FGT_AD-7.6 PDFダンプおよびFCP_FGT_AD-7.6試験エンジンの無料共有: <https://drive.google.com/open?id=1LB7ipK9WZoH5b1zeuIo3k1jyj-GJ8Sji>

FortinetのFCP_FGT_AD-7.6試験は国際的に認可されます。これがあつたら、よい高い職位の通行証を持っているようです。Jpshikenの提供するFortinetのFCP_FGT_AD-7.6試験の資料とソフトは経験が豊富なITエリートに開発されて、何回も更新されています。何十ユーロだけでこのような頼もしいFortinetのFCP_FGT_AD-7.6試験の資料を得ることができます。試験に合格してからあなたがよりよい仕事と給料がもらえるかもしれません。

Fortinet FCP_FGT_AD-7.6 認定試験の出題範囲:

トピック	出題範囲
トピック 1	導入とシステム構成: このセクションでは、ネットワークセキュリティエンジニアのスキルを評価し、FortiGateデバイスを本番環境に導入するための基本的なタスクを網羅します。受験者は、初期設定、基本的な接続の確立、そしてデバイスをFortinet Security Fabricに統合できることが求められます。また、FortiGate Cluster Protocol (FGCP) の高可用性設定を構成し、リソースと接続の問題をトラブルシューティングして、システムの稼働状態とネットワークの稼働時間を確保できる必要があります。
トピック 2	ファイアウォールポリシーと認証: このセクションでは、ファイアウォール管理者のスキルを評価し、セキュリティポリシーの実装と管理について学びます。基本および高度なファイアウォールルールの設定、送信元NAT (SNAT) および宛先NAT (DNAT) オプションの適用、そして様々なファイアウォール認証方式の適用が含まれます。また、ネットワーク全体のユーザーアクセスを効率化するためのFortinetシングルサインオン (FSSO) の導入と設定についても学びます。
トピック 3	VPN: このセクションでは、ネットワークセキュリティエンジニアのスキルを評価し、仮想プライベートネットワーク (VPN) ソリューションの設定と導入について検証します。受験者は、SSL VPNを実装して社内リソースへの安全なリモートアクセスを許可し、メッシュ型または部分冗長型のトポロジでIPsec VPNを構成して、分散ネットワーク拠点間の暗号化通信を確保する必要があります。

トピック 4	コンテンツ検査: このセクションでは、ネットワークセキュリティエンジニアのスキルを評価し、FortiGateのコンテンツ検査機能の設定と管理について学びます。受験者は、デジタル証明書を使用した暗号化トラフィック検査の理解、FortiGateの検査モードの特定と適用、Webフィルタリングポリシーの設定を行う必要があります。また、ネットワークアプリケーションの使用状況を監視・制御するためのアプリケーション制御の実装、マルウェアを検出・ブロックするためのアンチウイルスプロファイルの設定、そして脅威や脆弱性からネットワークを保護するための侵入防止システム（IPS）の設定能力も評価されます。
トピック 5	ルーティング: このセクションでは、ファイアウォール管理者のスキルを評価し、FortiGateデバイスのルーティング機能の設定について学びます。ネットワーク内外のトラフィックを誘導するためのスタティックルートの定義と適用、複数のWAN接続間でトラフィック負荷を効率的に分散・均衡化するためのソフトウェア定義WAN（SD-WAN）の設定などが含まれます。

>> FCP_FGT_AD-7.6合格率 <<

Fortinet FCP_FGT_AD-7.6認定資格試験 & FCP_FGT_AD-7.6日本語版テキスト内容


我々Jpshikenでは、あなたは一番優秀なFortinet FCP_FGT_AD-7.6問題集を発見できます。我が社のサービスもいいです。購入した前、弊社はあなたが準備したいFCP_FGT_AD-7.6試験問題集のサンプルを無料で提供します。購入した後、一年間の無料サービス更新を提供します。Fortinet FCP_FGT_AD-7.6問題集に合格しないなら、180日以内で全額返金します。あるいは、他の科目の試験を変えていいです。

Fortinet FCP - FortiGate 7.6 Administrator 認定 FCP_FGT_AD-7.6 試験問題 (Q12-Q17):

質問 # 12

Refer to the exhibit. As an administrator you have created an IPS profile, but it is not performing as expected. While testing you got the output as shown in the exhibit.

What could be the possible reason of the diagnose output shown in the exhibit?



- A. There is a no firewall policy configured with an IPS security profile.
- B. FortiGate entered into IPS fail open state.
- C. Administrator entered the command diagnose test application ipsmonitor 5.
- D. Administrator entered the command diagnose test application ipsmonitor 99.


正解: A

解説:

The output shows the IPS engine count as 0, indicating no active IPS engines are running. This typically means no firewall policy is referencing the IPS security profile, so the IPS profile is not being applied or triggered.

質問 # 13

Refer to the exhibit.



FortiGate has two separate firewall policies for Sales and Engineering to access the same web server with the same security profiles. Which action must the administrator perform to consolidate the two policies into one?

- A. Create an Interface Group that includes port1 and port2 to create a single firewall policy.
- B. Replace port1 and port2 with the any interface in a single firewall policy.
- C. Select port1 and port2 subnets in a single firewall policy.
- D. Enable Multiple Interface Policies to select port1 and port2 in the same firewall policy.

正解: A

解説:

To consolidate two firewall policies that use different incoming interfaces (port1 and port2) but have the same destination, services, and security profiles, the administrator should create an Interface Group that includes both port1 and port2.

This allows a single firewall policy to apply to traffic from both interfaces, simplifying management while maintaining consistent security enforcement.

質問 # 14

Refer to the exhibit.



The NOC team connects to the FortiGate GUI with the NOC_Access admin profile. They request that their GUI sessions do not disconnect too early during inactivity.

What must the administrator configure to answer this specific request from the NOC team?

- A. Increase the offline value of the Override Idle Timeout parameter in the NOC_Access admin profile.
- B. Ensure that all NOC_Access users are assigned the super_admin role to guarantee access
- C. Increase the admin timeout value under config system accprofile NOC_Access.
- D. Move NOC_Access to the top of the list to ensure all profile settings take effect.

正解: C

解説:

The admin timeout setting in the admin access profile controls the inactivity timeout for GUI sessions. Increasing this value will extend the session duration before automatic disconnection.

質問 # 15

Refer to the exhibit, which shows a partial configuration from the remote authentication server.

Attribute	Value	Vendor	Actions
Fortinet-Group-Name	Training	Fortinet	 

Why does the FortiGate administrator need this configuration?

- A. To authenticate Any FortiGate user groups.
- **B. To authenticate only the Training user group.**
- C. To authenticate and match the Training OU on the RADIUS server.
- D. To set up a RADIUS server Secret.

正解: B

解説:


The Fortinet-Group-Name attribute is used to restrict authentication to users who belong specifically to the "Training" user group on the RADIUS server.

質問 # 16

Refer to the exhibits. An administrator creates a new address object on the root FortiGate (HQ- NGFW-1) in the Security Fabric. After synchronization, this object is not available on the downstream FortiGate (HQ-ISFW).

What must the administrator do to synchronize the address object?

Security Fabric physical topology view



New address object on HQ-NGFW-1

Edit Address

Name	Net_Add_1
Color	 Change
Interface	☐ any 
Type	Subnet 
IP/Netmask	10.10.10.0 255.255.255.0
Fabric global object	 
Routing configuration	
Comments	Write a comment... 0/255

Security Fabric configuration on HQ-NGFW-1

```
HQ-NGFW-1 # show full-configuration system csf
config system csf
    set status enable
    set uid "10e202dad887c02ac8bafa024228d86d"
    set upstream ' '
    set source-ip 0.0.0.0
    set upstream-interface-select-method auto
    set upstream-port 8013
    set-group-name "Fortinet"
    set group-password ENC M8h5eGm9sVzi555Pp5y
    YEaCjk/95p0MH1lmMjY3dkVA
    set accept-auth-by-cert enable
    set log-unification enable
    set authorization-request-type serial
    set fabric-workers 2
    set downstream-access disable
    set configuration-sync default
    set fabric-object-unification local
    set saml-configuration-sync default
```

Security Fabric configuration on HQ-ISFW

```
HQ-NGFW-1 # show full-configuration system csf
config system csf
    set status enable
    set uid "dd0263000fa8209fc0d99a40faf9c818"
    set upstream "10.0.11.254"
    set source-ip 0.0.0.0
    set upstream-interface-select-method auto
    set upstream-port 8013
    set-group-name ''
    set accept-auth-by-cert enable
    set log-unification enable
    set authorization-request-type serial
    set fabric-workers 2
    set downstream-access disable
    set configuration-sync default
    set saml-configuration-sync local
    set file-mgmt enable
    set file-quota 0
    set file-quota-warning 90
end
```

- A. Change the csfsetting on HQ-ISFW (downstream) to set saml-configuration-sync default.
- **B. Change the csfsetting on HQ-NGFW-1 (root) to set fabric-object-unification default.**
- C. Change the csfsetting on both devices to set downstream-access enable.
- D. Change the csfsetting on HQ-ISFW (downstream) to set configuration-sync local.

正解: B

解説:

On HQ-NGFW-1 (the root FortiGate), the setting set fabric-object-unification local prevents address objects created on the root from synchronizing downstream. To propagate objects across the Security Fabric, this must be set to default. Changing the root's csf configuration to set fabric-object-unification default ensures that new address objects are synchronized to HQ-ISFW and other downstream devices.

質問 #17

.....

弊社のFortinet問題集を購入するなら、あなたは必ず後悔しません。我々は自分の商品に自信があります。お客様は我々の商品を利用したら、FCP_FGT_AD-7.6試験に合格できます。もしFCP_FGT_AD-7.6試験に落ちるなら、我々は返金できます。それとも、お客様はほかの試験に対応する問題集を交換するのを選ぶことができます。

FCP_FGT_AD-7.6認定資格試験: https://www.jpshiken.com/FCP_FGT_AD-7.6_shiken.html

- FCP_FGT_AD-7.6専門試験 □ FCP_FGT_AD-7.6再テスト □ FCP_FGT_AD-7.6日本語版試験解答 □ 「www.shikenpass.com」で使える無料オンライン版“FCP_FGT_AD-7.6”の試験問題FCP_FGT_AD-7.6科目対策
- 試験FCP_FGT_AD-7.6合格率 - 一生懸命にFCP_FGT_AD-7.6認定資格試験 | 一番優秀なFCP_FGT_AD-7.6日本語版テキスト内容 □ ⇒ www.goshiken.com ⇒ 「FCP_FGT_AD-7.6」を検索して、無料でダウンロードしてくださいFCP_FGT_AD-7.6最新問題
- FCP_FGT_AD-7.6テキスト □ FCP_FGT_AD-7.6前提条件 □ FCP_FGT_AD-7.6参考資料 □ ⇒ www.mogicexam.com ⇒ を入力して※ FCP_FGT_AD-7.6 □ ※ □ を検索し、無料でダウンロードしてくださいFCP_FGT_AD-7.6参考資料
- FCP_FGT_AD-7.6試験の準備方法 | 最高のFCP_FGT_AD-7.6合格率試験 | 更新するFCP - FortiGate 7.6 Administrator認定資格試験 □ □ www.goshiken.com □ で使える無料オンライン版✓ FCP_FGT_AD-7.6 □ ✓ □

の試験問題FCP FGT AD-7.6最新問題

- FCP_FGT_AD-7.6科目対策 □ FCP_FGT_AD-7.6関連資料 □ FCP_FGT_AD-7.6試験問題解説集 □ 検索するだけで【www.goshiken.com】から⇒FCP_FGT_AD-7.6 □を無料でダウンロードFCP_FGT_AD-7.6資格取得講座
- FCP_FGT_AD-7.6過去問 □ FCP_FGT_AD-7.6試験問題解説集 □ FCP_FGT_AD-7.6試験問題解説集 □（www.goshiken.com）を開き、【FCP_FGT_AD-7.6】を入力して、無料でダウンロードしてください FCP_FGT_AD-7.6試験問題解説集
- FCP_FGT_AD-7.6最新問題 □ FCP_FGT_AD-7.6参考資料 □ FCP_FGT_AD-7.6最新問題 □▶www.shikenpass.com ◀の無料ダウンロード▶ FCP_FGT_AD-7.6 ◀ページが開きます FCP_FGT_AD-7.6過去問
- 試験の準備方法-正確なFCP_FGT_AD-7.6合格率試験-ハイパスレートのFCP_FGT_AD-7.6認定資格試験 □ □ 検索するだけで《www.goshiken.com》から⇒FCP_FGT_AD-7.6 □□□を無料でダウンロード FCP_FGT_AD-7.6専門試験
- FCP_FGT_AD-7.6勉強資料 □ FCP_FGT_AD-7.6トレーニング学習 □ FCP_FGT_AD-7.6関連資料 □ 最新 □ FCP_FGT_AD-7.6 □問題集ファイルは{www.passtest.jp}にて検索FCP_FGT_AD-7.6試験解説問題
- 素晴らしいFCP_FGT_AD-7.6合格率一回合格-信頼できるFCP_FGT_AD-7.6認定資格試験 □（www.goshiken.com）から□ FCP_FGT_AD-7.6 □を検索して、試験資料を無料でダウンロードしてください FCP_FGT_AD-7.6テキスト
- FCP_FGT_AD-7.6トレーニング学習 ～ FCP_FGT_AD-7.6試験解説問題 □ FCP_FGT_AD-7.6試験解説問題 □ ウェブサイト「www.xhs1991.com」を開き、⇒FCP_FGT_AD-7.6 □□□を検索して無料でダウンロードしてください FCP_FGT_AD-7.6復習解答例
- hazopsiltraining.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, lms.ait.edu.za, www.stes.tyc.edu.tw, pct.edu.pk, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, study.stcs.edu.np, www.stes.tyc.edu.tw, Disposable vapes

P.S. JpshikenがGoogle Driveで共有している無料かつ新しいFCP_FGT_AD-7.6ダンプ: <https://drive.google.com/open?id=1LB7ipK9WZoH5b1zeul03k1jyj-GJ8Sji>