

# NCM-MCI Latest Cram Materials - New NCM-MCI Mock Exam



## NCM-MCI Exam Details

Exam Name	Nutanix Certified Master - Multicloud Infrastructure
Exam Code	NCM-MCI
Exam Price	\$299 USD
Duration	180 minutes
Number of Questions	16-20
Passing Score	3000/1000-6000
Recommended Training / Books	<a href="#">Advanced Administration &amp; Performance Management (AAPM) v6.5</a>
Schedule Exam	<a href="#">Nutanix</a>
Sample Questions	<a href="#">Nutanix NCM-MCI Sample Questions</a>
Recommended Practice	<a href="#">Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Practice Test</a>

What's more, part of that ActualCollection NCM-MCI dumps now are free: <https://drive.google.com/open?id=1j7k0hOxM3QkzDfDBJEjdUGd-gwIYeXQg>

Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) PDF dumps are the third and most convenient format of the Nutanix NCM-MCI PDF questions prep material. This format is perfect for busy test takers who prefer to study for the Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) exam on the go. Questions bank in the ActualCollection Nutanix NCM-MCI Pdf Dumps is accessible via all smart devices. We also update Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) PDF questions regularly to ensure they match with the new content of the NCM-MCI exam.

We promise you will pass the NCM-MCI exam and obtain the NCM-MCI certificate successfully with our help of NCM-MCI exam questions. According to recent survey of our previous customers, 99% of them can achieve their goals, so believe that we can be the helping hand to help you achieve your ultimate goal. Besides we have high-quality NCM-MCI Test Guide for managing the development of new knowledge, thus ensuring you will grasp every study points in a well-rounded way.

>> NCM-MCI Latest Cram Materials <<

## New NCM-MCI Mock Exam, NCM-MCI Dumps

To avail of all these Nutanix NCM-MCI certification exam benefits you need to enroll in Nutanix NCM-MCI certification exam and pass it with good scores. Are you ready for this? If your answer is right then you do not need to go anywhere. Just download Nutanix NCM-MCI Dumps questions and start preparing today.

# Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q11-Q16):

## NEW QUESTION # 11

Task 16

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

**Answer:**

Explanation:

See the Explanation for step by step solution

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list. You can use the date and time information to locate the file. The file name should be something like ncc-output-YYYY-MM-DD-HH-MM-SS.log

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command `du -sh /home/*` to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command `rm -f /home/<filename>` to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command `ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.X` to check the health again by running the individual disk usage health check only on the problematic CVM. Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%). This means that the issue has been resolved.

#access to CVM IP by Putty

allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM

ssh CVM\_IP

ls

cd software\_downloads

ls

cd nos

ls -l -h

rm files\_name

df -h

ncc health\_checks hardware\_checks disk\_checks disk\_usage\_check

## NEW QUESTION # 12

Task 3

An administrator needs to assess performance gains provided by AHV Turbo at the guest level. To perform the test the administrator created a Windows 10 VM named Turbo with the following configuration.

1 vCPU

8 GB RAM

SATA Controller

40 GB vDisk

The stress test application is multi-threaded capable, but the performance is not as expected with AHV Turbo enabled. Configure the VM to better leverage AHV Turbo.

Note: Do not power on the VM. Configure or prepare the VM for configuration as best you can without powering it on.

**Answer:**

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the VM to better leverage AHV Turbo, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to VM > Table and select the VM named Turbo.

Click on Update and go to Hardware tab.

Increase the number of vCPUs to match the number of multiqueues that you want to enable. For example, if you want to enable 8 multiqueues, set the vCPUs to 8. This will improve the performance of multi-threaded workloads by allowing them to use multiple processors.

Change the SCSI Controller type from SATA to VirtIO. This will enable the use of VirtIO drivers, which are required for AHV Turbo.

Click Save to apply the changes.

Power off the VM if it is running and mount the Nutanix VirtIO ISO image as a CD-ROM device. You can download the ISO image from Nutanix Portal.

Power on the VM and install the latest Nutanix VirtIO drivers for Windows 10. You can follow the instructions from Nutanix Support Portal.

After installing the drivers, power off the VM and unmount the Nutanix VirtIO ISO image.

Power on the VM and log in to Windows 10.

Open a command prompt as administrator and run the following command to enable multiqueue for the VirtIO NIC:

```
ethtool -L eth0 combined 8
```

Replace eth0 with the name of your network interface and 8 with the number of multiqueues that you want to enable. You can use `ipconfig /all` to find out your network interface name.

Restart the VM for the changes to take effect.

You have now configured the VM to better leverage AHV Turbo. You can run your stress test application again and observe the performance gains.

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LKPdCAO> change vCPU to 2/4 ?

Change SATA Controller to SCSI:

```
acli vm.get Turbo
```

Output Example:

```
Turbo {
  config {
    agent_vm: False
    allow_live_migrate: True
    boot {
      boot_device_order: "kCdrom"
      boot_device_order: "kDisk"
      boot_device_order: "kNetwork"
      uefi_boot: False
    }
    cpu_passthrough: False
    disable_branding: False
    disk_list {
      addr {
        bus: "ide"
        index: 0
      }
      cdrom: True
      device_uuid: "994b7840-dc7b-463e-a9bb-1950d7138671"
      empty: True
    }
    disk_list {
      addr {
        bus: "sata"
        index: 0
      }
      container_id: 4
      container_uuid: "49b3e1a4-4201-4a3a-8abc-447c663a2a3e"
      device_uuid: "622550e4-fb91-49dd-8fc7-9e90e89a7b0e"
      naa_id: "naa.6506b8dcda1de6e9ce911de7d3a22111"
      storage_vdisk_uuid: "7e98a626-4cb3-47df-a1e2-8627cf90cae6"
      vmdisk_size: 10737418240
```

```

vmdisk_uuid: "17e0413b-9326-4572-942f-68101f2bc716"
}
flash_mode: False
hwclock_timezone: "UTC"
machine_type: "pc"
memory_mb: 2048
name: "Turbo"
nic_list {
connected: True
mac_addr: "50:6b:8db2:a5:e4"
network_name: "network"
network_type: "kNativeNetwork"
network_uuid: "86a0d7ca-acfd-48db-b15c-5d654fb39096"
type: "kNormalNic"
uuid: "b9e3e127-966c-43f3-b33c-13608154c8bf"
vlan_mode: "kAccess"
}
num_cores_per_vcpu: 2
num_threads_per_core: 1
num_vcpus: 2
num_vnuma_nodes: 0
vga_console: True
vm_type: "kGuestVM"
}
is_rfl_vm: False
logical_timestamp: 2
state: "Off"
uuid: "9670901f-8c5b-4586-a699-41f0c9ab26c3"
}
acli vm.disk_create Turbo clone_from_vmdisk=17e0413b-9326-4572-942f-68101f2bc716 bus=scsi remove the old disk acli
vm.disk_delete 17e0413b-9326-4572-942f-68101f2bc716 disk_addr=sata.0

```

### NEW QUESTION # 13

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster.

The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

#### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.


To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.  
 Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.  
 Select Anti-Affinity from the drop-down menu and click Next.  
 Review the group details and click Finish.  
 I hope this helps. How else can I help?

[https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6\\_5:ahv-affinity-policies-c.html](https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html)



**NEW QUESTION # 14**

Task 8

Depending on the order you perform the exam items, the access information and credentials could change. Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4 severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp\_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

**Answer:**

Explanation:

See the Explanation for step by step solution

Explanation:



To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:

Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp\_syslog as the Server Name, 34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.

Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.

Repeat step 2 for any other clusters that you want to configure with the same requirements.

□



To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:  
Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism.

Locate the "Syslog Configuration" or "Logging" option and click on it.

Configure the syslog settings as follows:

Syslog Name: Enter "Corp\_syslog" as the name for the syslog configuration.

Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.

Port: Set the port to "514", which is the default port for syslog.

Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.

Save the syslog configuration.

Enable Audit Logs for API Requests:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

Enable Audit Logs for Replication Capabilities:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

ncli

```
<ncli> rsyslog-config set-status enable=false
```

```
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=tdp replication-enabled=false
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
```

```
<ncli> rsyslog-config set-status enable=true
```

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2>

## NEW QUESTION # 15

Refer to the exhibit.

The screenshot shows the "Environment" section of the Nutanix portal. It includes the Nutanix logo and a heading "Environment". Below the heading, it states: "You have been provisioned a dedicated environment for your assessment which includes the following:". Under "Initial Steps", there are two bullet points: "When you first log into Prism Central or Prism Element you may see the EULA screen. Accept the EULA with any name and then disable Pulse" and "To access Prism Element, the pass-through from Prism Central (Infrastructure\Hardware\Clusters\cluster-x\Launch Prism Element) works better than directly using the external IP: 9440". Under "Workstation", there are four bullet points: "Windows Server 2019", "All software/tools/etc to perform the required tasks", "Nutanix Documentation and whitepapers can be found in Desktop\Files\Documentation and Desktop\Files\Documentation 6.10", and "Note that the Workstation is the system you are currently logged into".

### Task 1

A newly created Windows VM "SQL02" is experiencing poor storage performance when compared to "SQL01" running within the same cluster, on the same storage container.

The cluster is in a healthy state.

Create a new session named Monitor SQL02 with meaningful metrics. Right click on the session page and click Select All then paste this into Notepad and save it as Task 1.txt on the desktop.

Also, save the analysis as a report named "MonitorSQL02" and send the report as a PDF on a daily basis to

perf\_group@ACME.org. Reports should not be retained. If any new objects need to be created, use monitorvm2 in the name.

Finally, correct the issue within "SQL02"

Notes:

Do not power on the VMs.

While you will be creating a session, you will need to examine the VM configurations to determine the issue.

Do not delete the VM to resolve the issue, any other destructive change is acceptable

**Answer:**

Explanation:

See the Explanation

Explanation:

This is a classic Nutanix performance troubleshooting scenario. The issue is almost certainly that the VM was created using the wrong Disk Bus Type (IDE or SATA instead of SCSI).

Here is the step-by-step solution to complete Task 1.

Part 1: Analysis and Reporting

Create the Session

Log in to Prism Central (or Prism Element, depending on the exam environment, but Analysis is usually a PC feature).

Navigate to Operations -> Analysis.

Click New Session.

Name: Monitor SQL02

Entity: Search for and select the VM named SQL02.

Metrics: Since the issue is storage performance, search for and add these specific metrics:

Hypervisor IOPS (or Controller IOPS)

Hypervisor IO Latency (or Controller IO Latency)

Hypervisor IO Bandwidth

Click Save.

Save Session Data (Task 1.txt)

Open the "Monitor SQL02" session you just created.

(Per instructions): Right-click anywhere on the chart/data area -> Click Select All.

Copy the selected text (Ctrl+C).

Open Notepad on the provided desktop.

Paste the data.

Save the file as Task 1.txt on the Desktop.

Create and Schedule the Report

While still in the Analysis session, click the Create Report (or "Add to Report") button.

Report Name: MonitorSQL02

Report Settings:

Format: PDF

Frequency: Daily

Email Recipient: perf\_group@ACME.org

Retention: 0 (or "Do not retain", as requested).

Note: If the system forces you to create a new Report object and MonitorSQL02 is rejected, use monitorvm2 as the name per the instructions.

Save/Schedule the report.

Part 2: Diagnose and Fix the Issue

The Issue:

VM SQL02 was likely created with its data disks set to IDE or SATA.

Why this causes poor performance: IDE/SATA are emulated hardware with high CPU overhead and low queue depths (single-threaded).

The Standard: SQL01 (the healthy VM) is using SCSI, which is multithreaded and optimized for virtualization.

The Fix (Steps):

Navigate to the VM list in Prism.

Select SQL02 and click Update (or Edit).

Scroll down to the Disks section.

Identify the data disk(s). You will see the Bus Type listed as IDE or SATA.

Do not delete the VM. instead, perform a disk conversion (destructive change to the disk is allowed, but we want to keep the data).

Method to Convert (Clone to SCSI):

Hover over the IDE/SATA disk to see the path/filename of the vDisk (or write it down).

Click Add New Disk.

Operation: select Clone from ADSF file.

Path: Browse to the storage container and select the file associated with the current IDE disk.

Bus Type: Select SCSI (This is the critical fix).

Index: Ensure it doesn't conflict with existing disks (usually index 1 or higher for data).

Click Add.

Once the new SCSI disk is added, find the original IDE/SATA disk and click the X to remove it.

Click Save.

Note: You do not need to power on the VM to verify. The change from IDE to SCSI allows the VM to use the Nutanix VirtIO drivers for maximum storage performance.

## NEW QUESTION # 16

.....

NCM-MCI certifications are thought to be the best way to get good jobs in the high-demanding market. There is a large range of NCM-MCI certifications that can help you improve your professional worth and make your dreams come true. Our NCM-MCI Certification Practice materials provide you with a wonderful opportunity to get your dream certification with confidence and ensure your success by your first attempt.

**New NCM-MCI Mock Exam:** <https://www.actualcollection.com/NCM-MCI-exam-questions.html>

Nutanix NCM-MCI Latest Cram Materials We have online and offline chat service, they possess the professional knowledge for the exam, and you can consult them any questions that bothers you, Here, our NCM-MCI pdf prep dumps are the best valid dumps for you, Nutanix NCM-MCI Latest Cram Materials How do I use the Question and Answer material, Here the simulation of NCM-MCI pass-sure training materials can be referred to as a slight but key point that can set off the butterfly effect.

I mean, between Ant, Maven, Hudson, Make, CMake, NMake, DotMake, NCM-MCI and Make# it can be pretty confusing. Modernize legacy applications and efficiently build new systems.

We have online and offline chat service, they possess the professional knowledge for the exam, and you can consult them any questions that bothers you, Here, our NCM-MCI PDF prep dumps are the best valid dumps for you.

## First-Grade NCM-MCI Latest Cram Materials & Guaranteed Nutanix NCM-MCI Exam Success with Hot New NCM-MCI Mock Exam

How do I use the Question and Answer material, Here the simulation of NCM-MCI pass-sure training materials can be referred to as a slight but key point that can set off the butterfly effect.

The masses have sharp eyes, with so many rave reviews and hot sale our customers can clearly see that how excellent our NCM-MCI exam questions are.

- New NCM-MCI Exam Bootcamp □ Test Certification NCM-MCI Cost □ NCM-MCI Original Questions □ Immediately open ➔ [www.testkingpass.com](http://www.testkingpass.com) □ and search for “NCM-MCI” to obtain a free download □ NCM-MCI Latest Version
- NCM-MCI Current Exam Content □ NCM-MCI Latest Version □ NCM-MCI Valid Exam Book □ Easily obtain { NCM-MCI } for free download through □ [www.pdfvce.com](http://www.pdfvce.com) □ □ NCM-MCI Latest Exam Pdf
- Nutanix NCM-MCI Exam Questions - The Advantages of [www.practicevce.com](http://www.practicevce.com) Preparation Material □ The page for free download of ⇒ NCM-MCI ⇐ on ➔ [www.practicevce.com](http://www.practicevce.com) □ will open immediately □ NCM-MCI Certification Torrent
- High Hit Rate Nutanix NCM-MCI Latest Cram Materials | Try Free Demo before Purchase □ The page for free download of □ NCM-MCI □ on ✓ [www.pdfvce.com](http://www.pdfvce.com) □ ✓ □ will open immediately □ NCM-MCI Valid Exam Book
- New NCM-MCI Real Exam □ NCM-MCI Latest Braindumps Ppt □ NCM-MCI Current Exam Content □ Search for ➔ NCM-MCI □ and download it for free on “ [www.vce4dumps.com](http://www.vce4dumps.com) ” website □ NCM-MCI Latest Version
- NCM-MCI Original Questions □ Reliable NCM-MCI Test Forum □ New NCM-MCI Exam Bootcamp □ Search for □ NCM-MCI □ and download it for free immediately on ▶ [www.pdfvce.com](http://www.pdfvce.com) ◀ □ Trustworthy NCM-MCI Exam Content
- NCM-MCI Reliable Cram Materials □ NCM-MCI Reliable Cram Materials □ Reliable NCM-MCI Test Forum □ Search for ➔ NCM-MCI □ and download it for free on [ [www.prep4away.com](http://www.prep4away.com) ] website □ New NCM-MCI Exam Bootcamp
- NCM-MCI Certification Torrent □ Real NCM-MCI Exam Questions □ NCM-MCI Download Pdf □ Search on ➔ [www.pdfvce.com](http://www.pdfvce.com) □ for ▶ NCM-MCI ◀ to obtain exam materials for free download □ NCM-MCI Download Pdf
- High Hit Rate Nutanix NCM-MCI Latest Cram Materials | Try Free Demo before Purchase □ Search for ▶ NCM-MCI ◀ and download it for free immediately on ( [www.torrentvce.com](http://www.torrentvce.com) ) □ NCM-MCI Latest Exam Pdf
- NCM-MCI Latest Exam Pdf □ NCM-MCI Certification Torrent □ NCM-MCI Original Questions □ Open website [

