

C_ADBTP_2601考古題更新，新版C_ADBTP_2601題庫

特定化學物質作業主管參考試題

題號	答案	題目
652	(3)	下列何者屬特定化學物質中之甲類物質？(1)氫(2)甲苯(3)多氯聯苯(4)硫酸。
653	(3)	雇主依特定化學物質危害預防標準規定設置之局部排氣裝置，下列規定何者錯誤？(1)氣罩應置於每一氣體、蒸汽或粉塵發生源(2)設置有除塵或廢氣處理裝置者，其排氣機應置於各該裝置之後(3)應盡量延長導管長度，減少彎曲數目(4)排氣孔應置於外。
654	(2)	依特定化學物質危害預防標準規定，下列何者為非？(1)多氯聯苯屬於甲類物質(2)甲基汞化合物屬於乙類物質(3)雇主應於作業場所指定現場主管擔任特定化學物質監督作業(4)局部排氣裝置，應盡量縮短導管長度。
655	(4)	在缺氧危險而無火災、爆炸之虞之場所應不得戴用下列何種呼吸防護具？(1)空氣呼吸器(2)氧氣呼吸器(3)輸氣管面罩(4)濾罐式防毒面罩。
656	(3)	自攜式呼吸防護具中，空氣呼吸器、氧氣呼吸器為下列何種型式？(1)循環式(2)壓縮式(3)開放式(4)氧氣發生式。
657	(1)	為降低個人暴露，可藉控制有害物發生源達成，下列何者屬於此類控制方法？(1)替代(2)整體換氣(3)使用防護具(4)減少工時。
658	(4)	防護具選用為預防職業病之最後道防線？(1)第一道(2)第二道(3)第三道(4)最後一道。
659	(2)	呼吸防護具密合度測試時機，不包含下列哪一項？(1)佩戴者裝置假牙或失去牙齒(2)佩戴者的體重變化達百分之三十以上時(3)重新選用呼吸防護具後(4)每一年至少進行一次。

我們Fast2test提供的培訓工具包含我們的IT專家團隊研究出來的備考心得和相關的考試材料。也有關於SAP C_ADBTP_2601認證考試的考試練習題和答案。以我們Fast2test在IT行業中的高信譽度可以給你提供100%的保障，為了讓你更安心的選擇購買我們，你可以先嘗試在網上下載我們提供的關於SAP C_ADBTP_2601認證考試的部分考題及答案。

Fast2test感到最自豪的是能幫助考生通過很難的SAP C_ADBTP_2601考試，我們過去五年的成功率極高，可以讓您在職業生涯里有更好的發展前景。C_ADBTP_2601是IT專業人士的首選學習資料，特別是那些想自己在工作中有提供的人。我們的所有產品還不定期推出折扣優惠活動，給考生提供最有效的SAP C_ADBTP_2601考試學習資料。還提供完善的售後服務給顧客，購買C_ADBTP_2601考古題的顧客可以享受一年的免費更新。

>> C_ADBTP_2601考古題更新 <<

新版SAP C_ADBTP_2601題庫 & C_ADBTP_2601考古題

C_ADBTP_2601考古題被大多數考生證明是有效的，通過很多IT認證考試的考生使用之後得出，能使考生在短時間內掌握最新的SAP C_ADBTP_2601考試相關知識。由高級認證專家不斷完善出最新版的C_ADBTP_2601考古題資料，他們的研究結果可以100%保證您成功通過C_ADBTP_2601考試，獲得認證，這是非常有效的題庫資料。一些通過C_ADBTP_2601考試的考生成為了我們的回頭客，他們說選擇Fast2test就意味著選擇成功。

最新的 SAP Certified Associate C_ADBTP_2601 免費考試真題 (Q10-Q15):

問題 #10

SIMULATION

Enable a Cloud Foundry Environment

Add a service plan for Cloud Foundry environment and enable it in a subaccount.

Task 1: Add a Service Plan for Cloud Foundry Environment

In your SAP BTP cockpit, in your EU HCM Dev subaccount, entitle one MEMORY service plan for the Cloud Foundry Runtime.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Human Resources directory.

Open the EU HCM Dev subaccount.

This matters because the runtime memory quota must be assigned to the EU HCM Dev subaccount specifically. SAP documents that the MEMORY plan is the quota-bearing plan for Cloud Foundry Runtime.

Step 1 - Open the EU HCM Dev subaccount

In the cockpit, choose Directories.

Open Human Resources.

Select EU HCM Dev.

You should now be on the EU HCM Dev subaccount page.

Step 2 - Open Entitlements

In EU HCM Dev, choose Entitlements.

SAP Help confirms that service plans and quota assignments for a subaccount are configured in the Entitlements area.

Step 3 - Configure entitlements

Click Configure Entitlements or Add Service Plans.

Search for:

Cloud Foundry Runtime

In SAP Help, this appears as Cloud Foundry Runtime (APPLICATION_RUNTIME), and the relevant plan for assigning runtime memory is MEMORY.

Step 4 - Select the MEMORY plan

Under Cloud Foundry Runtime, select:

MEMORY

Set the quantity to 1 if the cockpit shows an amount/quota field.

Add the plan to the subaccount.

Save the entitlement changes.

SAP documents that the MEMORY plan is specifically used to assign runtime memory quota to the subaccount, and that 1 unit corresponds to 1 GB of runtime memory when quota is adjusted or assigned.

Step 5 - Verify the result

After saving, check the Entitlements page of EU HCM Dev.

You should see:

Cloud Foundry Runtime

plan: MEMORY

quantity: 1 if shown

Final expected result

Inside EU HCM Dev:

Cloud Foundry Runtime is entitled

the service plan is MEMORY

the assigned amount is 1 if the cockpit displays quantity/quota units

Common mistakes to avoid

Doing this in the wrong subaccount; it must be EU HCM Dev

Choosing the wrong Cloud Foundry plan; the task asks for MEMORY

Forgetting to save the entitlement change after adding the plan

Confusing the runtime memory entitlement with the later step of actually enabling the Cloud Foundry environment; SAP distinguishes the MEMORY runtime quota from enabling the Cloud Foundry org itself.

問題 #11

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

□ Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.

□ Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.

□ Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment

Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording

Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.
Entering full org quota instead of half.
Limiting app instances to a number instead of leaving them unlimited.
Creating the quota but not assigning it to activity-recording.

問題 #12

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

問題 #13

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

答案：

解題說明：

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

□

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

□

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

□

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

問題 #14

.....

C_ADBTP_2601是SAP認證考試，所以通過C_ADBTP_2601是踏上SAP認證的第一步。也因此C_ADBTP_2601認證考試變得越來越火熱，參加C_ADBTP_2601考試的人也越來越多，但是C_ADBTP_2601認證考試的通過率並不是很高。當你選擇C_ADBTP_2601考試時有沒有選擇相關的考試課程？

新版C_ADBTP_2601題庫：https://tw.fast2test.com/C_ADBTP_2601-premium-file.html

通過 C_ADBTP_2601 - Administrating SAP Business Technology Platform(C_ADBTP_2601) 認證考試，如同通過其他世界知名認證，得到國際的認可及接受，C_ADBTP_2601 認證考試也是其廣泛的IT認證中一個非常重要的考試，並且世界各地的人們都喜歡選擇 SAP C_ADBTP_2601 認證考試，使自己的職業生涯更加強化與成功，作為一位 C_ADBTP_2601 考試的考生而言，作好充分的準備可以幫助您通過 C_ADBTP_2601 認證考試，通過這些使用過產品的人的回饋，證明我們的Fast2test 新版C_ADBTP_2601題庫的產品是值得信賴的，經過眾人多人的使用結果證明，Fast2test 新版C_ADBTP_2601題庫通過率高達100%，Fast2test 新版C_ADBTP_2601題庫是唯一適合你通過考試的方式，選擇了它，等於創建將了一個美好的未來，SAP C_ADBTP_2601考古題更新 在IT行業中工作的專業人士也希望自己有個很好的提升機會和很大的提升空間。

漳河四鬼沒壹會兒便傷痕累累了，這三個直接化為粉末消失在天地間，通過 C_ADBTP_2601 - Administrating SAP Business Technology Platform(C_ADBTP_2601) 認證考試，如同通過其他世界知名認證，得到國際的認可及接受，C_ADBTP_2601 認證考試也是其廣泛的IT認證中一個非常重要的考試，並且世界各地的人們都喜歡選擇 SAP C_ADBTP_2601 認證考試，使自己的職業生涯更加強化與成功。

實踐的C_ADBTP_2601考古題更新和資格考試的領導者和熱門的 C_ADBTP_2601: Administrating SAP Business Technology Platform(C_ADBTP_2601)

作為一位 C_ADBTP_2601 考試的考生而言，作好充分的準備可以幫助您通過 C_ADBTP_2601 認證考試，通過這些使用過產品的人的回饋，證明我們的Fast2test的產品是值得信賴的，經過眾人多人的使用結果證明，Fast2test通過率高達100%，Fast2test是唯一適合你通過考試的方式，選擇了它，等於創建將了一個美好的未來。

在IT行業中工作的專業人士也希望自己有個很好的提升機會和很大的提升空間。

- C_ADBTP_2601證照指南 C_ADBTP_2601證照資訊 C_ADBTP_2601考題寶典 透過[tw.fast2test.com]搜索 C_ADBTP_2601 免費下載考試資料C_ADBTP_2601測試引擎
- 高通過率的C_ADBTP_2601考古題更新 & 資格考試與真實材料的領導者-SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) www.newdumpspdf.com 是獲取 C_ADBTP_2601 免費下載的最佳網站C_ADBTP_2601最新試題
- 頂尖的C_ADBTP_2601考古題更新 & 認證考試的領導者材料和最新更新新版C_ADBTP_2601題庫 www.newdumpspdf.com 提供免費 C_ADBTP_2601 問題收集C_ADBTP_2601認證考試解析
- C_ADBTP_2601考古題更新 - 你通過考試最佳的利劍Administrating SAP Business Technology Platform(C_ADBTP_2601) www.newdumpspdf.com 上的免費下載 { C_ADBTP_2601 } 頁面立即打開 C_ADBTP_2601信息資訊
- C_ADBTP_2601認證指南 最新C_ADBTP_2601題庫 C_ADBTP_2601在線題庫 立即打開 www.pdfexamdumps.com 並搜索 [C_ADBTP_2601] 以獲取免費下載C_ADBTP_2601證照指南
- 高通過率的SAP C_ADBTP_2601考古題更新和最佳的Newdumpspdf- 資格考試中的領先提供商 立即到 www.newdumpspdf.com 上搜索 > C_ADBTP_2601 以獲取免費下載C_ADBTP_2601認證指南
- 最新發布的C_ADBTP_2601考古題更新 - SAP 新版C_ADBTP_2601題庫: Administrating SAP Business Technology

