

試験AB-Abdomen日本語版問題解説 & 素敵なAB-Abdomen参考書勉強 | 大人気AB-Abdomen資格準備



さらに、ShikenPASS AB-Abdomenダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=1LYemoZzeDzb1WCGFX-Ach62mt5xtkwxz>

ARDMSのAB-Abdomen認定試験に受かる勉強サイトを探しているのなら、ShikenPASSはあなたにとって一番良い選択です。ShikenPASSがあなたに差し上げられるのはIT業種の最先端のスキルを習得したこととARDMSのAB-Abdomen認定試験に合格したことです。この試験は本当に難しいことがみんなは良く知っていますが、試験に受かるのは不可能ではないです。自分に向いている勉強ツールを選べますから。ShikenPASSのARDMSのAB-Abdomen試験問題集と解答はあなたにとって一番良い選択です。ShikenPASSのトレーニング資料は完全だけでなく、カバー率も高く、高度なシミュレーションを持っているのです。これはさまざまな試験の実践の検査に合格したもので、ARDMSのAB-Abdomen認定試験に合格したかったら、ShikenPASSを選ぶのは絶対正しいことです。

ShikenPASSのARDMS AB-Abdomen問題集は専門家たちが数年間で過去のデータから分析して作成されて、試験にカバーする範囲は広くて、受験生の皆様のお金と時間を節約します。我々AB-Abdomen問題集の通過率は高いので、90%の合格率を保証します。あなたは弊社の高品質ARDMS AB-Abdomen試験資料を利用して、一回に試験に合格します。

>> AB-Abdomen日本語版問題解説 <<

AB-Abdomen試験の準備方法 | 100%合格率のAB-Abdomen日本語版問題解説試験 | 一番優秀なAbdomen Sonography Examination参考書勉強

AB-Abdomen練習資料には、オンラインでPDF、ソフトウェア、APPの3つの異なるバージョンがあります。ARDMSそして、AB-Abdomen学習教材は、その高い効率のために多くの時間を節約できます。地下鉄またはバスでAB-Abdomenの実際のテストのオンラインバージョンを学習できます。食事の準備をしているときに確認できます。寝る前に勉強することができます。同時に、APPバージョンのAB-Abdomen学習教材はオフライン学習をサポートしているため、ネットワークなしではAbdomen Sonography Examination学習する方法がない状況を回避できます。なぜあなたはまだためらっていますか？ 来て買ってください！

ARDMS Abdomen Sonography Examination 認定 AB-Abdomen 試験問題 (Q134-Q139):

質問 # 134

Which congenital anomaly is demonstrated in this image?

☐

- A. Horseshoe kidney
- **B. Duplicated collecting system**
- C. Prominent renal column
- D. Crossed renal ectopia

正解： B

解説：

The ultrasound image labeled "SAG LT KIDNEY MID" demonstrates a left kidney with two separate, centrally located echogenic renal sinuses separated by intervening renal parenchyma. This appearance is classic for a duplicated collecting system. A duplicated collecting system (also known as duplex kidney) is a congenital anomaly in which a single kidney contains two separate pelvicalyceal systems. It may be complete (with two ureters) or incomplete (partial duplication of ureters). This condition is one of the most common congenital anomalies of the urinary tract.

Sonographic Features of a Duplicated Collecting System:

- * Two separate central echogenic renal sinus regions seen within one kidney
- * Intervening parenchyma between the two sinuses
- * May show associated findings: hydroureteronephrosis (especially of upper pole moiety), ureterocele
- * Best visualized in sagittal plane

Differentiation from other options:

- * A. Horseshoe kidney: Shows fusion of the lower poles of the kidneys, typically located anterior to the aorta in the midline-not demonstrated here.
- * B. Crossed renal ectopia: One kidney is located on the opposite side of the body; this image shows a normally positioned kidney.
- * C. Prominent renal column (column of Bertin): May mimic a mass, but does not produce two separate sinuses as shown here.

References:

Rumack CM, Wilson SR, Charboneau JW, Levine D. Diagnostic Ultrasound. 5th Edition. Elsevier, 2018.

Chapter: Kidneys, pp. 210-215.

American Institute of Ultrasound in Medicine (AIUM). Practice Parameter for the Performance of a Renal Ultrasound Examination, 2020.

Radiopaedia.org. Duplex collecting system: <https://radiopaedia.org/articles/duplex-collecting-system>

質問 # 135

A lactating female presents with a tender, swollen breast, erythema, and fever. Which condition is most likely present in this image?

□

- A. Ductal carcinoma
- **B. Mastitis**
- C. Abscess
- D. Galactocele

正解： B

解説：

The clinical presentation-tender, swollen breast with erythema and fever-in a lactating female strongly suggests acute mastitis. The sonographic findings support this diagnosis. In the image, the breast parenchyma shows diffuse, hypoechoic, and heterogeneous echotexture with increased vascularity, which is consistent with inflammatory changes typical of mastitis.

Mastitis is a common complication during lactation, particularly in the first few weeks postpartum. It results from milk stasis and subsequent bacterial infection, commonly due to *Staphylococcus aureus*. Ultrasound features of mastitis include:

- * Ill-defined, hypoechoic, edematous areas in the breast parenchyma
- * Increased Doppler flow due to hyperemia
- * Skin thickening
- * Ductal dilatation may also be present

If left untreated, mastitis may progress to abscess formation, which would appear as a localized, complex fluid collection with peripheral hyperemia and internal debris. However, the image does not show a well- formed fluid collection consistent with abscess.

Option B (Ductal carcinoma): Inappropriate here due to the acute clinical scenario and patient age. Ductal carcinoma typically presents as a hypoechoic mass with irregular margins and posterior shadowing, not diffuse edema or inflammatory changes.

Option D (Galactocele): This benign milk-filled retention cyst typically appears anechoic or with fluid-fluid levels but lacks signs of inflammation and systemic symptoms such as fever.

Option A (Abscess): This could be a differential, but abscesses usually present with a well-defined anechoic or complex mass. The absence of a discrete collection and the diffuse appearance makes mastitis more likely.

References:

Mendelson EB. Practical Ultrasound: An Illustrated Guide. Springer, 2004. Chapter: Breast Ultrasound.

American College of Radiology (ACR). ACR Practice Parameter for the Performance of a Breast Ultrasound Examination, 2022.

Rumack CM, Wilson SR, Charboneau JW, Levine D. Diagnostic Ultrasound. 5th Edition. Elsevier, 2018.

Chapter: Breast, pp. 1169-1175.

質問 # 136

A patient with hepatocellular carcinoma presents for a paracentesis. Which lab value is the most pertinent to the procedure?

- A. Alanine aminotransferase
- B. Alpha fetoprotein
- C. International normalized ratio
- D. Total bilirubin

正解: C

解説:

Before performing a paracentesis, assessment of the patient's coagulation status is crucial to minimize bleeding risk. The International Normalized Ratio (INR) is the standard lab value used to assess coagulation.

Elevated INR may increase the risk of bleeding complications during the procedure. ALT, AFP, and bilirubin levels evaluate liver function or cancer progression but are not directly relevant to bleeding risk for this procedure.

As per AASLD and SIR guidelines:

"An INR and platelet count should be evaluated before paracentesis to assess bleeding risk. Minor elevations in INR (<1.5) may not contraindicate the procedure." (AASLD Practice Guidance, 2021; SIR Consensus Guidelines, 2019).

Reference:

American Association for the Study of Liver Diseases (AASLD), Management of Ascites, 2021.

Society of Interventional Radiology (SIR) Consensus Guidelines for Coagulation Parameters in Image- Guided Procedures, 2019.

質問 # 137

Which condition presents sonographically as an anechoic mass between the umbilicus and the bladder?

- A. Bladder abscess
- B. Urinoma
- C. Mesenteric cyst
- D. Urachal cyst

正解: D

解説:

A urachal cyst arises from incomplete closure of the urachus, a remnant of the fetal allantoic duct connecting the bladder to the umbilicus. It appears as a midline, anechoic, nonvascular mass located between the bladder dome and the umbilicus.

According to Rumack's Diagnostic Ultrasound:

"A urachal cyst is a midline, anechoic structure located between the bladder and umbilicus, resulting from incomplete obliteration of the urachus." Reference:

Rumack CM, Wilson SR, Charboneau JW, Levine D. Diagnostic Ultrasound. 5th ed. Elsevier, 2017.

AIUM Practice Parameter for the Performance of Ultrasound of the Pelvis, 2020.

-

質問 # 138

Which condition is demonstrated in this image of the groin?

□

- A. Hematocele
- B. Testicular rupture
- C. Indirect hernia
- D. Orchiectomy

正解: C

解説:

The ultrasound image demonstrates bowel loops with peristalsis visualized within the inguinal canal, which is diagnostic of an inguinal hernia-more specifically, an indirect inguinal hernia. Indirect hernias pass through the deep inguinal ring and may extend into the scrotum, appearing sonographically as bowel-containing masses adjacent to or within the scrotal sac. Peristaltic motion confirms the presence of viable bowel content.

This finding is typical in indirect inguinal hernias, which are more common in males and often congenital due to a patent processus vaginalis. The herniated bowel can be traced through the inguinal canal, as seen in this image.

Comparison of answer choices:

- * A. Hematocele presents as a complex fluid collection surrounding the testis, often due to trauma-no complex fluid or trauma is apparent here.
- * B. Testicular rupture shows discontinuity of the tunica albuginea and irregular testicular contour-none of which is seen.
- * C. Orchiectomy would show an absent testis-this is not the case here.
- * D. Indirect hernia is correct. The presence of bowel with peristalsis in the inguinal canal is diagnostic.

References:

Rumack CM, Wilson SR, Charboneau JW, Levine D. Diagnostic Ultrasound, 5th ed. Elsevier; 2017.

AIUM Practice Parameter for the Performance of Scrotal Ultrasound Examinations (2021).

Dogra VS, Gottlieb RH, Rubens DJ, Oka M. Sonography of the scrotum. Radiology. 2003;227(1):18-36

質問 # 139

.....

AB-Abdomenテスト資料は、ユーザーが勉強するたびに合理的な配置であり、可能な限りユーザーが最新のAB-Abdomen試験トレントを長期間使用しないようにします。。ユーザーが知識を習得する必要があるたびにAB-Abdomen練習教材は、ユーザーがこの期間に学習タスクを完了することができる限り、AB-Abdomenテスト教材は自動的に学習システムを終了し、ユーザーに休憩を取るよう警告します。次の学習期間に備えてください。

AB-Abdomen参考書勉強: <https://www.shikenpass.com/AB-Abdomen-shiken.html>

AB-Abdomenトレーニング資料のPDFバージョン: Abdomen Sonography Examinationは読みやすく、覚えやすく、印刷要求をサポートしているため、紙で印刷して練習することができます。AB-Abdomen試験問題は、常に最高99%の合格率を誇っています。ARDMS AB-Abdomen日本語版問題解説 あなたは我々のソフトのメリットを感じられると希望します、ShikenPASS AB-Abdomen参考書勉強はお客様に全面的で高品質な問題集を提供し努力しています、ARDMS AB-Abdomen日本語版問題解説 現在、野心家としてのIT職員がたくさんいて、自分の構成ファイルは市場の需要と互換性があることを確保するために、人気があるIT認証試験を通じて自分の夢を実現します、ARDMS AB-Abdomen日本語版問題解説 弊社は成績書を確認した後で、返金を行います。

ダーミッシュ嬢もこちらへ キュブカーに促されてリーゼロッテは廊下の端に寄り、膝をついて礼を取AB-Abdomen参考書勉強った、天璋院様の妹の御祐筆のあらそうじゃないの、天璋院様の御祐筆の妹のよろしい分りました天璋院様のでしょうええ御祐筆のでしょうそうよ御嫁に行った妹の御嫁に行ったですよそう間違った。

AB-Abdomen 合格直結！至高の ARDMS Abdomen Sonography Examination 学習法

AB-Abdomenトレーニング資料のPDFバージョン: Abdomen Sonography Examinationは読みやすく、覚えやすく、印刷要求をサポートしているため、紙で印刷して練習することができます。AB-Abdomen試験問題は、常に最高99%の合格率を誇っています。

あなたは我々のソフトのメリットを感じられると希望します、ShikenPASSはお客様に全面的で高品質な問題集を提供し努力しています、現在、野心家としてのIT職員がたくさんいて、自分の構成ファイルは市場の需要と互換性があることを確保するために、人気があるIT認証試験を通じて自分の夢を実現します。

- AB-Abdomen日本語版と英語版 □ AB-Abdomen模擬モード □ AB-Abdomen最新関連参考書 □▷ AB-Abdomen◁を無料でダウンロード▷ www.japancert.com◁ウェブサイトを入力するだけAB-Abdomen独学書籍
- AB-Abdomen関連資料 □ AB-Abdomen復習攻略問題▷ AB-Abdomen PDF □ 今すぐ[www.goshiken.com]で「AB-Abdomen」を検索し、無料でダウンロードしてくださいAB-Abdomen最新関連参考書
- AB-Abdomen試験の準備方法 | 完璧なAB-Abdomen日本語版問題解説試験 | 正確的なAbdomen Sonography Examination参考書勉強 □ 【 AB-Abdomen 】を無料でダウンロード⇒ www.shikenpass.com⇐ウェブサイトを入力するだけAB-Abdomen試験解説問題
- AB-Abdomen最新関連参考書 □ AB-Abdomen実際試験 □ AB-Abdomen問題集 □ ⇨ www.goshiken.com □ から □ AB-Abdomen □を検索して、試験資料を無料でダウンロードしてくださいAB-Abdomen独学書籍
- 素敵なARDMS AB-Abdomen日本語版問題解説 インタラクティブテストエンジンを使用して - 正確的なAB-Abdomen参考書勉強 □ ⇨ www.mogixexam.com □□□を開き、⇨ AB-Abdomen □を入力して、無料でダウンロードしてくださいAB-Abdomen模擬練習
- 便利なAB-Abdomen日本語版問題解説一回合格-ハイパスレートのAB-Abdomen参考書勉強 □ ✓ www.goshiken.com □ ✓ □で使える無料オンライン版▷ AB-Abdomen ◁の試験問題AB-Abdomen復習攻略問題
- AB-Abdomen試験の準備方法 | 検証するAB-Abdomen日本語版問題解説試験 | 100%合格率のAbdomen

[illegible]

2026年ShikenPASSの最新AB-Abdomen PDFダンプおよびAB-Abdomen試験エンジンの無料共有: <https://drive.google.com/open?id=1LYemoZzeDzb1WCGFX-Ach62mt5xtkwxz>