

1z0-1104-25 Top Dumps, Actual 1z0-1104-25 Test Pdf



DOWNLOAD the newest PracticeDump 1z0-1104-25 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1JcBt8byhSbyjkfAxpM1VGf7LXwCmD3R>

Now it is a society of abundant capable people, and there are still a lot of industry is lack of talent, such as the IT industry is quite lack of technical talents. Oracle certification 1z0-1104-25 exam is one of testing IT technology certification exams. PracticeDump is a website which provide you a training about Oracle Certification 1z0-1104-25 Exam related technical knowledge.

Oracle 1z0-1104-25 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">OCI Security Introduction: This section of the exam measures the skills of Cloud Security Professionals and covers the basics of security in Oracle Cloud Infrastructure. It introduces the shared security responsibility model, the core principles of security design, and the use of foundational security services to secure deployments on OCI.
Topic 2	<ul style="list-style-type: none">Protecting Infrastructure - Network and Applications: This section of the exam measures the skills of Cloud Security Professionals and covers methods for securing networks and applications on OCI. Topics include network security groups, firewalls, and security lists, while also focusing on the use of load balancers for availability. The section further addresses the configuration of OCI certificates and web application firewalls to strengthen infrastructure security.
Topic 3	<ul style="list-style-type: none">Implementing OS and Workload Protection: This section of the exam measures the skills of OCI Administrators and looks at securing workloads and operating systems. It includes the use of OCI Bastion for time-limited access, vulnerability scanning of hosts and containers, and the use of OS management for automated updates. The goal is to ensure that workloads remain resilient and well-protected.
Topic 4	<ul style="list-style-type: none">Protecting Data: This section of the exam measures the skills of Cloud Security Professionals and highlights data security practices in OCI. It tests knowledge of using the Key Management Service for encryption keys, managing secrets in the OCI Vault, and applying features of OCI Data Safe to ensure sensitive data remains protected.

Topic 5	<ul style="list-style-type: none"> • Implementing Identity and Access Management (IAM): This section of the exam measures skills of OCI Administrators and focuses on identity and access controls. It covers IAM domains, users, groups, and compartments, as well as the use of IAM policies to manage access to resources. Candidates are also tested on configuring dynamic groups, network sources, and tag-based access control, along with managing MFA, sign-on policies, and activity monitoring.
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

>> 1z0-1104-25 Top Dumps <<

Actual 1z0-1104-25 Test Pdf | Latest 1z0-1104-25 Test Answers

We understand your itching desire of the exam. Do not be bemused about the exam. We will satisfy your aspiring goals. Our 1z0-1104-25 real questions are high efficient which can help you pass the exam during a week. We just contain all-important points of knowledge into our 1z0-1104-25 latest material. And we keep ameliorate our 1z0-1104-25 latest material according to requirements of 1z0-1104-25 Exam. It is our obligation to offer help for your trust and preference. Besides, you can have an experimental look of demos and get more information of 1z0-1104-25 real questions. The customer-service staff will be with you all the time to smooth your acquaintance of our 1z0-1104-25 latest material.

Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q24-Q29):

NEW QUESTION # 24

An OCI administrator notices that a compute instance running in the production compartment is unable to create Object Storage buckets using the OCI CLI command:

oci os bucket create --name mybucket --compartment-id <compartment_OCID> --auth instance_principal The error message returned states:

"NotAuthorizedOrNotFound: You are not authorized to perform this action." The administrator verifies that the instance has Internet access and can reach OCI endpoints.

What then could be causing the issue?

- A. The bucket name is already in use, causing a conflict.
- B. The instance is using the wrong OCI CLI authentication method.
- **C. The instance is not part of any Dynamic Group or the matching rule is incorrect.**
- D. The policy is written at the root compartment instead of the production compartment.

Answer: C

NEW QUESTION # 25

A company is securing its compute instances (VMs and Bare Metal Machines) in Oracle Cloud infrastructure (OCI) using a network firewall. As shown in the diagram, traffic flows from the internet Gateway (IGW) to the firewall in the Public DMZ Subnet, and then to the compute instances in the Public Subnet.

When configuring security lists and network security groups (NSGs) in this setup, what should they consider?

- A. If the policy used with the firewall has no rules specified, the firewall allows all traffic.
- B. Add stateful rules to the security list attached to the firewall subnet or include the firewall in an NSG containing stateful rules for better performance.
- C. Security list and NSG rules associated with the firewall subnet and VNICs are evaluated after the firewall.
- **D. Ensure that any security list or NSG rules allow the traffic to enter the firewall for appropriate evaluation.**

Answer: D

NEW QUESTION # 26

Challenge 1 - Task 1

Integrate TLS Certificate Issued by the OCI Certificates Service with Load Balancer You are a cloud engineer at a tech company that is migrating its services to Oracle Cloud Infrastructure (OCI). You are required to set up secure communication for your web

application using OCI's Certificate service. You need to create a Certificate Authority (CA), issue a TLS/SSL server certificate, and configure a load balancer to use this certificate to ensure encrypted traffic between clients and the backend servers.

Review the architecture diagram, which outlines the resources you'll need to address the requirement.

Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

OCI Vault to store the secret required by the program, which is created in the root compartment as PBI_Vault_SP Task 1: Create and Configure a Virtual Cloud Network (VCN) Create a Virtual Cloud Network (VCN) named PBT-CERT-VCN-01 with the following specifications:

* VCN with a CIDR block of 10.0.0.0/16

* Subnet 1 (Compute Instance):

* Name: Compute-Subnet-PBT-CERT

* CIDR Block: 10.0.1.0/24

Subnet 2 (Load Balancer):

* Name: LB-Subnet-PBT-CERT-SNET-02

* CIDR Block: 10.0.2.0/24

Internet Gateway for external connectivity

Route table and security lists:

* Security List named PBT-CERT-CS-SL-01 for Subnet 1 (Compute-Subnet-PBT-CERT) to allow SSH (port 22) traffic

* Security List named PBT-CERT-LB-SL-01 for Subnet 2 (LB-Subnet-PBT-CERT) to allow HTTPS (port 443) traffic

"Enter the OCID of the created VCN in the text box below.

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

Challenge 1: Integrate TLS Certificate Issued by the OCI Certificates Service with Load Balancer Task 1: Create and Configure a Virtual Cloud Network (VCN) Step 1: Create the Virtual Cloud Network (VCN)

* Log in to the OCI Console.

* Navigate to Networking > Virtual Cloud Networks.

* Click Create Virtual Cloud Network.

* Select VCN with Internet Connectivity (to include an Internet Gateway by default).

* Enter the following details:

* Name: PBT-CERT-VCN-01

* Compartment: Select your assigned compartment.

* VCN CIDR Block: 10.0.0.0/16

* Leave other settings as default (e.g., create a new public subnet and route table).

* Click Create Virtual Cloud Network. Wait for the VCN to be created.

Step 2: Create Subnet 1 (Compute-Subnet-PBT-CERT)

* In the VCN details page for PBT-CERT-VCN-01, click Subnets under Resources.

* Click Create Subnet.

* Enter the following details:

* Name: Compute-Subnet-PBT-CERT

* Subnet Type: Regional

* CIDR Block: 10.0.1.0/24

* Route Table: Select the default route table created with the VCN.

* Subnet Access: Public Subnet (to allow internet access).

* DNS Resolution: Enabled.

* Click Create.

Step 3: Create Subnet 2 (LB-Subnet-PBT-CERT-SNET-02)

* In the VCN details page, click Subnets under Resources.

* Click Create Subnet.

* Enter the following details:

* Name: LB-Subnet-PBT-CERT-SNET-02

* Subnet Type: Regional

* CIDR Block: 10.0.2.0/24

* Route Table: Select the default route table created with the VCN.

* Subnet Access: Public Subnet (to allow internet access for the load balancer).

* DNS Resolution: Enabled.

* ClickCreate.

Step 4: Verify Internet Gateway

* In the VCN details page, underResources, clickInternet Gateways.

* Ensure an Internet Gateway is listed and attached to PBT-CERT-VCN-01. If not created, clickCreate Internet Gateway, name it (e.g., PBT-CERT-IGW), and attach it.

Step 5: Configure Route Table

* In the VCN details page, underResources, clickRoute Tables.

* Select the default route table or create a new one named PBT-CERT-RT-01.

* ClickAdd Route Rule. 4 -Destination CIDR Block: 0.0.0.0/0

* Target Type: Internet Gateway

* Target: Select the Internet Gateway created (e.g., PBT-CERT-IGW).

* ClickAdd Route Ruleand save.

Step 6: Create Security List for Subnet 1 (Compute-Subnet-PBT-CERT)

* In the VCN details page, underResources, clickSecurity Lists.

* ClickCreate Security List.

* Enter the following:

* Name: PBT-CERT-CS-SL-01

* Compartment: Your assigned compartment.

* Add the following ingress rule:

* Source CIDR: 0.0.0.0/0 (allow from any source, adjust as per security needs)

* IP Protocol: TCP

* Source Port Range: All

* Destination Port Range: 22 (for SSH)

* Allows: Traffic

* ClickCreate.

Step 7: Create Security List for Subnet 2 (LB-Subnet-PBT-CERT-SNET-02)

* In the VCN details page, underResources, clickSecurity Lists.

* ClickCreate Security List.

* Enter the following:

* Name: PBT-CERT-LB-SL-01

* Compartment: Your assigned compartment.

* Add the following ingress rule:

* Source CIDR: 0.0.0.0/0 (allow from any source, adjust as per security needs)

* IP Protocol: TCP

* Source Port Range: All

* Destination Port Range: 443 (for HTTPS)

* Allows: Traffic

* ClickCreate.

Step 8: Retrieve and Enter VCN OCID

* Go to the VCN details page for PBT-CERT-VCN-01.

* Copy theOCIDfrom the VCN information section.

* Enter the OCID in the provided text box.

NEW QUESTION # 27

A company has deployed OCI Zero Trust Packet Routing (ZPR) to secure its network. They have two compute instances, VM1-01 and VM-02, in a public subnet. VM-01 is tagged with the security attribute app:vm01, and VM-02 is tagged with app:vm02. The VCN is labeled with network:vcn01. The ZPR policy states:

"What is the expected outcome of this policy?

- A. Both VM-01 and VM-02 can SSH into each other.
- B. Neither VM-01 nor VM-02 can SSH into each other."
- **C. VM-01 can SSH into VM-02, but VM-02 cannot SSH into VM-01.**
- D. VM-02 can SSH into VM-01, but VM-01 cannot SSH into VM-02.

Answer: C

NEW QUESTION # 28

Challenge 2 -Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:

Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 2: Create a Security Zone

Create a security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe (IAD-SAP-PBT-CSP-01) created in the previous task.

Enter the OCID of the created Security zone in the box below.

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

To create a Security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe IAD-SP-PBT-CSP-01 created in the previous task, follow these steps based on the Oracle Cloud Infrastructure (OCI) Security Zones documentation.

Step-by-Step Solution for Task 2: Create a Security Zone

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

* Ensure you have access to the assigned compartment.

* Navigate to Security Zones:

* From the OCI Console, click the navigation menu (hamburger icon) on the top left.

* Under Governance and Administration, select Security Zones.

* Create a New Security Zone:

* In the Security Zones dashboard, click the Create Security Zone button.

* Configure the Security Zone Details:

* Name: Enter IAD_SAP-PBT-CSZ-01.

* Compartment: Select the assigned compartment provided.

* Description (Optional): Add a description, e.g., "Security Zone for public subnet compute instances."

* Associate the Custom Security Zone Recipe:

* In the Recipes section, select the custom recipe IAD-SP-PBT-CSP-01 created in Task 1 from the dropdown list.

* Ensure the recipe is correctly associated to enforce the policy allowing compute instances in the public subnet.

* Define the Security Zone Scope:

* Under Resources to Protect, select the compartment or specific resources (e.g., the VCN with CIDR 10.0.0.0/16 and public subnet 10.0.10.0/24) to apply the security zone.

* Check the box to include all resources in the selected compartment if applicable.

* Create the Security Zone:

* Click Create to finalize the security zone creation.

* Once created, note the OCID of the security zone from the security zone details page. The OCID will be a unique identifier starting with ocid1.securityzone.

* Verify the Security Zone:

* Go to the Security Zones tab and locate IAD_SAP-PBT-CSZ-01.

* Confirm the associated recipe (IAD-SP-PBT-CSP-01) and the applied policies.

OCID of the Created Security Zone

* The exact OCID will be generated upon creation (e.g., ocid1.securityzone.oc1..<unique_string>).

Please enter the OCID displayed in the OCI Console after completing Step 7.

NEW QUESTION # 29

.....

You will be able to assess your shortcomings and improve gradually without having anything to lose in the actual Oracle 1z0-1104-

25 exam. You will sit through mock exams and solve actual Oracle 1z0-1104-25 Dumps. In the end, you will get results that'll improve each time you progress and grasp the concepts of your syllabus.

Actual 1z0-1104-25 Test Pdf: https://www.practicedump.com/1z0-1104-25_actualtests.html

What's more, part of that PracticeDump 1z0-1104-25 dumps now are free: <https://drive.google.com/open?id=1JcBt8byhSbyjkfAxpM1VGf7LXwCmD3R>