

100% Pass 2026 H12-811_V1.0: Professional Latest HCIA-Datacom V1.0 Mock Exam



DOWNLOAD the newest BraindumpsVCE H12-811_V1.0 PDF dumps from Cloud Storage for free:
<https://drive.google.com/open?id=1FVdl9c20SSkLQJqdm0hwMCFmg0PqT-In>

With the simulation test, all of our customers will get accustomed to the H12-811_V1.0 exam easily, and get rid of bad habits, which may influence your performance in the real H12-811_V1.0 exam. In addition, the mode of H12-811_V1.0 learning guide questions and answers is the most effective for you to remember the key points. During your practice process, the H12-811_V1.0 test questions would be absorbed, which is time-saving and high-efficient. Concentrated all our energies on the study H12-811_V1.0 learning guide we never change the goal of helping candidates pass the exam. Our H12-811_V1.0 test questions' quality is guaranteed by our experts' hard work. So what are you waiting for? Just choose our H12-811_V1.0 exam materials, and you won't be regret.

The HCIA-Datacom V1.0 certification exam covers a wide range of topics related to data communication technologies, such as network architecture and design, network protocols, network devices, and network security. Candidates will be required to demonstrate their knowledge and understanding of these topics through a series of multiple-choice questions and practical exercises.

>> Latest H12-811_V1.0 Mock Exam <<

H12-811_V1.0 Exam Torrents: HCIA-Datacom V1.0 Prepare Torrents & H12-811_V1.0 Test Braindumps

The H12-811_V1.0 latest question we provide all candidates that that is compiled by experts who have good knowledge of exam, and they are very experience in compile study materials. Not only that, our team checks the update every day, in order to keep the latest information of H12-811_V1.0 Exam Question. So why not try our H12-811_V1.0 original questions, which will help you maximize your pass rate? Even if you unfortunately fail to pass the exam, we will give you a full refund.

The HCIA-Datacom certification is a foundational-level certification that provides candidates with a solid understanding of data communication technologies, including IP routing, switching, security, and network management. HCIA-Datacom V1.0 certification is designed for network engineers, administrators, and technicians who are responsible for designing, implementing, and maintaining data communication solutions.

Huawei HCIA-Datacom V1.0 Sample Questions (Q274-Q279):

NEW QUESTION # 274

The Router ID of OSPF must be the same as the IP address of a certain interface of the router.

- A. True
- B. False

Answer: B

NEW QUESTION # 275

On an interface that uses PPP as the data link layer protocol, you can configure a static route by specifying the next hop address or outgoing interface. ()

- A. False
- B. True

Answer: B

NEW QUESTION # 276

If the ipv4 address of a host in the LAN is 192.168.1.1/30, which of the following IP addresses will be processed by the host as the destination address?

- A. 192.168.1.2
- B. 255.255.255.255
- C. 192.168.1.3
- D. 192.168.1.1

Answer: B,C,D

NEW QUESTION # 277

The administrator made the configuration on the router as shown in the figure. At the same time, the administrator wants to assign a shorter lease period to the DHCP address. Which of the following commands should be used? () (Single-choice question) ip pool pool1 net 10.10.10.0 mask 255.255.255.0 gateway-list 10.10.10.1

- A. Lease day 0 hour 10
- B. Lease 24
- C. Dhcp select relay

Answer: B

NEW QUESTION # 278

Refer to the following configuration of a switch interface. Which of the following statements is false?

```
interface GigabitEthernet0/0/1
port link-type trunk
port trunk pvid vlan 200
port trunk allow-pass vlan 100
```

- A. The link type of the interface is trunk.
- B. If the VLAN tag carried in a data frame is 100, the switch removes the VLAN tag before sending the data frame.
- C. The interface cannot send data frames tagged with VLAN 200.
- D. If the interface receives data frames without VLAN tags, the switch needs to tag the data frames with VLAN 200.

Answer: B

Explanation:

In trunk mode, the interface can forward frames tagged with VLANs specified in the allow-pass list (here, VLAN 100) without removing tags. However, if an untagged frame is received, it is assigned to the PVID (here, VLAN 200). This configuration allows both tagged and untagged traffic, with the PVID determining the VLAN for untagged frames.

NEW QUESTION # 279

.....

H12-811_V1.0 Valid Cram Materials: https://www.braindumpsvce.com/H12-811_V1.0_exam-dumps-torrent.html

- [illegible]

BTW, DOWNLOAD part of BraindumpsVCE H12-811_V1.0 dumps from Cloud Storage: <https://drive.google.com/open?id=1FVdI9c20SSkLQJqdm0hwMCFmg0PqT-In>