

PTCE日本語版参考書、PTCE合格体験談



2026年Tech4Examの最新PTCE PDFダンプおよびPTCE試験エンジンの無料共有: https://drive.google.com/open?id=1FDyPekU-v-nSSZepqhu_bod6sRoAMguh

お客様の時間が大切だということが了解します。私たちのPTCE試験問題集の一つの特徴は時間を節約できることです。お客様は支払いに成功した後、自分のメールアドレスで直接にPTCE試験問題集をダウンロードできます。勉強するとき、PTCE試験問題集の問題の答えを覚えると、PTCE試験に参加できます。

Medical TestsのPTCE認定試験の最新教育資料はTech4Examの専門チームが研究し続けてついに登場し、多くの人の夢が実現させることができます。今のIT業界の中で、自分の地位を固めたくて知識と情報技術を証明したいのもっとも良い方法がMedical TestsのPTCE認定試験でございます。がMedical TestsのPTCE「Pharmacy Technician Certification Exam」認定試験の合格書を取ったら仕事の上で大きな変化をもたらします。

>> PTCE日本語版参考書 <<

PTCE合格体験談 & PTCE受験内容

業界の人気トレンドの変化と最新の社会的見解を注視し、時代に対応し、クライアントに最新のPTCE学習教材リソースを提供します。私たちのサービス哲学と信条は、お客様が私たちの神であり、お客様のPTCEガイド資料に対する満足が私たちの幸福の最大のリソースであるということです。なぜあなたはまだheしたのですか？今すぐPTCEガイドの質問を購入してください。PTCEラーニングガイドを使用すると、PTCE試験に問題なく合格できます。

Medical Tests Pharmacy Technician Certification Exam 認定 PTCE 試験問題 (Q290-Q295):

質問 # 290

Which drug is a proton pump inhibitor used in the treatment of symptomatic gastroesophageal reflux disease (GERD)?

- A. Carvedilol
- B. Methimazole
- C. Esmolol
- D. Esomeprazole

正解: D

解説:

Esomeprazole is a proton pump inhibitor (PPI) used to reduce gastric acid secretion and is indicated for conditions such as GERD, erosive esophagitis, and other acid-related disorders. Methimazole is an antithyroid medication, carvedilol is a nonselective beta-blocker with alpha-blocking activity, and esmolol is a short-acting beta-1 blocker-none of which are PPIs.

References (Pharmacy Technician documents / Study Guides):

- * PTCB/ExCPT Pharmacology: Gastrointestinal agents-PPIs (omeprazole, esomeprazole, lansoprazole) for GERD.
- * Drug class references in technician training materials: PPIs vs. H2RAs and their indications.

質問 # 291

SIMULATION

Elimination.

正解:

解説:

Excretion from the body

質問 # 292

The FDA publication of Approved Drug Products with Therapeutic Equivalence Evaluations is called:

- A. Merck Manual
- B. Scut Monkey drug Manual
- C. Micromedex
- **D. Orange Book**

正解: D

質問 # 293

SIMULATION

The first line of defense against infection/contamination of an IV product is what?

正解:

解説:

handwashing

質問 # 294

Due to increased risk for drowsiness, a patient taking zolpidem should avoid OTC products containing:

- A. Acetaminophen
- B. Guaifenesin
- **C. Diphenhydramine**
- D. Naproxen

正解: C

解説:

* Zolpidem is a sedative-hypnotic used for insomnia and has CNS depressant effects. Combining zolpidem with other sedating agents increases the risk of excessive drowsiness, impaired coordination, and CNS depression.

* Diphenhydramine is a first-generation antihistamine with strong sedative properties and is commonly found in OTC sleep aids and "PM" pain relievers; it should be avoided with zolpidem due to additive sedation.

* Acetaminophen, naproxen, and guaifenesin do not have intrinsic sedative properties and are not typically associated with increased CNS depression when used alone.

References (Pharmacy Technician documents/Study Guides):

- * Pharmacology and patient safety sections on CNS depressants and drug-drug interactions (sedating antihistamines with hypnotics).
- * Counseling points for zolpidem and first-generation antihistamines in technician exam prep materials.

質問 # 295

.....

ちなみに、Tech4ExamPTCEの一部をクラウドストレージからダウンロードできます: https://drive.google.com/open?id=1FDyPekU-v-nSSZepqhu_bod6sRoAMgguh