

FCSS_SDW_AR-7.4시험대비최신덤프공부자료 & FCSS_SDW_AR-7.4최신덤프문제모음집

Download Fortinet FCSS_SDW_AR-7.4 Exam Dumps For Best Preparation

Exam : FCSS_SDW_AR-7.4

Title : FCSS - SD-WAN 7.4
Architect

https://www.passcert.com/FCSS_SDW_AR-7.4.html

1 / 13

참고: Pass4Test에서 Google Drive로 공유하는 무료, 최신 FCSS_SDW_AR-7.4 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1Fu2us1n2n-wQBVE6uzU2wXZOaxBdIT1h>

IT인증자격증은 여느때보다 강렬한 경쟁을 보이고 있습니다. Fortinet 인증FCSS_SDW_AR-7.4시험을 통과하시면 취직 혹은 승진이나 연봉협상에 많은 도움이 되어드릴수 있습니다. Fortinet 인증FCSS_SDW_AR-7.4시험이 어려워서 통과할 자신이 없다구요? Pass4Test덤프만 있으면 이런 고민은 이제 그만 하지않으셔도 됩니다. Pass4Test에서 출시한 Fortinet 인증FCSS_SDW_AR-7.4덤프는 시장에서 가장 최신버전입니다.

Pass4Test의 Fortinet 인증 FCSS_SDW_AR-7.4시험덤프공부자료 출시 당시 저희는 이런 크나큰 인지도를 갖추수 있을지 생각도 못했었습니다. 저희를 믿어주시고 구매해주신 분께 너무나도 감사한 마음에 더욱 열심히 해나가자는 결심을 하였습니다. Fortinet 인증 FCSS_SDW_AR-7.4덤프자료는Pass4Test의 전문가들이 최선을 다하여 갈고닦은 예술품과도 같습니다.100% 시험에서 패스하도록 저희는 항상 힘쓰고 있습니다.

>> FCSS_SDW_AR-7.4시험대비 최신 덤프공부자료 <<

시험패스 가능한 FCSS_SDW_AR-7.4시험대비 최신 덤프공부자료 최신버전 덤프샘플

Pass4Test의 Fortinet인증 FCSS_SDW_AR-7.4시험덤프자료는 여러분의 시간,돈 ,정력을 아껴드립니다. 몇개월을 거

처 시험준비공부를 해야만 패스가능한 시험을Pass4Test의 Fortinet인증 FCSS_SDW_AR-7.4덤프는 며칠간에도 같은 시험패스 결과를 안겨드릴수 있습니다. Fortinet인증 FCSS_SDW_AR-7.4시험을 통과하여 자격증을 취득하려면 Pass4Test의 Fortinet인증 FCSS_SDW_AR-7.4덤프로 시험준비공부를 하세요.

최신 Fortinet Certified Solution Specialist FCSS_SDW_AR-7.4 무료샘플문제 (Q56-Q61):

질문 # 56

Refer to the exhibit that shows VPN event logs on FortiGate.

```
7: [...]logid="0101037141" type="event" subtype="vpn" level="notice" vd="root" logdesc="IPsec tunnel statistics" msg="IPsec tunnel statistics" action="tunnel-stats" remip=100.64.1.9 locip=192.2.0.9 remport=500 locport=500 outintf="port2" cookies="773c72b48060051d/529ac435532959b6" user="N/A" group="N/A" useralt="N/A" xauthuser="N/A" xauthgroup="N/A" assignip=10.202.1.1 vpntunnel="T_INET_1" tunnelip=N/A tunnelid=2595348112 tunneltype="ipsec" duration=3581 sentbyte=386431 rcvbyte=387326 nextstat=600 advpnsc=0
```

```
8: [...]logid="0101037141" type="event" subtype="vpn" level="notice" vd="root" logdesc="IPsec tunnel statistics" msg="IPsec tunnel statistics" action="tunnel-stats" remip=172.16.0.9 locip=172.16.0.1 remport=500 locport=500 outintf="port4" cookies="0624890597f6096d/ed1bd5247375c46f" user="N/A" group="N/A" useralt="N/A" xauthuser="N/A" xauthgroup="N/A" assignip=N/A vpntunnel="T_MPLS_0" tunnelip=0.0.0.0 tunnelid=2595348102 tunneltype="ipsec" duration=223 sentbyte=115040 rcvbyte=345160 nextstat=600 advpnsc=1
```

```
9: [...]logid="0101037141" type="event" subtype="vpn" level="notice" vd="root" logdesc="IPsec tunnel statistics" msg="IPsec tunnel statistics" action="tunnel-stats" remip=100.64.1.1 locip=192.2.0.1 remport=500 locport=500 outintf="port1" cookies="747b432459497188/6616a969a6937853" user="N/A" group="N/A" useralt="N/A" xauthuser="N/A" xauthgroup="N/A" assignip=10.201.1.1 vpntunnel="T_INET_0" tunnelip=N/A tunnelid=2595348115 tunneltype="ipsec" duration=3580 sentbyte=388020 rcvbyte=387994 nextstat=600 advpnsc=0
```

Based on the output shown in the exhibit, which statement is true?

- A. The VPN tunnel T_MPLS_0 is a shortcut tunnel.
- B. There is one shortcut tunnel built from master tunnel T_MPLS_0.
- C. There are no IPsec tunnel statistics log messages for ADVPN shortcuts.
- D. The master tunnel T_INET_0 cannot accept the ADVPN shortcut.

정답: A

설명:

When reviewing VPN log messages, the field advpnsc will help you identify the shortcut VPN tunnels.

FortiGate will set advpnsc value 1 for any log messages related to shortcut tunnels; for any other tunnel, the advpnsc value is set to 0.

질문 # 57

Refer to the exhibits.

Interface details

Name	Type	Members	IP/Netmask
Physical Interface 13			
port1	Physical Interface		192.2.0.1/255.255.255.248
port2	Physical Interface		192.2.0.9/255.255.255.248
port3	Physical Interface		0.0.0.0/0.0.0.0
port4	Physical Interface		172.16.0.1/255.255.255.248
port5	Physical Interface		10.0.1.254/255.255.255.0
port6	Physical Interface		0.0.0.0/0.0.0.0
port7	Physical Interface		0.0.0.0/0.0.0.0
port8	Physical Interface		0.0.0.0/0.0.0.0
port9	Physical Interface		0.0.0.0/0.0.0.0
port10	Physical Interface		192.168.0.31/255.255.255.0
T_shop_1(port9)	Physical interface		0.0.0.0/0.0.0.0
SD-WAN Zone 3			
HUB1	SD-WAN Zone	HUB1-VPN1 HUB1-VPN2 HUB1-VPN3	0.0.0.0/0.0.0.0
Test	SD-WAN Zone	port2	0.0.0.0/0.0.0.0
virtual-wan-link	SD-WAN Zone		0.0.0.0/0.0.0.0

Static route details

Destination	Gateway IP	Interface	Status
192.168.1.0/24	192.2.0.254	port1	Enabled
168.1.1.0/24	192.2.0.4	port1	Enabled

Firewall policies on managed FortiGate

	Policy	From	To	Source	Destination	Service
☐	Corp(5)	port1	port5	4 Corp-net	4 LAN-net	HTTP HTTPS
☐	DIA(1)	port5	port1	4 LAN-net	4 all	ALL

The interface details, static route configuration, and firewall policies on the managed FortiGate device are shown. You want to configure a new SD-WAN zone, named Underlay, that contains the interfaces port1 and port2. What must be your first action?

- A. Define port1 as an SD-WAN member.
- B. Delete the firewall policies.

- C. Delete the SD-WAN Zone Test.
- D. Delete the static routes.

정답: D

설명:

In the exhibits, port2 is already assigned to the SD-WAN zone named Test. An interface can only belong to a single SD-WAN zone, so before you can add both port1 and port2 into the new SD-WAN zone Underlay, you must first delete the SD-WAN Zone Test to free port2.

질문 # 58

Refer to the exhibit.

Diagnose output

FORTINET

```
spoke_A # diagnose firewall proute list
list route policy info(vf=root):

id=1(0x01) dscp_tag=0xfc 0xfc flags=0x0 tos=0x00 tos_mask=0x00 protocol=17 port=src(0->65535):dst(0->65535)
iif=0(any)
path(1): oif=0(any) gwy=10.0.1.253
destination(1): 10.22.0.0-10.22.0.255
source wildcard(1): 0.0.0.0/255.255.255.0
hit_count=5 rule_last_used=2024-12-19 07:53:31

id=2130968577(0x7f040001) vwl_service=1(Critical-DIA) vwl_mbr_seq=2 1 dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(2): oif=4(port2), oif=3(port1)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Microsoft.Portal(41469,0) Storage.Backup(0,22)
hit_count=8597 rule_last_used=2024-12-19 07:31:00

id=2130968578(0x7f040002) vwl_service=2(Non-Critical-DIA) vwl_mbr_seq=2 dscp_tag=0xfc 0xfc flags=0x0 tos=
0x00 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(1): oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Operational.Technology(0,26) Social.Media(0,23)
hit_count=36589 rule_last_used=2024-12-19 07:31:00

id=2130968580(0x7f040004) vwl_service=4(Critical-Web-Server) vwl_mbr_seq=3 dscp_tag=0xfc 0xfc flags=0x0 tos=
0x00
tos_mask=0x00 protocol=0 port=src(0->0) iif=0(any)
path(1): oif=6(port4)
source(1): 10.0.1.0-10.0.1.255
destination(1): 128.66.0.1-128.66.0.1
hit_count=12587 rule_last_used=2024-12-19 07:31:00

id=2130968579(0x7f040003) vwl_service=3 (VOIP) vwl_mbr_seq=1 dscp_tag=0xfc 0xfc flags=0x0 tos=0x00 tos_mask=0x00
protocol=17 port=src(1->65535):dst(1->65535) iif=0(any)
path(1): oif=3(port1) path_last_used=2024-12-19 08:09:00
source(1): 10.0.1.0-10.0.1.255
destination(1): 0.0.0.0-255.255.255.255
hit_count=13 rule_last_used=2024-12-19 08:09:00
```

Which two conclusions can you draw from the output shown? (Choose two.)

- A. One SD-WAN rule allows traffic load balancing.
- B. UDP traffic destined to the subnet 10.22.0.0/24 matches a manual SD-WAN rule.
- C. One SD-WAN rule is defined with application categories as the destination.
- D. UDP traffic destined to the subnet 10.22.0.0/24 matches a policy route.

정답: C,D

설명:

One SD-WAN rule is defined with application categories as the destination # The diagnose output shows application control matches such as Microsoft.Portal, Operational.Technology, and Social.Media, confirming that SD-WAN rules are using application categories as destinations.

UDP traffic destined to the subnet 10.22.0.0/24 matches a policy route # The first entry (id=1) shows protocol=17 (UDP) with destination 10.22.0.0/24, confirming this traffic is handled by a policy route instead of an SD-WAN rule.

질문 # 59

Refer to the exhibit.

The screenshot shows the 'Settings' tab of an SD-WAN rule named 'Social_app'. The rule is currently 'Enabled'. Under the 'Source' section, the 'Address' is set to '4 LAN-net'. The 'Destination' section has three fields: 'Address', 'Internet service', and 'Outgoing Interfaces', all of which are empty and have a '+' icon next to them. The 'Interface selection strategy' is set to 'Manual' with a note 'Manually assign outgoing members.'

You configure SD-WAN on a standalone FortiGate device. You want to create an SD-WAN rule that steers Facebook and LinkedIn traffic through the less costly internet link. The FortiGate GUI page appears as shown in the exhibit. What should you do to set Facebook and LinkedIn as destinations?

- A. Enable the applications as destinations of the SD-WAN rule feature visibility.
- B. Install a license to allow applications as destinations of SD-WAN rules.
- C. You cannot configure applications as destinations of an SD-WAN rule on a standalone FortiGate device.
- **D. In the Internet service field, select Facebook and LinkedIn.**

정답: D

설명:

In an SD-WAN rule, you can steer application traffic by using Internet Service Database (ISDB) entries.

Facebook and LinkedIn are predefined ISDB objects in FortiGate, so the correct way is to select them in the Internet service field under Destination. This ensures that all traffic to these applications is matched and routed through the chosen (less costly) link.

질문 # 60

Refer to the exhibit.

BGP configuration

```
config router bgp
  set as 65000
  set router-id 10.200.99.253
  set ibgp-multipath enable
  set additional-path enable
  set additional-path-select 3
  config neighbor-group
    edit "VPN1"
      set soft-reconfiguration enable
      set remote-as 65000
    next
    edit "VPN2"
      set soft-reconfiguration enable
      set remote-as 65000
    next
    edit "VPN3"
      set soft-reconfiguration enable
      set remote-as 65000
    next
  end
  config neighbor-range
    edit 1
      set prefix 192.168.1.0 255.255.255.192
      set neighbor-group "VPN1"
    next
    edit 2
      set prefix 192.168.1.64 255.255.255.192
      set neighbor-group "VPN2"
    next
    edit 3
      set prefix 192.168.1.128 255.255.255.192
      set neighbor-group "VPN3"
    next
  end
  ...
end
```

The exhibit shows the BGP configuration on the hub in a hub-and-spoke topology. The administrator wants BGP to advertise prefixes from spokes to other spokes over the IPsec overlays, including additional paths.

However, when looking at the spoke routing table, the administrator does not see the prefixes from other spokes and the additional paths. Which three settings must the administrator configure inside each BGP neighbor group so spokes can learn the prefixes of other spokes and their additional paths? (Choose three.)

- A. Enable route-reflector-client.
- B. Enable route-reflector-server
- C. Set additional-path to send
- D. Set adv-additional-path to the number of additional paths to advertise.

- E. Set additional-path to forward

정답: A,C,D

설명:

The hub must send additional paths to spokes (set additional-path send).

The hub must treat each spoke as a route-reflector client so spoke routes are reflected to other spokes.

The hub must specify how many additional paths to advertise (set adv-additional-path <n>).

질문 # 61

.....

다른 방식으로 같은 목적을 이룰 수 있다는 점 아세요? 여러분께서는 어떤 방식, 어느 길을 선택하시겠습니까? 많은 분들은 Fortinet 인증 FCSS_SDW_AR-7.4 시험패스로 자기 일에서 생활에서 한층 업그레이드 되기를 바랍니다. 하지만 모두 다 알고계시는 그대로 Fortinet 인증 FCSS_SDW_AR-7.4 시험은 간단하게 패스할 수 있는 시험이 아닙니다. 많은 분들이 Fortinet 인증 FCSS_SDW_AR-7.4 시험을 위하여 많은 시간과 정신력을 투자하고 있습니다. 하지만 성공하는 분들은 적습니다.

FCSS_SDW_AR-7.4 최신 덤프문제모음집: https://www.pass4test.net/FCSS_SDW_AR-7.4.html

Fortinet FCSS_SDW_AR-7.4 시험대비 최신 덤프공부자료 시험이 영어로 출제되어 공부자료 마련도 좀 힘든편입니다, Pass4Test의 경험이 풍부한 전문가들이 Fortinet FCSS_SDW_AR-7.4 인증시험관련자료들을 계획적으로 페펙트하게 만들었습니다. Fortinet FCSS_SDW_AR-7.4 인증시험응시에는 딱 좋은 자료들입니다, 가격도 착하고 시험패스율 높은 FCSS_SDW_AR-7.4 덤프를 공부해보세요, Fortinet FCSS_SDW_AR-7.4 시험대비 최신 덤프공부자료 만일 고객이 우리 제품을 구입하고 첫 번째 시도에서 성공을 하지 못 한다면 모든 정보를 확인 한 후에 구매 금액 전체를 환불 할 것 입니다, Fortinet FCSS_SDW_AR-7.4 시험대비 최신 덤프공부자료 적중율 높은 덤프의 도움을 받으시면 대부분의 고객님은 순조롭게 어려운 시험을 합격할 수 있습니다.

혹시 지금 얼마 어디 계신지 알아요, 그래서 소리치고 분노했지, 시험이 영어로 출제되어 공부자료 마련도 좀 힘든편입니다, Pass4Test의 경험이 풍부한 전문가들이 Fortinet FCSS_SDW_AR-7.4 인증시험관련자료들을 계획적으로 페펙트하게 만들었습니다. Fortinet FCSS_SDW_AR-7.4 인증시험응시에는 딱 좋은 자료들입니다.

FCSS_SDW_AR-7.4 시험대비 최신 덤프공부자료 100% 합격 보장 가능한 최신 공부자료

가격도 착하고 시험패스율 높은 FCSS_SDW_AR-7.4 덤프를 공부해보세요, 만일 고객이 우리 제품을 구입하고 첫 번째 시도에서 성공을 하지 못 한다면 모든 정보를 확인 한 후에 구매 금액 전체를 환불 할 것 입니다, 적중율 높은 덤프의 도움을 받으시면 대부분의 고객님은 순조롭게 어려운 시험을 합격할 수 있습니다.

- FCSS_SDW_AR-7.4 합격보장 가능 덤프 □ FCSS_SDW_AR-7.4 높은 통과율 시험공부 □ FCSS_SDW_AR-7.4 인증덤프샘플 다운 □ ✓ www.exampassdump.com □ ✓ □ 을(를) 열고 □ FCSS_SDW_AR-7.4 □ 를 입력하고 무료 다운로드를 받으십시오 FCSS_SDW_AR-7.4 최고품질 인증시험덤프대모
- FCSS_SDW_AR-7.4 합격보장 가능 덤프 □ FCSS_SDW_AR-7.4 인증덤프샘플 다운 □ FCSS_SDW_AR-7.4 덤프공부 □ 검색만 하면 ✓ www.itdumpskr.com □ ✓ □ 에서 ✱ FCSS_SDW_AR-7.4 □ ✱ □ 무료 다운로드 FCSS_SDW_AR-7.4 높은 통과율 인기 덤프문제
- FCSS_SDW_AR-7.4 퍼펙트 공부문제 □ FCSS_SDW_AR-7.4 합격보장 가능 덤프 □ FCSS_SDW_AR-7.4 높은 통과율 인기 덤프문제 □ 무료로 다운로드하려면 ⇒ www.dumptop.com □ □ □ 로 이동하여 [FCSS_SDW_AR-7.4] 를 검색하십시오 FCSS_SDW_AR-7.4 합격보장 가능 덤프자료
- FCSS_SDW_AR-7.4 시험대비 최신 덤프공부자료 퍼펙트한 덤프로 시험패스하여 자격증을 취득하기 □ 지금 > www.itdumpskr.com □ 에서 > FCSS_SDW_AR-7.4 □ 를 검색하고 무료로 다운로드하세요 FCSS_SDW_AR-7.4 높은 통과율 인기 덤프문제
- FCSS_SDW_AR-7.4 높은 통과율 인기 시험자료 □ FCSS_SDW_AR-7.4 높은 통과율 인기 덤프문제 □ FCSS_SDW_AR-7.4 퍼펙트 덤프공부문제 □ 검색만 하면 [www.itdumpskr.com] 에서 □ FCSS_SDW_AR-7.4 □ 무료 다운로드 FCSS_SDW_AR-7.4 높은 통과율 인기 덤프문제
- FCSS_SDW_AR-7.4 시험패스보장덤프 □ FCSS_SDW_AR-7.4 최신덤프문제 □ FCSS_SDW_AR-7.4 높은 통과율 인기 덤프문제 □ 오픈 웹 사이트 { www.itdumpskr.com } 검색 ⇒ FCSS_SDW_AR-7.4 □ 무료 다운로드 FCSS_SDW_AR-7.4 PDF
- FCSS_SDW_AR-7.4 시험대비 최신 덤프공부자료 시험 기출자료 □ ⇒ www.koreadumps.com □ 을(를) 열고 ⇒ FCSS_SDW_AR-7.4 □ 을 입력하고 무료 다운로드를 받으십시오 FCSS_SDW_AR-7.4 최신덤프문제
- 퍼펙트한 FCSS_SDW_AR-7.4 시험대비 최신 덤프공부자료 최신 덤프 □ □ www.itdumpskr.com □ 을 통해 쉽

FCSS_SDW_AR-7.4인기덤프문제 □ FCSS_SDW_AR-7.4높은 통과율 시험공부 □ FCSS_SDW_AR-7.4인증
덤프샘플 다운 □ □ www.exampassdump.com □ 웹사이트에서➡ FCSS_SDW_AR-7.4 □를 열고 검색하여 무
료 다운로드FCSS_SDW_AR-7.4최고품질 인증시험덤프데모

- 높은 적응율을 자랑하는 FCSS_SDW_AR-7.4시험대비 최신 덤프공부자료 최신덤프 www.itdumpskr.com 「 www.itdumpskr.com 」은 ➡ FCSS_SDW_AR-7.4 www.itdumpskr.com 무료 다운로드를 받을 수 있는 최고의 사이트입니다 FCSS_SDW_AR-7.4퍼펙트 공부문제

참고: Pass4Test에서 Google Drive로 공유하는 무료, 최신 FCSS_SDW_AR-7.4 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1Fu2us1n2n-wQBVE6uzJ2wXZOaxBdIT1h>