


最新OGA-032考題 & OGA-032熱門考古題



面對激烈競爭，每個大學生都在為使自己在人才市場上脫穎而出而努力，多一張國際通行證無疑是為他們在就業及其他競爭中在同學中脫穎而出的法寶。所以，通過 The Open Group 的 OGA-032 考試認證是我人生中的一大挑戰，需要拼命的努力學習，不過不要緊，你可以購買 Testpdf The Open Group 的 OGA-032 考試認證培訓資料，幫你輕松通過考試。

ArchiMate 3 第二部分考試是一個全面的測試，涵蓋了 ArchiMate 3 建模語言的所有方面。候選人需要展示他們對語言的概念、原則和技術的理解，以及他們應用語言解決現實世界問題的能力。該考試基於案例研究，由多道選擇題和需要候選人應用他們的知識和技能解決現實世界問題的複雜情境組成。

>> [最新OGA-032考題](#) <<

高質量的最新OGA-032考題 |高通過率的考試材料|確保通過的OGA-032: ArchiMate 3 Part 2 Exam

Testpdf是可以帶你通往成功之路的網站。Testpdf可以為你提供使你快速通過The Open Group OGA-032 認證考試的詳細培訓資料，能使你短時間內多掌握認證考試的相關知識，並且一次性的通過The Open Group OGA-032 認證考試。

開放式架構聯盟建議參加OGA-032認證考試的個人具有良好的ArchiMate 3 第1部分的理解能力，並具有使用語言的實踐經驗。該考試專為企業架構師、解決方案架構師和負責設計和實施企業架構解決方案的IT專業人員設計。該認證計劃提供了一種結構化的學習方法，以確保個人具有將ArchiMate語言應用於現實場景的知識和技能。

最新的 ArchiMate 3 Foundation OGA-032 免費考試真題 (Q11-Q16):

問題 #11

Please read this scenario prior to answering the question

The ArchiSurance senior management, board members, customers, and major stockholders have expressed long-standing concerns regarding the business continuity risks associated with relying on a single data center.

Located in an area prone

to flooding, earthquakes, and occasional water leaks from the cafeteria above, the current data center has significant vulnerabilities. To address these concerns and mitigate the risks, ArchiSurance has developed a comprehensive plan to relocate its existing data center to two separate ready-to-use data centers in different cities. As a major undertaking, the approval of the Board of Directors is required to proceed with the project.

The primary objectives of the data center move are to reduce the risk of business interruptions, reduce both planned and unplanned downtime for critical applications, and provide reassurance to ArchiSurance stakeholders. Ensuring minimal disruption during the transition is crucial. However, several constraints make the planned migration to the new data centers particularly challenging.

Certain critical ArchiSurance applications cannot be offline for more than one hour, and any planned downtime must be restricted to

specific four-hour windows on weekends. Additionally, the migration cannot take place during quarterly or year-end closing periods to avoid disrupting critical processing operations.

ArchiInsurance management has devised a multi-phase data center transformation program to facilitate a smooth transition. Each phase is critical for establishing stable and fully functional data center configurations throughout the transformation process. The initial phase entails detailed scheduling and planning to develop a comprehensive transformation plan aligned with ArchiInsurance's timing and scheduling requirements. During the second phase, ArchiInsurance will procure the necessary hardware and software for the new data centers, while also seeking refunds for the hardware and software in the current data center once it is decommissioned. The third phase involves setting up the new data centers and conducting parallel testing of the new hardware and software alongside the existing production environment. The transition between the old and new data centers occurs in the fourth phase, followed by the fifth phase, which is the decommissioning of the old data center. This involves returning the hardware and software to obtain the contracted refunds. Each phase, from the second to the fifth, is initiated once specific conditions outlined in the previous phase have been met.

Refer to the Scenario

The program manager overseeing the data center transformation has asked you to model an outline of the implementation plan which has three stable states defined. You should show the deliverables associated with each plateau in connection with the physical elements. Additionally, you need to show how each phase contributes to achieving a stable state for the data center transformation. Which of the following answers provides the best description?

- A. A diagram of a data processing process Description automatically generated
 -
- B. A diagram of a software process Description automatically generated
 -
- C. A diagram of a data center Description automatically generated
 -
- D. A diagram of a software system Description automatically generated
 -

答案: A

解題說明:

This question focuses on modeling the implementation plan for the data center transformation at ArchiInsurance. The goal is to represent how the different phases of the project contribute to achieving the three stable states, or plateaus, while illustrating the deliverables connected to these plateaus and the physical elements involved.

Key ArchiMate® 3.2 Concepts Applied:

* **Plateaus:** Plateaus represent intermediate stable states within an architecture transformation, showing the condition of the architecture at specific moments in time. In this scenario, the plateaus correspond to the stable data center configurations at different phases:

* **Plateau 1:** Only the old data center is in use.

* **Plateau 2:** Both the old and new data centers are in use simultaneously.

* **Plateau 3:** Only the new data center is in use, and the old data center is fully decommissioned.

* **Physical Elements:** These refer to the data centers, hardware, software, and networks that make up the infrastructure being migrated. These should be clearly depicted in connection with each phase of the transformation program.

* **Deliverables and Phases:** Each phase of the transformation process includes specific deliverables, such as:

* Procurement of new hardware and software.

* Setting up and testing the new data centers.

* Transitioning between the old and new data centers.

* Dismantling the old data center and returning its hardware for refunds.

* **Work Packages and Dependencies:** Work packages represent activities or tasks in ArchiMate® and are connected to the plateaus. These must be modeled with proper sequencing, showing how each phase contributes to reaching the next stable state.

Why Option A is Correct:

* Option A accurately represents the three plateaus (stable states) and clearly illustrates the deliverables (e.g., the new data center, tested hardware and software, and dismantled old data center) in relation to each phase of the transformation.

* The connections between the physical elements (such as the centralized data center, distributed data center, and backup data center) are properly displayed and aligned with the described multi-phase process.

* The phases are laid out logically, showing how each phase (e.g., procurement, testing, transition) leads to the next stable state (plateau), following the principles of a plateau and work package transformation in ArchiMate®.

* The flow of deliverables from one plateau to the next is consistent with the need for dependencies (e.g., the new data center cannot be fully active until the hardware and software have been tested in parallel).

Why Other Options Are Incorrect:

* Option B and Option D do not show the relationships between the phases and the stable states as clearly as Option A. They lack some critical connections or do not accurately represent the progression between plateaus and the physical infrastructure.

* Option C is closer but misses important sequencing in how the work packages (activities) and plateaus interact, leading to an

incomplete representation of the transformation.

Conclusion:

Option A provides the most complete and accurate description based on ArchiMate® 3.2 modeling principles.

It correctly demonstrates how each phase of the data center transformation contributes to achieving the stable states (plateaus) and ensures that the physical elements, work packages, and deliverables are properly aligned.

問題 #12

Please read this scenario prior to answering the question

The IT Operations (IT Ops) department at ArchiInsurance has five core responsibilities, each encompassing a dedicated business process: (1) Batch Operations (Batch Ops), (2) Online Operations (Online Ops), (3) Security Operations (Security Ops), (4) User Support and (5) Continuous Improvement. Service level agreements (SLAs) are in place for Batch Ops and Online Ops, and each Ops process generates monitoring data that is utilized by the Continuous Improvement process.

The System Ops category consists of Batch Ops, Online Ops, and Security Ops, each having an incident management sub-process. These sub-processes are triggered by Batch, Online, and Security Incidents, respectively. In the initial stages of the incident management sub-processes, an Incident Alert is shared with the other System Ops processes by posting it to the Alert Buffer.

Batch Ops relies on a schedule that outlines all batch jobs and their dependencies. This schedule serves two sub-processes: Batch Planning, which updates the schedule for use by the Execution Management sub-process.

The Batch Ops process relies on a suite of interconnected applications to facilitate its operations. Among these applications, the Batch Scheduler plays a vital role by allowing users to manage a comprehensive database of jobs, job schedules, and dependencies. It effectively launches batch jobs according to the information stored in the database.

Working in conjunction with the Batch Scheduler, the Batch Monitor application utilizes the job schedules as a reference point to monitor job execution. It identifies any exceptional conditions that may arise during the execution process. To ensure effective handling of these exceptions, the Batch Monitor communicates the information to both the Batch Scheduler and the Incident Handler applications through the previously mentioned Alert Buffer.

The Incident Handler application operates based on a defined set of business rules. It uses these rules to determine the relevant systems and individuals that need to be notified in the event of each incident.

Subsequently, the Incident Handler

application generates appropriate notifications according to these determinations.

Recognizing the criticality of the Batch Scheduler, Batch Monitor, and Incident Handler applications, ArchiInsurance has implemented redundant hosting arrangements across multiple geographically distributed data centers. In each data center, these three applications are supported by fully redundant virtual server clusters. Each cluster is connected to two site local area networks, both of which are further linked to separate storage array hardware devices.

Refer to the scenario

As part of an IT service management initiative, you have been assigned the task to show how applications and technology support the Batch Ops process. This should show the relationships between the applications, their functions, the data they access, and the technology that hosts the applications and data, along with the networks that connect the servers. It is only necessary to model a single data center.

Which of the following answers provides the most complete and accurate model?

- A. A diagram of a work flow Description automatically generated
 -
- B. A diagram of a firefighter Description automatically generated
 -
- C. A diagram of a work flow Description automatically generated
 -
- D. A diagram of a software system Description automatically generated with medium confidence
 -

答案: B

解題說明:

The correct answer is C as it provides the most complete and accurate model according to the ArchiMate® 3 framework and the given scenario.

Here's why:

* Business Processes and Sub-Processes:

* Batch Operations (Batch Ops) is one of the core responsibilities in IT Operations, and its processes are modeled clearly. The Batch Scheduler is responsible for managing batch jobs, schedules, and dependencies.

* The Batch Monitor is correctly shown to monitor the job execution and notify exceptions using the Alert Buffer.

* The Incident Handler is used to notify relevant systems and individuals, triggered by the incident detection from Batch Monitor. This is modeled by the use of incident handling rules and notifications.

- * Application Layer (Application Components and Functions):
 - * TheBatch Scheduler, Batch Monitor, and Incident Handler are accurately depicted as the main applications. These applications are crucial for managing job scheduling, monitoring execution, and handling incidents.
 - * These applications share the same virtual server cluster, which is an important detail reflecting redundancy and high availability, which was mentioned in the scenario.
 - * The interrelationships between applications are accurately depicted: theBatch Scheduler launches jobs, theBatch Monitor checks their status, and Incident Handler deals with exceptions.
- * Data Access:
 - * TheBatch Scheduler accesses and updates batch jobs and schedules, and this is represented clearly.
 - * TheIncident data and Incident notifications are accurately modeled as being used by Incident Handler.
- * Technology Layer:
 - * The Virtual server cluster, Storage arrays, and Site Local Area Networks are appropriately connected to support the application infrastructure.
 - * Redundancy is shown through the use of multiple storage arrays and network connections, as described in the scenario.
- * Accuracy in Relationship Types (ArchiMate® 3) References:
 - * The relationships between components are modeled using ArchiMate® 3 standards, such as flow relationships between the Batch Monitor and Alert Buffer or between the Incident Handler and storage components.
 - * Triggering relationships exist between the applications that manage batch jobs and the monitoring/notification process, ensuring correct job execution and incident handling.

Conclusion: Answer C is the most complete model, as it accurately reflects the roles of the various applications, their interactions, and the underlying technology components in support of the Batch Ops process, following the guidelines and modeling standards of ArchiMate® 3.

問題 #13

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution includes a sophisticated ecosystem of applications and technologies. Designed with a strong emphasis on high availability, it plays a vital role in providing support for a diverse range of document types and managing a substantial volume of document-based transactions on a daily basis.

Recognizing its importance to the business, the document management solution is redundantly hosted at two geographically separate data center sites, both configured identically for seamless operations.

The system software at the core of the document management solution is comprised of three key modules.

The Document Engine serves as a repository, facilitating document storage, retrieval, and various other operations. The Workflow Engine acts as a host for document management applications, while the Application Engine powers the most advanced and sophisticated applications within the system.

Two key factors have driven the Architecture Board's approval of a project aimed at updating this critical solution. Firstly, the supplier of the Workflow Engine has given notice of the end of support for the current software version, necessitating an upgrade. Secondly, the system administrator responsible for the Application Engine has flagged the need for hardware replacement on the server where the software is currently running. Given that the Claim Management application shares infrastructure with the Application Engine, the involvement of the system administrator responsible for this application is crucial in the project planning and execution.

Refer to the Scenario

You are the Enterprise Architect within this organization. You have been assigned the task of modeling the applications and technology for this solution, as well as outlining the motivations driving the need for its update.

Based on the scenario, which answer provides the most complete and accurate description?

- A. A diagram of software development Description automatically generated
 -
- B. A diagram of software development Description automatically generated
 -
- C. A diagram of a software project Description automatically generated
 -
- D. A diagram of software development Description automatically generated
 -

答案: D

解題說明:

This scenario revolves around ArchiSurance's document management solution and the motivations behind updating the solution due to software and hardware challenges. The task is to model both the applications and technology components involved, along with the motivations driving the need for an update.

Key ArchiMate® 3.2 Concepts Applied:

- * Applications and Components:
 - * Claim Management Application: This application handles key processes such as filing claims and assigning claims, and it shares infrastructure with the Application Engine.
 - * Document Management Solution: Includes several subsystems such as:
 - * Document Engine: Manages document storage, retrieval, and processing operations.
 - * Workflow Engine: Facilitates document workflows and supports document-related operations.
 - * Application Engine: Hosts sophisticated applications like Claim Management.
- * Data Objects:
 - * Proof of Loss Documents and Proof of Loss Data are critical components managed by the Document Management Solution. This data is processed and handled by both the Document Engine and the Claim Management application.
- * Technology and Infrastructure:
 - * Hardware Platform Needs Replacing: The Application Engine runs on hardware that needs replacement. This drives a part of the motivation for updating the infrastructure.
 - * Software Version Needs to Be Updated: The Workflow Engine is running on outdated software, necessitating an upgrade to ensure continued support and functionality.
 - * High Availability of Infrastructure: Given that the system is redundantly hosted across two data centers, high availability is crucial for seamless operations. This includes continuous availability for the document management processes.
- * Motivations and Drivers:
 - * The end-of-support notice from the Workflow Engine supplier requires an upgrade to maintain operational continuity.
 - * The system administrator responsible for the Application Engine has raised concerns about hardware needing replacement, adding urgency to the infrastructure upgrade.

Why Option D is Correct:

- * Option D provides the most comprehensive representation of the applications, infrastructure, and motivations for updating the solution.
- * It clearly shows the Claim Management Application and its interaction with the Claim Assignment Business Rules Data, as well as how it relies on the Application Engine.
- * The Document Management Solution and its subsystems (Document Engine, Workflow Engine, and Application Engine) are correctly depicted, with clear relationships to the data they manage (Proof of Loss Documents and Data).
- * The motivations for change—specifically, the need to update the Workflow Engine software and replace the hardware platform—are clearly shown, alongside their impact on the overall system.
- * The diagram shows the involvement of the system administrator in the update process, which is important for ensuring smooth project execution.

Why Other Options Are Incorrect:

- * Option A and Option B do not accurately capture all necessary relationships, particularly the connections between the Claim Management application and its reliance on the Application Engine infrastructure. They also miss some of the drivers related to the required hardware replacement.
- * Option C omits some key details regarding how the Claim Management Application and Document Management Solution components interact with the system, particularly the Claim Assignment Business Rules Data and Proof of Loss Data.

Conclusion:

Option D is the best answer because it offers the most complete and accurate representation of the applications, technology infrastructure, and drivers for the update project. It clearly illustrates how the Claim Management and Document Management systems work together, along with the necessary infrastructure updates, in line with ArchiMate® 3.2 modeling standards.

問題 #14

Please read this scenario prior to answering the question

The ArchiSurance Mobile consumer solution is used for selling and renewing insurance products, providing customer service, enabling accurate and convenient home recordkeeping, and capturing and processing claims. The solution consists of three applications. The Consultant application lets customers review their existing coverage, and update it based on common life events, such as getting a new car, moving into a new home, or having a family member move in or out. If necessary, they can speak or chat with a customer service representative. The Home Manager application helps customers photograph and catalogue their valuable possessions in order to support the filing of accurate claims in case of loss or damage. The Claim Manager application enables customers to quickly file a claim for loss or damage to an insured auto, home or possession. It enables customers to describe the incident by referencing information captured with the Consultant and the Home Manager applications. In addition, it allows the customer to add photographs, audio, video and text to support a claim, submit the claim, and monitor its progress.

The ArchiSurance Mobile applications rely on a number of application services hosted by ArchiSurance. The first is an Auto Identification and Description (AID) service that the Consultant application uses to validate and complete auto information entered by customers. The second service, Home Identification and Description (HID) performs the same function for home information, and is used by the Home Manager application. The Consultant application also uses the Virtual Agent service to guide customers as they

select coverage options, the Payment Processor service to arrange premium payments, and the Coverage Activator service to generate policies and put them in force.

ArchiSurance Mobile also relies on a number of technology services. The Home Manager application uses a Multimedia Repository service to store and retrieve information about insured homes. The Claim Manager application also uses this service for claim information entered by customers. All three ArchiSurance Mobile applications use a Personal Security service to register and authenticate customers, and to manage their profiles.

Each application service is realized by an application component with the same name. Each technology service is realized by a system software environment, having the same name. ArchiSurance hosts both the application components and system software environments in a virtualized server pool within its data center. Each service has its own virtual server. Each virtual server is connected to a data center network (DCN) which in turn connects to a commercial wide area network (WAN).

Refer to the Scenario

You have been asked to show the applications that make up the ArchiSurance Mobile solution and the technology that supports these applications.

Which of the following answers provides the best description? Note that it is not necessary to model the networks.

- A. A diagram of a server Description automatically generated
 -
- B. A diagram of a computer server Description automatically generated
 -
- C. A diagram of a server Description automatically generated
 -
- D. A diagram of a server Description automatically generated
 -

答案: B

解題說明:

In this scenario, the focus is on modeling the ArchiSurance Mobile solution, showing the applications that make up this solution and the technology infrastructure that supports them. This includes applications, application services, and the system software environments (technology services) upon which the applications rely.

Key ArchiMate® 3.2 Concepts Applied:

* Application Components and Services:

* Consultant Application: This allows customers to review, update coverage, and speak with customer service representatives. It uses the following application services:

* Auto Identification and Description (AID) for validating auto information.

* Virtual Agent for helping customers select options.

* Payment Processor to arrange payments.

* Coverage Activator to generate and activate policies.

* Home Manager Application: This allows customers to catalogue possessions and use the Home Identification and Description (HID) service to validate home information.

* Claim Manager Application: Enables filing of claims, referencing data from the Consultant and Home Manager applications and storing information (such as photos, videos) via the Multimedia Repository.

* Technology Services:

* Personal Security Service: Used for customer registration, authentication, and profile management across all three applications.

* Multimedia Repository Service: Used to store and retrieve information related to home possessions and claim details, supporting both the Home Manager and Claim Manager applications.

* Technology Infrastructure:

* Each application component (Consultant, Home Manager, Claim Manager) is hosted on its own virtual server within a virtualized server pool.

* Each technology service is realized by a corresponding system software environment (e.g., Multimedia Repository, Personal Security), each with its own virtual server.

* The infrastructure is hosted in a data center, but the focus here is on the services rather than the network connections.

Why Option C is Correct:

* Option C accurately represents the key applications (Consultant, Home Manager, Claim Manager) in connection with the appropriate technology services and their respective virtual servers.

* The model shows the relationships between the applications and their dependencies on Personal Security and Multimedia Repository, aligning with the description provided.

* The virtual server pool is depicted clearly, showing how the applications and services are realized within this infrastructure.

* The relationships between applications and application services (AID, HID, Virtual Agent, Payment Processor, Coverage Activator) are not modeled in full detail here, but they are implicitly understood through the applications.

Why Other Options Are Incorrect:

* Option A and Option D both incorrectly depict some relationships between the applications and their supporting technology services or servers, or miss certain dependencies.

* Option B does not provide as clear a depiction of the virtualized infrastructure and how the applications relate to the Multimedia Repository and Personal Security services.

Conclusion:

Option C provides the most accurate and complete description of the ArchiSurance Mobile solution and the supporting technology, as required by the scenario. It correctly illustrates the relationships between the applications, the virtual servers, and the supporting technology services according to ArchiMate® 3.2 principles.

問題 #15

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution plays a crucial role in supporting a large number of document types and managing a high volume of document-based transactions each day. Given its business-critical nature, the document management solution is hosted redundantly across two geographically separate data center sites: Site A and Site B. Both sites are configured identically to ensure seamless operations.

Each site has a highly available data center network (DCN) that connects to the resilient ArchiSurance wide area network (WAN).

Each claim management server is connected to its respective site's DCN, forming a converged network that interconnects servers and storage arrays. A dedicated physical storage array is allocated to the claim management application within each DCN.

Additionally, each site houses four powerful physical servers exclusively dedicated to the claim management application.

Among these servers, one remains on standby at any given time, while the other three take on specific roles in hosting the document, workflow, and application engines.

The standby server is responsible for monitoring the behavior of the other servers, providing a logging and reporting service. The active servers regularly transmit data to facilitate this monitoring functionality. In the event of a server failure, the standby server steps in to perform resource reallocation, replacing the faulty server. However, this task requires manual intervention from a system administrator to reconfigure the logging and reporting service to adapt to the new environment.

Refer to the Scenario

The IT manager has asked you to model the hardware and networks that support the document management solution. This includes capturing the infrastructure components such as data center sites, servers, storage, and networks. Additionally, you are expected to outline the necessary functionality and services required to enable failover within a server cluster. Given that both data centers share an identical configuration, it is sufficient for Site B to only show the associated networking.

Which of the following is the best answer?

- A. A diagram of a server AI-generated content may be incorrect.
 -
- B. A diagram of a server AI-generated content may be incorrect.
 -
- C. A diagram of a software server AI-generated content may be incorrect.
 -
- D. A diagram of a server AI-generated content may be incorrect.
 -

答案: D

解題說明:

We need to identify the most accurate and complete model that represents:

* Infrastructure Components- Including data centers, servers, storage arrays, and networks.

* Failover Capabilities- Showing the standby server's role in monitoring and switching functionality upon failure.

* Redundant Setup- Ensuring the representation of both data centers (Site A and Site B), with Site B showing only networking.

* Interconnectivity- Between servers, DCN, and WAN.

Why D is the Best Choice:

All required infrastructure components are included, such as:

* Physical servers (Document, Workflow, and Application Servers).

* Standby Server for failover.

* Claim Management Storage Array.

* DCN (Data Center Network) for Site A and Site B.

* ArchiSurance WAN for external connectivity.

The Standby Server is correctly linked to logging, monitoring, and reporting, showing its role in monitoring and failover.

Networking is modeled properly:

* Both Site A and Site B have a DCN, correctly interconnecting storage and servers.

* Site B does not duplicate servers but represents networking, as per the scenario.

#Functionality of Failover is Modeled Accurately:

- * Monitoring and reporting services are depicted.
- * Manual intervention by a system administrator is present.

Why Not A, B, or C?

- * A: Does not fully capture the network and storage relationships clearly.
- * B: Similar to A but misses some essential network connections.
- * C: Incorrect failover representation, and networking elements are not clearly depicted.

問題 #16

• • • • •

OGA-032熱門考古題：<https://www.testpdf.net/OGA-032.html>