

Quiz High-quality C_ADBTP - Administrating SAP Business Technology Platform(C_ADBTP_2601) Valid Practice Materials



Our C_ADBTP vce dumps offer you the best exam preparation materials which are updated regularly to keep the latest exam requirement. The C_ADBTP practice exam is designed and approved by our senior IT experts with their rich professional knowledge. Using C_ADBTP Real Questions will not only help you clear exam with less time and money but also bring you a bright future. We are looking forward to your join.

Candidates are looking for valid C_ADBTP questions which belong to C_ADBTP urgently. If you need valid exam questions and answers, our high quality is standing out. We are confident that our C_ADBTP training online materials and services are competitive. Every year we spend much money and labor relationship on remaining competitive. We are trying to offer the best high passing-rate C_ADBTP Training Online materials with low price. Our exam materials will help you pass exam one shot without any doubt.

>> C_ADBTP Valid Practice Materials <<

Valid C_ADBTP Exam Braindumps Supply You Trustable Practice Engine - DumpExam

If you choose the help of DumpExam, we will spare no effort to help you pass the exam. Moreover, we also provide you with a year of free after-sales service to update the exam practice questions and answers. Do not hesitate! Please select DumpExam, it will be the best guarantee for you to pass C_ADBTP Certification Exam. Now please add DumpExam to your shopping cart.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

Answer:

Explanation:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

□ Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

□ Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

□ Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia
Partner
Human Resources

4. Creating all directories directly under the global account
Only Americas and Eurasia are direct children of the global account.
Partner and Human Resources must be child directories.

NEW QUESTION # 11

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain `btpops#####-eu-hcm-dev` in the region Amazon Web Services (AWS) → Europe (Frankfurt) `cf-eu10.2`.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain `btpops#####-eu-hcm-test` using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain `btpops#####-eu-hcm-prod` using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: `btpops#####-eu-hcm-dev`

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 12

SIMULATION

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do

In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.

Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.

Choose the plan:

standard (Application)

Add the service plan.

Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:

SAP Build Work Zone, standard edition

plan: standard (Application)

Part B - Establish Trust to the Identity Provider

Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.

What to verify

You should be on the Trust Configuration page of AM PA Prod.

Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.

Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.

Explanation:

The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider `agvlamkzw.accounts.ondemand.com` should appear as trusted.

Part C - Create the Service Subscription

Step 7 - Open the Subscription Area

What to do

In AM PA Prod, go to:

Services

Instances and Subscriptions

Explanation:

SAP Help for SAP Build subscriptions points to the subaccount subscription flow after the entitlement is available. In current cockpit usage, subscriptions are created from the subaccount's services are a.

What to verify

You should see the Instances and Subscriptions page.

Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

Explanation:

SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

Explanation:

The subscription should be visible and active in the subaccount after creation.

What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.

Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)

trust is established to `agvlamkzw.accounts.ondemand.com`

a subscription exists for SAP Build Work Zone, standard edition

the subscription uses the standard service plan

Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task must be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

NEW QUESTION # 13

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances are a.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

□ A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.

NEW QUESTION # 14

.....

You can download our C_ADBTP guide torrent immediately after you pay successfully. After you pay successfully you will receive the mails sent by our system in 10-15 minutes. Then you can click on the links and log in and you will use our software to learn our C_ADBTP prep torrent immediately. Not only our C_ADBTP Test Prep provide the best learning for them but also the purchase is convenient because the learners can immediately learn our C_ADBTP prep torrent after the purchase. So the using and the purchase are very fast and convenient for the learners

Lab C_ADBTP Questions: https://www.dumpexam.com/C_ADBTP-valid-torrent.html

C_ADBTP training materials are not only the passbooks for students passing all kinds of professional examinations, but also the professional tools for students to review examinations, Before you buy our product, please understand the characteristics and the advantages of our Lab C_ADBTP Questions - Administrating SAP Business Technology Platform(C_ADBTP_2601) guide torrent in detail as follow, A comprehensive coverage involves all types of questions in line with the real Lab C_ADBTP Questions - Administrating SAP Business Technology Platform(C_ADBTP_2601) exam content, which would be beneficial for you to pass exam

The concept of shorter programs to train entry-level computer programmers has filtered through startup culture in most cities, Adjust Display Colors, C_ADBTP training materials are not only the passbooks for students passing C_ADBTP Latest Test Testking all kinds of professional examinations, but also the professional tools for students to review examinations.

C_ADBTP Exam Study Guide & C_ADBTP PDF prep material & C_ADBTP Exam Training Test

Before you buy our product, please understand the C_ADBTP characteristics and the advantages of our Administrating SAP

