

최신버전UiPath-ADPv1인증덤프샘플다운로드완벽한 시험덤프데모문제다운

Pass UIPATH UIPATH-ADPV1 Exam with Real Questions

UIPATH UIPATH-ADPV1 Exam

UiPath (ADPv1) Automation Developer Professional Exam

<https://www.passquestion.com/UIPATH-ADPV1.html>



Pass UIPATH UIPATH-ADPV1 Exam with PassQuestion

UIPATH-ADPV1 questions and answers in the first attempt.

<https://www.passquestion.com/>

1 / 5

참고: ITDumpsKR에서 Google Drive로 공유하는 무료, 최신 UiPath-ADPv1 시험 문제집이 있습니다:

<https://drive.google.com/open?id=18WZYyFpTzhWiamUvdsd2BVYt9aoHyVpU>

ITDumpsKR를 선택함으로, ITDumpsKR는 여러분UiPath인증UiPath-ADPv1시험을 패스할 수 있도록 보장하고, 만약 시험실패시 ITDumpsKR에서는 덤프비용전액환불을 약속합니다.

UiPath UiPath-ADPv1 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none">Design and Development: This section covers designing workflows using sequences, flowcharts, and state machines, building reusable components with libraries, exception handling and debugging techniques, etc.
주제 2	<ul style="list-style-type: none">UiPath Studio Fundamentals: In this section, the focus is given to the understanding of Robotic Process Automation (RPA) concepts; it covers UiPath Studio and its components, Working with the UiPath user interface, project creation, management, and version control.
주제 3	<ul style="list-style-type: none">UiPath Activities: In this section, the discussion is related to various UiPath activities for UI interaction, data manipulation, control flow, and more.
주제 4	<ul style="list-style-type: none">Debugging and Testing: This section is about utilizing logging and debugging tools and adopting unit testing and test automation strategies.

>> UiPath-ADPv1인증덤프 샘플 다운로드 <<

UiPath-ADPv1 최신버전 dumps: UiPath (ADPv1) Automation Developer Professional & UiPath-ADPv1 덤프데모

UiPath인증 UiPath-ADPv1시험을 통하여 자격증을 취득하여 IT업계에서의 자신의 자리를 지키려면 많은 노력이 필요합니다. 회사일도 바쁜데 시험공부까지 스트레스가 장난아니게 싸이고 몸도 많이 상하겠죠. ITDumpsKR는 여러분을 위해 최신UiPath인증 UiPath-ADPv1시험에 대비한UiPath인증 UiPath-ADPv1덤프를 발췌하였습니다. UiPath인증 UiPath-ADPv1덤프는UiPath인증 UiPath-ADPv1 시험의 기출문제와 예상문제가 뛰어져 있어 시험적중율이 굉장히 높습니다. 쉽게 시험을 통과하려면ITDumpsKR의 UiPath인증 UiPath-ADPv1덤프를 추천합니다.

최신 UiPath Certified Professional - Developer Track UiPath-ADPv1 무료샘플문제 (Q179-Q184):

질문 # 179

Given the following variables assignments:

What will the output of the following conditional be: `outputX = If(CInt(doubleX+Cdbl(intX) +CDbl(stringX))> 38.30, 1, 0)`

- A. 0
- B. 1
- C. Error during runtime
- D. Compilation error

정답: C

설명:

The conditional statement attempts to convert all variables to Double and then adds them up to compare against 38.30. However, the string "9.1" cannot be directly converted to a Double with CDbl because it is not in a correct format that can be recognized as a number (it might be due to the fact that it's a string with a comma instead of a period for a decimal point, depending on the culture settings of the system). This will cause a runtime error during the execution of the conditional statement. References:

Microsoft Visual Basic Guide: Type Conversion Functions

질문 # 180

An error occurs during the Initialization state within the "#FrameworkMnitAllSettings.xaml" file for a process using REFramework which is executed on Orchestrator. The project contains default values for the settings specified in "Config.xlsx".

What is the current state of the job in Orchestrator?

- A. Faulted
- B. Successful
- C. Stopped
- D. Suspended

정답: A

설명:

The current state of the job in Orchestrator is Faulted, because an error occurred during the Initialization state of the process using REFramework. The REFramework is a template for creating robust and scalable automation projects that uses the State Machine workflow type1. The Initialization state is the first state in the REFramework, which is responsible for initializing the application, reading the configuration file, and setting the log level2. If an error occurs during the Initialization state, the process will go to the End Process state, which will perform the final actions and close the application2. The End Process state will also mark the job as Faulted in Orchestrator, if the value of the ShouldMarkJobAsFaulted argument is True2. The default value of this argument in the REFramework is True, unless it is changed in the Config.xlsx file or in the Orchestrator assets3.

Option A is incorrect, because the job is not Successful, as an error occurred during the Initialization state.

Option C is incorrect, because the job is not Suspended, as the process did not pause or wait for any user input. Option D is incorrect, because the job is not Stopped, as the process did not encounter any user intervention or manual termination.

질문 # 181

What actions must be manually selected in the App/Web Recorder before recording a step?

- A. Select or clear a check box.
Send keyboard shortcuts using your keyboard.
Select an item from a drop-down.
- B. Copy text using the Get Text activity.
Hover over an element using the Hover activity.
Highlight an element using the Highlight activity.
- C. Copy text using the Get Text activity.
Hover over an element using the Hover activity.
Click on buttons, links, and other clickable elements such as icons or images.
Type text in a text area such as a text box.
Select or clear a check box.
- D. Click on buttons, links, and other clickable elements such as icons or images.
Type text in a text area such as a text box.
Select or clear a check box.
Send keyboard shortcuts using your keyboard.
Select an item from a drop-down.

정답: D

설명:

In UiPath's App/Web Recorder, certain actions need to be selected or indicated before they can be recorded.

These include:

- *Clicking on buttons, links, and other interactive elements.
- *Typing text into input fields.
- *Selecting or clearing checkboxes.
- *Sending keyboard shortcuts.
- *Selecting items from drop-down menus.

Based on these common actions that are typically used in UiPath recording, the answer that best fits is:

A: Click on buttons, links, and other clickable elements such as icons or images. Type text in a text area such as a text box. Select or clear a check box. Send keyboard shortcuts using your keyboard. Select an item from a drop-down.

These are the actions that you would manually select or perform during the recording process to automate interactions with a UI.

질문 # 182

What are the four job types present in the Job Type field according to the place of execution and robot impersonation?

- A. Service unattended. Personal remote, Attended. Development.
- B. Foreground unattended, Background unattended. Attended, Development.
- C. Orchestrator unattended, Personal remote, User attended, Studio.
- D. Service unattended, User remote. Attended, Debugging.

정답: B

설명:

In UiPath, the four job types according to the place of execution and robot impersonation are Foreground unattended, Background unattended, Attended, and Development. These job types differentiate the automation tasks based on whether they require user interaction (Attended), can run in the background without user intervention (Background unattended), are designed for development and testing purposes (Development), or are unattended tasks that require a virtual environment (Foreground unattended). References: UiPath Orchestrator Guide: Job Types

질문 # 183

A user is working on their computer while an automation is running in PiP mode. What can the user do while the process runs?

- A. Access files and modify documents without interrupting the automation.
- B. Open a second PiP window to run a different automation.
- C. Suspend the PiP session and resume it later without affecting the automation.
- D. Directly interact with the automation running in PiP mode.

정답: A

설명:

Picture-in-Picture (PiP) mode allows the automation to run in an isolated desktop session, enabling the user to continue working in their main desktop session. While the PiP session runs the automation, the user can access files and modify documents in their own session without interference, making it ideal for attended automations.

Reference:UiPath Studio Guide > Picture in Picture > Overview

질문 # 184

.....

UiPath인증UiPath-ADPv1시험을 패스하기가 어렵다고 하면 합습가이드를 선택하여 간단히 통과하실 수 있습니다.

우리ITDumpsKR에서는 무조건 여러분을 위하여 관련 자료덤프 즉 문제와 답을 만들어낼 것입니다. 우리덤프로

UiPath인증UiPath-ADPv1시험준비를 잘하시면 100%UiPath인증UiPath-ADPv1시험을 패스할 수 있습니다.

ITDumpsKR덤프로 여러분은UiPath인증UiPath-ADPv1시험을 패스는 물론 여러분의 귀중한 간도 절약하실 수 있습니다.

UiPath-ADPv1인증 시험: <https://www.itdumpskr.com/UiPath-ADPv1-exam.html>

- UiPath-ADPv1완벽한 시험덤프 □ UiPath-ADPv1높은 통과율 인기 시험자료 □ UiPath-ADPv1퍼펙트 덤프 샘플문제 다운 □ 무료 다운로드를 위해▶ UiPath-ADPv1 □를 검색하려면⇒ www.exampassdump.com ⇌(를) 입력하십시오UiPath-ADPv1시험대비 최신 덤프
- 인기자격증 UiPath-ADPv1인증덤프 샘플 다운로드 인증 시험덤프 □ { www.itdumpskr.com }에서“UiPath-ADPv1”를 검색하고 무료 다운로드 받기UiPath-ADPv1최신 업데이트 시험덤프
- UiPath-ADPv1높은 통과율 인기 시험자료 □ UiPath-ADPv1퍼펙트 최신버전 덤프 □ UiPath-ADPv1인증시험 자료 □ (www.itdumpskr.com) 의 무료 다운로드⇒ UiPath-ADPv1 ⇌페이지가 지금 열립니다UiPath-ADPv1인증시험자료
- 퍼펙트한 UiPath-ADPv1인증덤프 샘플 다운로드 최신버전 덤프데모 문제 다운 □ (www.itdumpskr.com) 을 통해 쉽게 『UiPath-ADPv1』 무료 다운로드 받기UiPath-ADPv1최신 인증시험 기출문제
- 완벽한 UiPath-ADPv1인증덤프 샘플 다운로드 덤프 □ □ www.dumptop.com ⇌(를) 열고 □ UiPath-ADPv1 □를 검색하여 시험 자료를 무료로 다운로드하십시오UiPath-ADPv1인증덤프 샘플체험
- UiPath-ADPv1시험대비 최신버전 자료 □ UiPath-ADPv1인증덤프 샘플체험 □ UiPath-ADPv1최신버전 덤프 샘플문제 □ 시험 자료를 무료로 다운로드하려면“www.itdumpskr.com”을 통해 □ UiPath-ADPv1 □를 검색하십시오UiPath-ADPv1높은 통과율 덤프데모문제
- 최신 UiPath-ADPv1인증덤프 샘플 다운로드 인증덤프공부 ❤ kr.fast2test.com ⇌* 웹사이트를 열고 ⇒ UiPath-ADPv1 □□□를 검색하여 무료 다운로드UiPath-ADPv1높은 통과율 덤프데모문제
- 완벽한 UiPath-ADPv1인증덤프 샘플 다운로드 덤프 □ □ www.itdumpskr.com ⇌에서 (UiPath-ADPv1) 를 검색하고 무료로 다운로드하세요UiPath-ADPv1퍼펙트 최신버전 덤프
- 시험준비에 가장 좋은 UiPath-ADPv1인증덤프 샘플 다운로드 최신버전 공부자료 □ ✓ kr.fast2test.com ✓ □ 웹사이트에서[UiPath-ADPv1]를 열고 검색하여 무료 다운로드UiPath-ADPv1합격보장 가능 덤프
- UiPath-ADPv1최신 업데이트버전 덤프공부자료 □ UiPath-ADPv1퍼펙트 최신버전 덤프 □ UiPath-ADPv1완벽한 시험덤프 □ □ www.itdumpskr.com ⇌은 (UiPath-ADPv1) 무료 다운로드를 받을 수 있는 최고의 사이트입니다UiPath-ADPv1 Vce
- UiPath-ADPv1높은 통과율 공부자료 □ UiPath-ADPv1최신 업데이트 시험덤프 □ UiPath-ADPv1인증덤프 샘플체험 □ 무료로 다운로드하려면“www.koreadumps.com”로 이동하여 □ UiPath-ADPv1 □를 검색하십시오UiPath-ADPv1완벽한 시험덤프

참고: ITDumpsKR에서 Google Drive로 공유하는 무료 2026 UiPath UiPath-ADPv1 시험 문제집이 있습니다:

<https://drive.google.com/open?id=18WZYyFpTzhWiamUvdasd2BVYt9aoHyVpU>