

Latest Nutanix NCM-MCI Exam Testking | NCM-MCI Latest Exam Price



P.S. Free 2026 Nutanix NCM-MCI dumps are available on Google Drive shared by Pass4suresVCE:
<https://drive.google.com/open?id=15-xdts2J8SZmePc2tf-7ZMhFETkWS3pg>

No one can be responsible for you except yourself. So you must carefully plan your life and future career development. Our NCM-MCI training quiz might offer you some good guidance. Maybe you never find out your real interest in the past. Now, everything is different. So you still have the chance to change. Once you are determined to learn our NCM-MCI Study Materials, you will become positive and take your life seriously. Through the preparation of the exam, you will study much NCM-MCI practical knowledge. Of course, passing the NCM-MCI exam and get the certificate is just a piece of cake.

What are the steps to follow for the registration of Microsoft Nutanix NCM-MCI Exam

- Review the Exam Day Checklist.
- Complete your exam at a mutually agreed upon time/date with your NCX/NPX Program Manager.
- Review the Exam Preparation Guide and Candidate Handbook.
- Email npx@nutanix.com to request a unique invitation link to register for your exam.

Certification Topics of Nutanix NCM-MCI Exam

- Physical design
- Customer consultation
- Conceptual/logical design

2026 High-quality Latest NCM-MCI Exam Testking | Nutanix Certified Master - Multicloud Infrastructure v6.10 100% Free Latest Exam Price

Our NCM-MCI quiz torrent boost 3 versions and they include PDF version, PC version, App online version. Different version boosts different functions and using method. For example, the PDF version is convenient for the download and printing our NCM-MCI exam torrent and is easy and suitable for browsing learning. And the PC version of NCM-MCI Quiz torrent can stimulate the real exam's scenarios, is stalled on the Windows operating system. You can use it any time to test your own Exam stimulation tests scores and whether you have mastered our NCM-MCI exam torrent.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q17-Q22):

NEW QUESTION # 17

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt Replace any x in the file with the appropriate character or string Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks
manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks
```

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks
manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.
```

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks
manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networkingovs-command-line-configuration.html>

NEW QUESTION # 18

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Answer:

Explanation:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY
```

(Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x
```

(Replace x with the host ID, e.g., 4 or 5)

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

NEW QUESTION # 19

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

NEW QUESTION # 20

Task 16

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps: Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list. You can use the date and time information to locate the file. The file name should be something like ncc-output-YYYY-MM-DD-HH-MM-SS.log.

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command du -sh /home/* to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command rm -f /home/<filename> to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.X to check the health again by running the individual disk usage health check only on the problematic CVM. Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%). This means that the issue has been resolved.

#access to CVM IP by Putty

allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM

ssh CVM_IP

ls

cd software_downloads

ls

cd nos

ls -l -h


rm files_name

df -h

ncc health_checks hardware_checks disk_checks disk_usage_check

NEW QUESTION # 21

Refer to the exhibit.



The screenshot shows a browser window with the Nutanix logo at the top. The URL in the address bar is <http://10.148.15.197:5000>. The page content is titled 'Assessment Info' and includes the following sections:

- Environment:** You have been provisioned a dedicated environment for your assessment which includes the following:
 - Initial Steps:**
 - When you first log into Prism Central or Prism Element you may see the EULA screen. Accept the EULA with any name and then disable Pulse.
 - To access Prism Element, the pass-through from Prism Central (Infrastructure\Hardware\Clusters\cluster-x\Launch Prism Element) works better than directly using the external IP 9440.
 - Workstation:**
 - Windows Server 2019
 - All software/tools/etc to perform the required tasks
- Workstation:**
 - Windows Server 2019
 - All software/tools/etc to perform the required tasks
 - Nutanix Documentation and whitepapers can be found in [Desktop\Files\Documentation](#) and [Desktop\Files\Documentation\6.1](#)
 - Note that the Workstation is the system you are currently logged into

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Initial Steps

- When you first log into Prism Central or Prism Element you may see the EULA screen. Accept the EULA with any name and then disable Pulse
- To access Prism Element, the pass-through from Prism Central (Infrastructure\Hardware\Clusters\cluster-x\Launch Prism Element) works better than directly using the external IP 9440.

Workstation

- Windows Server 2019
- All software/tools/etc to perform the required tasks
- Nutanix Documentation and whitepapers can be found in [Desktop\Files\Documentation](#) and [Desktop\Files\Documentation\6.1](#)
- Note that the Workstation is the system you are currently logged into

- Windows Server 2019
- All software/tools/etc to perform the required tasks
- Nutanix Documentation and whitepapers can be found in `Desktop\Files\Documentation` and `Desktop\Files\Documentation 6.10`
- Note that the Workstation is the system you are currently logged into



Nutanix Cluster

- There are two clusters provided, connected to one Prism Central. The connection information for the relevant cluster will be displayed to the right of the question. Please make sure you are working on the correct cluster for each item. Please ignore any licensing violations.

Important Notes

- If the text is too small and hard to read, or you cannot see all of the GUI, you can increase/decrease the zoom of the browser with `CTRL +` and `CTRL -` (the plus and minus keys)

The screenshot shows the Nutanix Prism Central Web Console. On the left, a sidebar lists 'Assessment Info', 'Tasks' (with 'Task 1' selected), and other tasks from 'Task 2' to 'Task 8'. The main content area is titled 'Task 1' and contains an 'Instructions' tab. The instructions state: 'Perform the following task(s). A newly created Windows VM "SQL02" is experiencing poor storage performance when compared to "SQL01" running within the same cluster, on the same storage container. The cluster is in a healthy state. Create a new session named "Monitor SQL02" with meaningful metrics. Right click on the session page and click Select All then paste this into Notepad and save it as Task 1.txt on the desktop. Also, save the analysis as a report named "MonitorSQL02" and send the report as a PDF on a daily basis to `perf_group@ACME.org`. Reports should not be retained. If any new objects need to be created, use `monitorvm2` in the name.' To the right, a 'Environment Info' panel shows 'Prism Central Web Console' with user credentials: 'admin / `yKZUJCMER7V*`' and 'nutanix / `UJ2x0!DEXGY`'. Below that, 'Cluster 1' is listed with 'CVM external IP : 34.53.118.63' and 'CVM DR IP: 172.30.0.6', along with user credentials: 'admin / `9Fw08!3Qn4XJ`', 'nutanix / `GNP*FE2504XWZ`', and 'root / `KR*6HY00zSE8`'. The Nutanix logo is at the bottom right.

Prism Central Web Console

- admin / `yKZUJCMER7V*`
- nutanix / `UJ2x0!DEXGY`

Cluster 1

CVM external IP : **34.53.118.63**

CVM DR IP: **172.30.0.6**

- admin / `9Fw08!3Qn4XJ`
- nutanix / `GNP*FE2504XWZ`
- root / `KR*6HY00zSE8`

The screenshot shows 'Cluster 2' environment information. It lists 'CVM external IP : 34.82.155.5' and 'CVM DR IP: 172.30.0.4'. It also lists user credentials: 'admin / `5*K30fA76X`' and 'nutanix / `N*3Fx911E7ZT9`'. The Nutanix logo is at the bottom right.

Task1

A newly created Windows VM "SQL02" is experiencing poor storage performance when compared to "SQL01" running within the same cluster, on the same storage container.

The cluster is in a healthy state.

Create a new session named Monitor SQL02 with meaningful metrics. Right click on the session page and click Select All then paste this into Notepad and save it as Task 1.txt on the desktop.

Also, save the analysis as a report named "MonitorSQL02" and send the report as a PDF on a daily basis to

perf_group@ACME.org. Reports should not be retained. If any new objects need to be created, use monitorvm2 in the name. Finally, correct the issue within "SQL02"

Notes:

Do not power on the VMs.

While you will be creating a session, you will need to examine the VM configurations to determine the issue.

Do not delete the VM to resolve the issue, any other destructive change is acceptable

Answer:

Explanation:

See the Explanation

Explanation:

This is a classic Nutanix performance troubleshooting scenario. The issue is almost certainly that the VM was created using the wrong Disk Bus Type (IDE or SATA instead of SCSI).

Here is the step-by-step solution to complete Task 1.

Part 1: Analysis and Reporting

Create the Session

Log in to Prism Central (or Prism Element, depending on the exam environment, but Analysis is usually a PC feature).

Navigate to Operations -> Analysis.

Click New Session.

Name: Monitor SQL02

Entity: Search for and select the VM named SQL02.

Metrics: Since the issue is storage performance, search for and add these specific metrics:

Hypervisor IOPS (or Controller IOPS)

Hypervisor IO Latency (or Controller IO Latency)

Hypervisor IO Bandwidth

Click Save.

Save Session Data (Task 1.txt)

Open the "Monitor SQL02" session you just created.

(Per instructions): Right-click anywhere on the chart/data area -> Click Select All.

Copy the selected text (Ctrl+C).

Open Notepad on the provided desktop.

Paste the data.

Save the file as Task 1.txt on the Desktop.

Create and Schedule the Report

While still in the Analysis session, click the Create Report (or "Add to Report") button.

Report Name: MonitorSQL02

Report Settings:

Format: PDF

Frequency: Daily

Email Recipient: perf_group@ACME.org

Retention: 0 (or "Do not retain", as requested).

Note: If the system forces you to create a new Report object and MonitorSQL02 is rejected, use monitorvm2 as the name per the instructions.

Save/Schedule the report.

Part 2: Diagnose and Fix the Issue

The Issue:

VM SQL02 was likely created with its data disks set to IDE or SATA.

Why this causes poor performance: IDE/SATA are emulated hardware with high CPU overhead and low queue depths (single-threaded).

The Standard: SQL01 (the healthy VM) is using SCSI, which is multithreaded and optimized for virtualization.

The Fix (Steps):

Navigate to the VM list in Prism

Select SQL02 and click Update (or Edit).

Scroll down to the Disks section.

Identify the data disk(s). You will see the Bus Type listed as IDE or SATA.

Do not delete the VM. instead, perform a disk conversion (destructive change to the disk is allowed, but we want to keep the data).

Method to Convert (Clone to SCSI):

Hover over the IDE/SATA disk to see the path/filename of the vDisk (or write it down).

Click Add New Disk.

Operation: select Clone from ADSF file.

Path: Browse to the storage container and select the file associated with the current IDE disk.

Bus Type: Select SCSI (This is the critical fix).

Index: Ensure it doesn't conflict with existing disks (usually index 1 or higher for data).

Click Add.

Once the new SCSI disk is added, find the original IDE/SATA disk and click the X to remove it.

Click Save.

Note: You do not need to power on the VM to verify. The change from IDE to SCSI allows the VM to use the Nutanix VirtIO drivers for maximum storage performance.

NEW QUESTION # 22

.....

Though our NCM-MCI training guide is proved to have high pass rate, but If you try our NCM-MCI exam questions but fail in the final exam, we can refund the fees in full only if you provide us with a transcript or other proof that you failed the exam. We believe that our business will last only if we treat our customers with sincerity and considerate service. So, please give the NCM-MCI Study Materials a chance to help you.

NCM-MCI Latest Exam Price: <https://www.pass4suresvce.com/NCM-MCI-pass4sure-vce-dumps.html>

- TOP Latest NCM-MCI Exam Testking - Nutanix Nutanix Certified Master - Multicloud Infrastructure v6.10 - The Best NCM-MCI Latest Exam Price Simply search for ➡ NCM-MCI for free download on ➡ www.pass4test.com Latest Braindumps NCM-MCI Book
- Pass Guaranteed Trustable Nutanix - NCM-MCI - Latest Nutanix Certified Master - Multicloud Infrastructure v6.10 Exam Testking Open website “www.pdfvce.com” and search for ➡ NCM-MCI for free download NCM-MCI Reliable Exam Questions
- Pass Guaranteed 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 Useful Latest Exam Testking  www.validtorrent.com  open and search for { NCM-MCI } to download for free NCM-MCI Certification Dumps
- Quiz Nutanix - NCM-MCI Pass-Sure Latest Exam Testking Go to website ➡ www.pdfvce.com open and search for 《 NCM-MCI 》 to download for free NCM-MCI Reliable Exam Questions
- NCM-MCI Valid Exam Test NCM-MCI Valid Exam Test NCM-MCI Reliable Exam Practice Search for ➡ NCM-MCI and download it for free on ➡ www.dumpsmaterials.com website NCM-MCI Valid Exam Guide
- Reliable Latest NCM-MCI Exam Testking, Ensure to pass the NCM-MCI Exam Copy URL ➡ www.pdfvce.com open and search for 《 NCM-MCI 》 to download for free NCM-MCI Valid Test Camp
- Valid NCM-MCI Exam Camp Reliable NCM-MCI Exam Simulator NCM-MCI Reliable Exam Practice Open (www.dumpsquestion.com) enter NCM-MCI and obtain a free download NCM-MCI Valid Exam Guide
- Nutanix NCM-MCI Dumps PDF To Gain Brilliant Result 2026 Search for ➡ NCM-MCI and download exam materials for free through www.pdfvce.com New NCM-MCI Exam Prep
- Reliable Latest NCM-MCI Exam Testking, Ensure to pass the NCM-MCI Exam Search for ➡ NCM-MCI and download it for free immediately on  www.examcollectionpass.com  Reliable NCM-MCI Exam Simulator
- Pass Guaranteed 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 Useful Latest Exam Testking The page for free download of ➡ NCM-MCI on www.pdfvce.com will open immediately NCM-MCI Exam Questions Pdf
- NCM-MCI Valid Test Camp NCM-MCI Valid Exam Format NCM-MCI Reliable Exam Practice Search for **【 NCM-MCI 】** and download it for free on www.troytecdumps.com website NCM-MCI Exam Question
- weixiuguan.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, stocksaim.com, myportal.utt.edu.tt, pct.edu.pk, silvermanagementsolutions.com, www.stes.tyc.edu.tw, Disposable vapes

2026 Latest Pass4suresVCE NCM-MCI PDF Dumps and NCM-MCI Exam Engine Free Share: <https://drive.google.com/open?id=15-xdts2J8SZmePc2tf-7ZMhFETkWS3pg>