


New APP FCSS_SDW_AR-7.6 Simulations & Dump FCSS_SDW_AR-7.6 Check



As the most famous and popular FCSS_SDW_AR-7.6 exam questions on the market, we have built a strict quality control system. The whole compilation process of the FCSS_SDW_AR-7.6 study materials is normative. We have proof-readers to check all the contents. Usually, the FCSS_SDW_AR-7.6 Actual Exam will go through many times' careful proofreading. Please trust us. We always attach great importance to quality of the FCSS_SDW_AR-7.6 practice braindumps.

In addition, our FCSS_SDW_AR-7.6 test prep is renowned for free renewal in the whole year. As you have experienced various kinds of exams, you must have realized that renewal is invaluable to study materials, especially to such important FCSS_SDW_AR-7.6 exams. And there is no doubt that being acquainted with the latest trend of exams will, to a considerable extent, act as a driving force for you to pass the exams and realize your dream of living a totally different life. So if you do want to achieve your dream, buy our FCSS_SDW_AR-7.6 practice materials.

>> New APP FCSS_SDW_AR-7.6 Simulations <<

Dump FCSS_SDW_AR-7.6 Check | FCSS_SDW_AR-7.6 Exam Braindumps

We will continue to pursue our passion for better performance and human-centric technology of latest FCSS_SDW_AR-7.6 quiz prep. And we guarantee you to pass the exam for we have confidence to make it with our technological strength. A good deal of researches has been made to figure out how to help different kinds of candidates to get the FCSS_SDW_AR-7.6 certification. We have made classification to those faced with various difficulties, aiming at which we adopt corresponding methods to deal with. According to the statistics shown in the feedback chart, the general pass rate for Latest FCSS_SDW_AR-7.6 Test Prep is 98%, which is far beyond that of others in this field. In recent years, our FCSS_SDW_AR-7.6 exam guide has been well received and have reached 99% pass rate with all our dedication. As one of the most authoritative question bank in the world, our study materials make assurance for your passing the FCSS_SDW_AR-7.6 exam.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q75-Q80):

NEW QUESTION # 75

Which two statements are correct when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. Traffic does not match any of the entries in the policy route table.
- B. All SD-WAN rules have the default and gateway setting enabled.
- C. The session information output displays no SD-WAN-specific details.
- D. Traffic is load balanced using the algorithm set for the v4-ecmp-mode setting.

Answer: A,C

Explanation:

If the session matched the SD-WAN implicit rule, and therefore was handled using standard FIB routing, these SD-WAN fields do not appear.

If traffic doesn't match any entry in the proute table then it will use the implicit deny SD-WAN rule.

NEW QUESTION # 76

Refer to the exhibits. The interface details, static route configuration, and firewall policies on the managed FortiGate device are shown.

You want to configure a new SD-WAN zone, named Underlay, that contains the interfaces port1 and port2.

What must be your first action?

Interface details

Name	Type	Members	IP/Netmask
Physical Interface 13			
port1	Physical Interface		192.2.0.1/255.255.255.248
port2	Physical Interface		192.2.0.9/255.255.255.248
port3	Physical Interface		0.0.0.0/0.0.0.0
port4	Physical Interface		172.16.0.1/255.255.255.248
port5	Physical Interface		10.0.1.254/255.255.255.0
port6	Physical Interface		0.0.0.0/0.0.0.0
port7	Physical Interface		0.0.0.0/0.0.0.0
port8	Physical Interface		0.0.0.0/0.0.0.0
port9	Physical Interface		0.0.0.0/0.0.0.0
port10	Physical Interface		192.168.0.31/255.255.255.0
T_shop_1(port9)	Physical interface		0.0.0.0/0.0.0.0
SD-WAN Zone 3			
HUB1	SD-WAN Zone	HUB1-VPN1 HUB1-VPN2 HUB1-VPN3	0.0.0.0/0.0.0.0
Test	SD-WAN Zone	port2	0.0.0.0/0.0.0.0
virtual-wan-link	SD-WAN Zone		0.0.0.0/0.0.0.0

Static route details

Destination	Gateway IP	Interface	Status
192.168.1.0/24	192.2.0.254	port1	Enabled
168.1.1.0/24	192.2.0.4	port1	Enabled

Firewall policies on managed FortiGate

	Policy	From	To	Source	Destination	Service
<input type="checkbox"/>	Corp(5)	port1	port5	4 Corp-net	4 LAN-net	HTTP HTTPS
<input type="checkbox"/>	DIA(1)	port5	port1	4 LAN-net	4 all	ALL

- A. Delete the static routes.
- B. Delete the firewall policies.

- C. Delete the SD-WAN Zone Test.
- D. Define port1 as an SD-WAN member.


Answer: B

Explanation:

You cannot add port1 as an SD-WAN member if it's already in use by an active firewall policy.

NEW QUESTION # 77

Refer to the exhibit. You want to configure SD-WAN on a network as shown in the exhibit. The network contains many FortiGate devices. Some are used as NGFW, and some are installed with extensions such as FortiSwitch, FortiAP or FortiExtender. What should you consider when planning your deployment?



- A. You can build an SD-WAN topology that includes all devices. The hubs must be devices without extensions.
- B. You must build multiple SD-WAN topologies. Each topology must contain only one type of extension.
- C. You must use FortiManager to manage your SD-WAN topology.
- D. You can build an SD-WAN topology that includes all devices. The hubs can be FortiGate devices with FortiExtender.

Answer: A

Explanation:

You can include FortiGates with extensions (FortiSwitch/FortiAP/FortiExtender) as spokes in one SD-WAN topology, but the hubs should be clean FortiGate devices without extensions enabled.

Extensions like FortiLink or FortiExtender add roles/services that can conflict with hub duties (overlay termination, route distribution, scale/HA) and aren't supported/recommended on hubs.

No need to split into multiple topologies or require FortiManager just for that.

NEW QUESTION # 78

Refer to the exhibit. What conclusions can you draw about the traffic received by FortiGate originating from the source LAN device 10.0.1.133 and destined for the company's SMTP mail server at 10.66.0.125?

FortiGate policy route

```
branch_fgt # diagnose firewall proute list
list route policy info(vf=root):

id=1(0x01) dscp_tag=0xfc flags=0x0 tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0)
iif=7(port5)
path(1): oif=5(port3) gwy=10.0.1.255
source wildcard(1) : 10.0.1.128/255.255.255.128
destination wildcard(1): 0.0.0.0/0.0.0.0
hit_count=0 rule_last_used=2024-12-13 01:40:44

id=2131427329(0x7f0b0001) vwl_service=1(Critical-DIA), vwl_mbr_seq=2 1 dscp_tag=0xfc 0xfc flags=
0x0 tos=0x0
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(2): oif=4(port2), oif=3(port1)
source(1) : 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Salesforce(16920,0) SMTP_Signed.Email(28991,0)
hit_count=732 rule_last_used=2024-12-12 12:30:16

id=2131427329(0x7f070003) vwl_service=3(Corp), vwl_mbr_seq=4 5 6 dscp_tag=0xfc 0xfc flags=0x0
tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(3): oif=20(HUB1-VPN1), oif=21(HUB1-VPN2), oif=22(HUB1-VPN3)
source(1) : 10.0.1.0-10.0.1.255
destination (1): 10.0.0.0-10.255.255.255
hit_count=0 rule_last_used=2024-12-12 02:29:25

id=2131165188(0x7f070004) vwl_service=4(LAN-to-Corp2), vwl_mbr_seq=1 2 dscp_tag=0xfc 0xfc flags=
0x10 load-balance hash-mode=round-robin tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->
0) iif=0(any)
path(2): oif=3(port1) num_pass=1, oif=4(port2) num_pass=1
source(1) : 10.0.1.0-10.0.1.255
destination (1): 10.66.0.0-10.66.0.255
hit_count=0 rule_last_used=2024-12-13 01:43:31
```

- A. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through port3.
- B. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through port2.
- **C. FortiGate steers the traffic from the LAN device 10.0.1.133 to the SMTP mail server 10.66.0.125 through the SD-WAN member ID 1 or 2.**
- D. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through the SD-WAN member ID 4.

Answer: C

Explanation:

The policy-route output shows the matching SD-WAN service for destination 10.66.0.0/24 is vwl_service=4 (LAN-to-Corp2) with vwl_mbr_seq=1 2 and paths oif=3(port1) and oif=4(port2).

Therefore, traffic from 10.0.1.133 to 10.66.0.125 is steered via SD-WAN member ID 1 or 2.

NEW QUESTION # 79

Refer to the exhibits. You use FortiManager to manage the branch devices and configure the SD-WAN template. You have configured direct internet access (DIA) for the IT department users.

Now, you must configure secure internet access (SIA) for all local LAN users and have set the firewall policies as shown in the second exhibit.

Then, when you use the install wizard to install the configuration and the policy package on the branch devices, FortiManager reports an error as shown in the third exhibit. Which statement describes why FortiManager could not install the configuration on the branches?

SD-WAN template on FortiManager

Name ⇅	Assigned to Device/Group ⇅		Interface ⇅
branches	2 Devices in Total View Details > ↑ branch1_fgt [root] ↑ branch2_fgt [root]		port1 port2

Firewall policies									
Underlay (2/3 Total:2)									
2	SIA	LAN	port1	LAN-net	all	always	FTP HTTP HTTPS	✓ Accept	no-inspection default
3	DIA	LAN	underlay	LAN-IT	all	always	ALL	✓ Accept	default certificate-i... default

FortiManager error message

Install Wizard – Validate Devices(branches_pp)(3/4)			
<div> Task finished with <u>errors</u>. </div> <div> Installation Preparation Total: 3/3. Success: 1. Warning: 0. Error: 1. Show Details </div> <div> 100% </div>			
<div> ✓ Interface Validation ✓ Policy and Object Validation ✓ Ready to Install </div>			
<div> <div> <div>Install Preview</div> <div>Policy Package Diff</div> </div> <div>Search...</div> </div>			
<input type="checkbox"/>	Device Name ⇅	Status ⇅	Action ⇅
<input type="checkbox"/>	↑ branch1_fgt	✗ Copy Failed	Log
<input type="checkbox"/>	↑ branch2_fgt	✗ Copy Failed	Log

- A. You cannot install SIA and DIA rules on the same device.
- **B. You cannot install firewall policies that reference an SD-WAN member.**
- C. You cannot install firewall policies that reference an SD-WAN zone.
- D. You must direct SIA traffic to a VPN tunnel.

Answer: B

Explanation:

In FortiManager, firewall policies must reference SD-WAN zones, not individual SD-WAN members (interfaces like port1 or port2). The SIA rule incorrectly references port1, which is a member - not a zone - causing the installation failure during validation.

NEW QUESTION # 80

.....

The third and last format is the FCSS_SDW_AR-7.6 desktop practice exam software form that can be used without an active internet connection. This software works offline on the Windows operating system. The practice exams benefit your preparation because you can attempt them multiple times to improve yourself for the FCSS - SD-WAN 7.6 Architect Professional-Cloud-

- [illegible]

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, Disposable vapes