

# 2V0-15.25考試備考經驗，2V0-15.25考題資源

VMware 2V0-15.25 Exam  
VMware Cloud Foundation 9.0 Support  
<https://www.passquestion.com/2v0-15-25.html>



Pass VMware 2V0-15.25 Exam with PassQuestion 2V0-15.25 questions and answers in the first attempt.

<https://www.passquestion.com/>

此外，這些KaoGuTi 2V0-15.25考試題庫的部分內容現在是免費的：<https://drive.google.com/open?id=1YvK3v77foNZkwfKKjD0qee3h4QhtJWo>

與 KaoGuTi考古題的超低價格相反，KaoGuTi提供的2V0-15.25考試考古題擁有最好的品質。而且更重要的是，KaoGuTi為你提供優質的服務。只要你支付了你想要的考古題，那麼你馬上就可以得到它。KaoGuTi網站有你最需要的，也是最適合你的考試資料。你購買了2V0-15.25考古題以後還可以得到一年的免費更新服務，一年之內，只要你想更新你擁有的資料，那麼你就可以得到最新版。KaoGuTi盡最大努力給你提供最大的方便。

你在擔心如何通過可怕的VMware的2V0-15.25考試嗎？不用擔心，有KaoGuTi VMware的2V0-15.25考試培訓資料在手，任何IT考試認證都變得很輕鬆自如。我們KaoGuTi VMware的2V0-15.25考試培訓資料是VMware的2V0-15.25考試認證準備的先鋒。

>> 2V0-15.25考試備考經驗 <<

## 2V0-15.25考題資源，最新2V0-15.25題庫

KaoGuTi 的 2V0-15.25 擬真試題覆蓋了真實的 VMware 考試指南，並根據其編定適合全球考生都能通用的題庫，讓每一位考生都能順利通過考試。IT人員想要在業內有所成就，選對IT認證是關鍵，雖然獲取認證需要投入額外的時間與金錢，但事實證明IT認證的投入產出是值得的，對於未來的職業發展非常有利。據業內人士介紹，2V0-15.25 公司推出的 VMware 考題發生了變化，請各位 VMware 的 2V0-15.25 考生注意一下，不過也不必太著急。

## VMware 2V0-15.25 考試大綱:

主題	簡介
主題 1	<ul style="list-style-type: none"><li>Plan and Design the VMware by Broadcom Solution: This domain addresses architectural planning and design principles for creating scalable, secure virtual environments aligned with business requirements.</li></ul>
主題 2	<ul style="list-style-type: none"><li>Install, Configure, Administrate the VMware by Broadcom Solution: This area covers installing, configuring, and managing VMware solutions including VCF Fleet deployment, expansion, and reduction operations.</li></ul>
主題 3	<ul style="list-style-type: none"><li>VMware by Broadcom Solution: This section focuses on understanding VMware by Broadcom's virtualization and cloud infrastructure platform for managing modern enterprise workloads.</li></ul>
主題 4	<ul style="list-style-type: none"><li>Troubleshoot and Optimize the VMware by Broadcom Solution: This domain focuses on troubleshooting VCF deployment, upgrades, conversions, workload domains, fleet operations (certificates, passwords, identity), licensing, compute resources, storage (vSAN, supplemental storage), networking (VDS, NSX), VCF Operations tools, Identity Broker automation, and HCX workload migrations.</li></ul>
主題 5	<ul style="list-style-type: none"><li>IT Architectures, Technologies, Standards: This domain covers fundamental frameworks, tools, and best practices for building scalable, secure, and interoperable enterprise IT systems.</li></ul>

## 最新的 Professional Level Exams 2V0-15.25 免費考試真題 (Q52-Q57):

### 問題 #52

A VMware NSX Edge node is present in the inventory but shows "Not Ready" status In NSX Manager UI. What should the administrator check first?

- A. The license key in NSX Manager UI
- B. The NSX Edge has been added to an Edge cluster
- C. The NSX Edge node's uplink network configuration**
- D. The NSX Edge node's CPU reservation

答案: C

#### 解題說明:

The status "Node Not Ready" in the NSX Manager UI (specifically in the Configuration State column of the Edge Transport Nodes view) indicates that the NSX Manager has failed to push or validate the necessary configuration to the Edge VM.

\* Check Uplink Network Configuration (Option C): This is the most common cause for a "Node Not Ready" state during deployment or operation. For an Edge Node to be "Ready" (Success/Up), it must have a valid Transport Node configuration, which includes the Uplink Profile, IP Pool (for TEPs), and mapping to the Fastpath Interfaces (N-VDS). If the uplink configuration is missing, incorrect, or the management plane cannot communicate with the edge to apply it, the node remains in a "Not Ready" state.

\* Why not Option A? While an Edge must be in an Edge Cluster to be utilized by a Tier-0 Gateway, a standalone Edge Node should still report a status of "Success" (Configuration) and "Up" (Node Status) if it is healthy. Adding a "Not Ready" (unhealthy/unconfigured) node to a cluster will not fix the underlying configuration issue.

\* Why not Option D? Missing CPU reservations typically lead to a "Degraded" status or service crashes (Dataplane down), but "Node Not Ready" is the specific indicator of an incomplete or stalled configuration workflow, usually tied to the transport/uplink setup.

### 問題 #53

An administrator creates a tag for a virtual machine (VM) in VMware Cloud Foundation (VCF) Operations.

When assigning the tag to the virtual machine In vCenter, the tag was not found.

What is the cause of this error?

- A. The tag was not pushed to Custom Groups.
- B. The tag was not pushed to the vCenter instance.**
- C. The vCenter version is incorrect.

- D. VM Tools is not installed.

答案: B

解題說明:

In VMware Cloud Foundation 9.0 Operations, tags created inside VCF Operations do not automatically appear in vCenter. Tags must be explicitly synchronized ("pushed") to the selected vCenter instance before they become usable for VM tagging within vCenter. This is because VCF Operations maintains its own metadata store for tags, super metrics, groups, and policies.

The correct workflow is:

- \* Create the tag in VCF Operations.
- \* Push (synchronize) the tag to the appropriate vCenter instance.
- \* The tag then appears in vCenter's Tags & Custom Attributes section.
- \* Administrators can then assign the tag to VMs.

If the push step is skipped, the tag exists only inside VCF Operations and cannot be referenced by vCenter, which is exactly the symptom described: tag not found when attempting to assign it to a VM.

Option A is incorrect because Custom Groups do not affect vCenter tag visibility.

Option B is incorrect because tag synchronization is not tied to a specific vCenter version as long as the vCenter is officially supported by VCF 9.x.

Option D is irrelevant-VMware Tools has nothing to do with tag visibility.

問題 #54

An administrator attempts to configure a Microsoft Certificate Authority in VMware Cloud Foundation (VCF) Operations supplying a certificate template name of VMware. The attempt fails with error, "Certificate authorities update failed." What is the possible cause of this failure?

- A. The user account has only the "Read" and "Enroll" permission on the certificate template.
- B. The user account does not have the "Enroll" permission on the certificate template.
- **C. The user account has only the "Enroll" permission on the certificate template.**
- D. The user account does not have the "Read" and "Autoenroll" permission on the certificate template.

答案: C

解題說明:

To successfully configure a Microsoft Certificate Authority (CA) in VMware Cloud Foundation (VCF) Operations (formerly vRealize/Aria Operations), the service account used for the integration must have specific permissions on the Certificate Template (e.g., the "VMware" template).

\* Required Permissions: The VCF 9.0 and Aria Operations documentation explicitly states that the service account must be assigned Read and Enroll permissions on the target Certificate Template.

\* Read: This permission is critical for the "Discovery" and "Validation" phase. It allows VCF Operations to query the CA, list available templates, and read the template's properties (like Key Usage and Extended Key Usage) to ensure they meet the security requirements (e.g., Server Authentication, Non-Repudiation).

\* Enroll: This permission allows the account to actually submit a Certificate Signing Request (CSR) via the interface and receive a signed certificate.

\* The Cause of Failure (Option A): If the user account is configured with only the "Enroll" permission, it effectively lacks the "Read" permission. Without "Read", VCF Operations cannot "see" or validate the template during the configuration wizard. The application attempts to fetch the template details, fails (because the template is invisible to it), and throws the error "Certificate authorities update failed."

\* Why other options are incorrect:

\* Option D (Read and Enroll): This is the correct and recommended configuration. If the user had these permissions, the operation would succeed (assuming other prereqs like Basic Auth are met).

\* Option C (Autoenroll): The Autoenroll permission is designed for Windows Group Policy-based background renewal. It is not required for the VCF Operations API-based integration, which relies on explicit "Enroll" calls.

問題 #55

An administrator logs into the vSphere client to check the health of a cluster. An alert appears on the cluster stating, "vSphere HA host status".

The administrator toggles vSphere HA off and on and the following error appears on the host "A general system error occurred: Failed to start fdm service on host".

What is the cause of this issue?

- A. vSphere HA startup policy is not configured correctly.
- **B. The vmware-fdm vib is missing from the ESX host.**
- C. vSphere HA Admission Control settings are not configured correctly.
- D. The vmware-fdm service is disabled on the ESX host.

答案： B

解題說明：

vSphere High Availability (HA) depends on the FDM agent (Fault Domain Manager) that runs on every ESXi host in the cluster. When an administrator enables HA on a cluster, vCenter automatically installs or updates the vmware-fdm VIB on each participating ESXi host. This VIB contains the HA agent binaries and is mandatory for HA services to start.

The error encountered:

"A general system error occurred: Failed to start fdm service on host"

is a classic and well-documented symptom of a missing or corrupted vmware-fdm VIB. When vSphere HA is toggled off and on, vCenter attempts to reinstall or restart the FDM agent; if the VIB is not present, HA cannot deploy successfully, and the FDM service fails to start.

Why the other answers are incorrect:

- \* A. The vmware-fdm service is disabled. ESXi does not allow manual disabling of this system service in normal operations. If the service fails to start, the root cause is usually the absence or corruption of the VIB—not a disabled service.
- \* C. Admission Control settings not configured correctly. Admission Control errors affect VM failover capacity, not the ability to start FDM services.
- \* D. HA startup policy not configured correctly. There is no per-host HA startup policy that prevents FDM from starting.

### 問題 #56

A user attempts to deploy a catalog item into a vSphere Namespace in a VMware Cloud Foundation (VCF) Automation Organization for All Apps. The catalog item will not deploy into zone3.

The following information is provided:

- \* The vSphere Supervisor has three zones (zone1, zone2, zone3).
- \* The user has successfully deployed the catalog item into zone1 and zone2 of the vSphere Namespace.

What is the cause of this issue?

- **A. The vSphere Namespace does not include zone3.**
- B. The user does not have Project Advanced User role for the vSphere Namespace.
- C. The user does not have the Project User role for the vSphere Namespace.
- D. The vSphere Namespace is assigned the default large vSphere Namespace Class.

答案： A

解題說明：

In VMware Cloud Foundation (VCF) Automation for All Apps, a vSphere Namespace can span multiple Supervisor Zones. However, workloads—including catalog item deployments—can only be deployed into zones that are explicitly assigned to that Namespace. The user in the scenario successfully deploys into zone1 and zone2, which confirms that those zones are correctly associated with the Namespace.

The failure to deploy into zone3, while deployments into the other zones work, strongly indicates that zone3 is not part of the Namespace configuration.

This behavior matches how Supervisor Zones function:

- \* A zone must be added to the Namespace in Supervisor configuration.
- \* If the zone is not associated, VCF Automation will not present it as an eligible deployment location, and deployment into that zone fails.

Option A and D (project roles) are incorrect because insufficient permissions would prevent deployment into any zone, not a single missing zone.

Option B (Namespace Class) is irrelevant because Namespace Classes define resource limits, not which Supervisor Zones the Namespace is mapped to.

### 問題 #57

.....

KaoGuTi作為專門提供2V0-15.25認證考試相關資料的提供者，一直以來都把為考生們提供最優秀的資料作為自己

的目標。與其他網站相比，KaoGuTi更得大家的信任。這是為什麼呢？因為KaoGuTi有著多年的經驗，並且一直專心致力於2V0-15.25認證考試的研究，總結出了很多關於考試的規律。這樣，KaoGuTi的資料就可以有很高的命中率。這也保證了大家的考試的合格率。所以KaoGuTi得到了大家的信任。

**2V0-15.25考題資源:** [https://www.kaoguti.com/2V0-15.25\\_exam-pdf.html](https://www.kaoguti.com/2V0-15.25_exam-pdf.html)

- 值得信賴的2V0-15.25考試備考經驗 |第一次嘗試易於學習和通過考試和精心準備的VMware VMware Cloud Foundation 9.0 Support □ 開啟 □ [www.newdumpspdf.com](http://www.newdumpspdf.com) □ 輸入「2V0-15.25」並獲取免費下載2V0-15.25考題
- 2V0-15.25熱門題庫 □ 2V0-15.25考題 □ 2V0-15.25真題材料 □ 透過▶ [www.newdumpspdf.com](http://www.newdumpspdf.com)◀ 搜索（2V0-15.25）免費下載考試資料最新2V0-15.25題庫資源
- 2V0-15.25真題材料 □ 2V0-15.25真題材料 □ 2V0-15.25更新 □ 免費下載“2V0-15.25”只需進入{ [tw.fast2test.com](http://tw.fast2test.com) }網站新版2V0-15.25題庫上線
- 最新版的2V0-15.25考試備考經驗，免費下載2V0-15.25考試資料幫助你通過2V0-15.25考試 □ 到[ [www.newdumpspdf.com](http://www.newdumpspdf.com) ]搜索▶ 2V0-15.25 □ 輕鬆取得免費下載2V0-15.25考試重點
- 免費下載2V0-15.25考題 □ 2V0-15.25認證資料 □ 2V0-15.25考題 □ 進入《 [www.testpdf.net](http://www.testpdf.net) 》搜尋《 2V0-15.25 》免費下載2V0-15.25真題材料
- 免費下載2V0-15.25考題 □ 2V0-15.25考題 □ 2V0-15.25考古題分享 □ 到▶ [www.newdumpspdf.com](http://www.newdumpspdf.com) □ 搜尋《 2V0-15.25 》以獲取免費下載考試資料2V0-15.25題庫
- 2V0-15.25證照 □ 2V0-15.25認證考試解析 □ 2V0-15.25軟件版 □ 開啟▶ [www.newdumpspdf.com](http://www.newdumpspdf.com) □ 輸入 □ 2V0-15.25 □ 並獲取免費下載2V0-15.25學習指南
- 值得信賴的2V0-15.25考試備考經驗 & 資格考試和認證領導者-VMware VMware Cloud Foundation 9.0 Support □ 在▶ [www.newdumpspdf.com](http://www.newdumpspdf.com) □ 上搜索▶ 2V0-15.25 □ 並獲取免費下載2V0-15.25更新
- 值得信賴的2V0-15.25考試備考經驗 |第一次嘗試易於學習和通過考試和精心準備的VMware VMware Cloud Foundation 9.0 Support □ 在《 [www.pdfexam.dumps.com](http://www.pdfexam.dumps.com) 》搜索最新的▶ 2V0-15.25 □ 題庫2V0-15.25證照
- 高質量的2V0-15.25考試備考經驗，VMware Professional Level Exams認證2V0-15.25考試題庫提供免費下載 □ 立即打開[ [www.newdumpspdf.com](http://www.newdumpspdf.com) ]並搜索（2V0-15.25）以獲取免費下載2V0-15.25考試重點
- 高通過率的2V0-15.25考試備考經驗和資格考試中的主要供應商和最新更新2V0-15.25: VMware Cloud Foundation 9.0 Support □ { [www.kaoguti.com](http://www.kaoguti.com) }最新【 2V0-15.25 】問題集合2V0-15.25認證資料
- nyedcpune.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.cncircus.com.cn, www.stes.tyc.edu.tw, bbs.t-firefly.com, bbs.t-firefly.com, credennz.in, telegra.ph, p.me-page.com, Disposable vapes

從Google Drive中免費下載最新的KaoGuTi 2V0-15.25 PDF版考試題庫: <https://drive.google.com/open?id=1YvK3v77foNZk-wfKKjD0qee3h4QhtJWo>