


# 最真實的300-620認證考試資料庫



此外，這些VCESoft 300-620考試題庫的部分內容現在是免費的：[https://drive.google.com/open?id=1Ohyj1kUEDluUZ\\_4w7d6H6OIPXWRMxLzF](https://drive.google.com/open?id=1Ohyj1kUEDluUZ_4w7d6H6OIPXWRMxLzF)

你是一名IT人員嗎？你報名參加當今最流行的IT認證考試了嗎？如果你是，我將告訴你一個好消息，你很幸運，我們VCESoft Cisco的300-620考試認證培訓資料可以幫助你100%通過考試，這絕對是個真實的消息。如果你想在IT行業更上一層樓，選擇我們VCESoft那就更對了，我們的培訓資料可以幫助你通過所有有關IT認證的，而且價格很便宜，我們賣的是適合，不要不相信，看到了你就知道。

Cisco 300-620認證考試是為想要展示其在實施Cisco應用中心基礎設施（ACI）方面的知識和技能的IT專業人士設計的。這種認證適合網絡工程師、系統管理員和其他與數據中心網絡有關的專業人士。該考試涵蓋了一系列主題，包括ACI架構、策略、自動化和故障排除。

>> 300-620熱門認證 <<

## 選擇我們可靠的產品300-620熱門認證: Implementing Cisco Application Centric Infrastructure, 通過Cisco 300-620太輕鬆

我們VCESoft Cisco的300-620考試培訓資料提供最流行的兩種下載格式，一個是PDF，另一個是軟體，很容易下載，我們VCESoft認證的產品準備的IT專業人士和勤勞的專家已經實現了他們的實際生活經驗，在市場上提供最好的產品，以實現你的目標。

Cisco 300-620考試，又稱實施 Cisco 應用中心基礎架構 (DCACI)，是一項認證考試，驗證候選人在實施和管理 Cisco 應用中心基礎架構 (ACI) 方面的知識和技能。ACI 是一種軟體定義網路 (SDN) 解決方案，可實現高度安全和自動化的應用和服務部署和管理。該考試面向在數據中心環境中工作並負責實施和管理 ACI 解決方案的 IT 專業人員。

## 最新的 CCNP Data Center 300-620 免費考試真題 (Q355-Q360):

### 問題 #355

An engineer must attach an ESXi host to the Cisco ACI fabric. The host is connected to Leaf 1 and has its gateway IP address 10.10.10.254/24 configured inside the ACI fabric. A new firewall is attached to Leaf 2 and mapped to the same EPG and BD as the ESXi host. The engineer must migrate the gateway of the ESXi host to the firewall. Which configuration set accomplishes this goal?

- A. Disable unicast routing.  
Define IP address 10.10.10.254/24 on the firewall.
- B. Enable unicast routing.  
Configure IP address 10.10.10.254/24 on the ACI EPG.
- C. Enable unicast routing.  
Set IP address 10.10.10.254/24 on the firewall.
- D. Disable unicast routing.

Configure IP address 10.10.10.254/24 on the ACI BD.

答案: A

解題說明:

When ACI Bridge Domain has unicast routing enabled, the gateway IP is served by ACI (Anycast Gateway), which distributes the IP to all relevant leaf switches.

To migrate the gateway to an external device (the firewall), unicast routing in the ACI BD must be disabled, preventing ACI from advertising or responding on that gateway IP.

The firewall will take over as the default gateway by configuring the gateway IP address on it, and all endpoints will use the firewall as their next hop.

This approach allows ARP and Layer 2 traffic to flow through the ACI fabric, but all routing (Layer 3) occurs on the external firewall.

問題 #356

Which tenant is used when configuring in-band management IP addresses for Cisco APICs, leaf nodes, and spine nodes?

- A. mgmt
- B. common
- C. default
- D. infra

答案: D

解題說明:

Reference:

[https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/kb/b\\_KB\\_Configuring\\_Static\\_Management\\_Access.html#concept\\_CFF63FE947424291B0F10E6F23DA7D](https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/kb/b_KB_Configuring_Static_Management_Access.html#concept_CFF63FE947424291B0F10E6F23DA7D)

問題 #357

What must be enabled in the bridge domain to have the endpoint table learn the IP addresses of endpoints?

- A. GARP based detection
- B. L2 unknown unicast: flood
- C. subnet scope
- D. unicast routing

答案: D

問題 #358

A network engineer must allow secure access to the Cisco ACI out-of-band (OOB) management only from external subnets 10.0.0.0/24 and 192.168.20.0/25. Which configuration set accomplishes this goal?

- Create a L3Out in the MGMT tenant in OOB VRF.  
Set External Management Network Instance Profile as a consumer of the OOB contract.  
Create an External EPG with two subnet entries with the external subnets.
- Create a PBR service graph in the MGMT tenant.  
Create a management Profile with the required OOB EPG.  
Redirect all traffic going into ACI management to the external firewall.  
Create two subnet entries under the OOB Bridge domain with the required subnets.
- Create an OOB contract that allows the required ports.  
Provide the contract from the OOB EPG.  
Consume the contract by the OOB External Management Network Instance Profile.  
Create two subnet entries in the External Management Network Profile with the required subnets.
- Create an EPG and BD in the MGMT tenant in OOB VRF.  
Set OOB VRF to provide the contract.  
Set a new EPG to consume the OOB contract.

- A. Option C



gretalqeq678263.livebloggs.com, bookmark-rss.com, iankuum528301.laowaiiblog.com, famous-directory.com,  
lancezste159092.fare-blog.com, bookmark-search.com, macieskos102788.wikitron.com,  
mariyahjang907548.blog5star.com, Disposable vapes

從Google Drive中免費下載最新的VCESoft 300-620 PDF版考試題庫：[https://drive.google.com/open?id=1Ohyj1kUEDluUZ\\_4w7d6H6OIPXWRMxLzF](https://drive.google.com/open?id=1Ohyj1kUEDluUZ_4w7d6H6OIPXWRMxLzF)