

UiPath-ADPv1최고품질덤프공부자료 - UiPath-ADPv1 최신덤프데모다운

UiPath UIPATH-ADPV1 Practice Questions UiPath (ADPV1) Automation Developer Professional Exam

Order our UIPATH-ADPV1 Practice Questions Today and Get Ready to Pass
with Flying Colors!



UIPATH-ADPV1 Practice Exam Features | QuestionsTube

- Latest & Updated Exam Questions
- Subscribe to FREE Updates
- Both PDF & Exam Engine
- Download Directly Without Waiting

<https://www.questionstube.com/exam/ui-path-adpv1/>

At QuestionsTube, you can read UIPATH-ADPV1 free demo questions in pdf file, so you can check the questions and answers before deciding to download the UiPath UIPATH-ADPV1 practice questions. These free demo questions are parts of the UIPATH-ADPV1 exam questions. Download and read them carefully, you will find that the UIPATH-ADPV1 test questions of QuestionsTube will be your great learning materials online. Share some UIPATH-ADPV1 exam online questions below.

BONUS!!! Itexamdump UiPath-ADPv1 시험 문제집 전체 버전을 무료로 다운로드하세요: <https://drive.google.com/open?id=159-Xh21t-Xnr6DYHbowQ7HuxSIT5mYO>

우리Itexamdump가 제공하는 최신, 최고의UiPath UiPath-ADPv1 시험관련 자료를 선택함으로 여러분은 이미 시험패스 성공이라고 보실수 있습니다.

UiPath UiPath-ADPv1 시험요강:

주제	소개
주제 1	• UiPath Activities: In this section, the discussion is related to various UiPath activities for UI interaction, data manipulation, control flow, and more.
주제 2	• Debugging and Testing: This section is about utilizing logging and debugging tools and adopting unit testing and test automation strategies.
주제 3	• Design and Development: This section covers designing workflows using sequences, flowcharts, and state machines, building reusable components with libraries, exception handling and debugging techniques, etc.

- UiPath Studio Fundamentals: In this section, the focus is given to the understanding of Robotic Process Automation (RPA) concepts; it covers UiPath Studio and its components, Working with the UiPath user interface, project creation, management, and version control.

>> UiPath-ADPv1최고품질 덤프공부자료 <<

UiPath-ADPv1최신 덤프데모 다운 - UiPath-ADPv1높은 통과율 시험공부 자료

UiPath UiPath-ADPv1 덤프의 유효성을 보장해드릴수 있도록 저희 기술팀은 오랜시간동안 UiPath UiPath-ADPv1 시험에 대하여 분석하고 연구해 왔습니다. UiPath UiPath-ADPv1 덤프를 한번 믿고 UiPath UiPath-ADPv1 시험에 두려움없이 맞서보세요. 만족할수 있는 좋은 성적을 얻게 될것입니다.

최신 UiPath Certified Professional - Developer Track UiPath-ADPv1 무료 샘플문제 (Q172-Q177):

질문 # 172

What is a pre-requisite for running InitAllApplications TestCase?

- A. Invoke SetTransactionStatus XAML file in Given.
- **B. Invoke InitAllSettings XAML file in Given.**
- C. Invoke CloseAllApplications XAML file in Given.
- D. Invoke KillAllProcesses XAML file in Given.

정답: B

설명:

A test case is a set of steps and expected results that verify a certain functionality or behavior of an automation. A test case can be created in UiPath Studio or UiPath Test Manager, and it can contain both manual and automated steps. A test case can be executed manually or automatically, depending on the type of steps it contains.

A test case follows the Given-When-Then structure, which is a common format for writing test scenarios. The Given section describes the preconditions or initial state of the system before the test is executed. The When section describes the actions or events that trigger the test. The Then section describes the expected outcomes or postconditions of the test.

The InitAllApplications TestCase is a test case that verifies the initialization of all the applications that are used in the automation project. It is usually created in UiPath Studio, using the Test Cases feature. The InitAllApplications TestCase can be linked to the InitAllApplications.xml workflow, which is a component of the REFramework template that opens and logs in to all the applications that are required for the automation.

The pre-requisite for running the InitAllApplications TestCase is to invoke the InitAllSettings.xml file in the Given section of the test case. The InitAllSettings.xml workflow is another component of the REFramework template that reads the configuration data from the Config.xlsx file and initializes the settings and assets for the automation project. By invoking the InitAllSettings.xml file in the Given section, the test case ensures that the settings and assets are available and ready before opening and logging in to the applications.

The other options are not pre-requisites for running the InitAllApplications TestCase. Option B is incorrect, because the SetTransactionStatus.xml file is not related to the initialization of applications, but to the setting of the status of a queue item after processing it. Option C is incorrect, because the CloseAllApplications.xml file is not related to the initialization of applications, but to the closing of all the applications that were opened by the automation. Option D is incorrect, because the KillAllProcesses.xml file is not related to the initialization of applications, but to the killing of all the processes that are associated with the automation.

References: Studio - Test Cases - UiPath Documentation Portal, REFramework documentation - UiPath Documentation Portal, How to use test cases in the REFramework? - Test Suite - UiPath Community Forum, Linking Test Cases in Studio to Test Manager - UiPath Documentation Portal

질문 # 173

When developing a process, you were provided with two data tables, "DT1" and "DT2", as shown below:

□ The process documentation specifies that the two data tables need to be manipulated in order to reflect the following "DT2":

□ How should the properties of the Merge Data Table activity be configured?

- A. ☐
- B. ☒
- C. ☐
- D. ☐

정답: B

설명:

Given the two data tables DT1 and DT2, to achieve the desired result where DT2 contains both the department and the names, the Merge Data Table activity should be configured to merge DT1 into DT2. This configuration requires specifying DT1 as the source table and DT2 as the destination table. The MissingSchemaAction should be set to AddWithKey which ensures that if the source table (DT1) contains columns that are not found in the destination table (DT2), they will be added to the destination table with the primary key information preserved.

Option A shows the correct configuration for the Merge Data Table activity to achieve this result:

* Destination: DT1

* Source: DT2

* MissingSchemaAction: AddWithKey

This setup correctly adds the "Name" column from DT1 to DT2 based on the shared "ID" column, which acts as the key. Since both tables have an "ID" column with matching values, the names will be added to the corresponding IDs in DT2, resulting in a merged table with ID, Department, and Name columns.

질문 # 174

What is the default priority value for the Job Priority field in UiPath Orchestrator when starting a job manually?

- A. Low
- B. Medium
- C. High
- D. Inherited

정답: D

설명:

When starting a job manually in UiPath Orchestrator, the default priority value for the Job Priority field is Inherited. This means that the job inherits the priority value that was set at the process level when the package was deployed. The possible priority values are High, Normal, and Low. The priority value determines the order in which the jobs are executed by the robots, with higher priority jobs being executed first. The priority value can be changed manually when starting a job, or it can be set dynamically using the Start Job activity in a workflow. References: [Starting a Job], [Job Priority]

질문 # 175

Which command in the UiPath installation folder configures the UIPath.RemoteDebugging.Agent utility on a Windows robot to accept remote debugging requests from Studio?

- A. dotnet ./UiPath.RemoteDebugging.Agent.dll enable -port -password -verbose
- B. UiPath.RemoteDebugging.Agent.exe start -port -password -verbose
- C. UiPath-RemoteDebugging.Agent.exe enable -port -password -verbose
- D. UiPath.RemoteDebugging.Agent.exe enable -port -username -password -verbose

정답: C

설명:

The command in the UiPath installation folder that configures the UIPath.RemoteDebugging.Agent utility on a Windows robot to accept remote debugging requests from Studio is UiPath-RemoteDebugging.Agent.exe enable -port -password -verbose. This command enables the remote debugging agent on the robot machine and sets the port number and the password that are required for the connection. The verbose option enables the logging of the agent activity to the console. The remote debugging agent is a utility that allows you to debug workflows on a remote robot from Studio, by using the Remote Debugging feature. This feature enables you to connect to a remote robot, run the workflow, and inspect the variables and arguments in real time. To use this feature, you need to install the remote debugging agent on the robot machine and configure it with the same port number and password that you use in Studio. References: [Remote Debugging], [Remote Debugging Agent]

질문 # 176

A developer is working on an automation using the REFramework. Each transaction item represents a piece of client information. For each customer, the automated procedure must click the "Generate Shipment Details" button. This generates a table of shipment records for each customer.

What type of exception occurs when the data is not accessible, the created table displays only the header row, and processing for that client must be halted?

- A. **BusinessRuleException**
- B. SystemException
- C. ApplicationException
- D. NullReferenceException

정답: A

설명:

When the data is not accessible, the created table displays only the header row, and processing for that client must be halted, a BusinessRuleException occurs. A BusinessRuleException is a type of exception that indicates a business logic error or a validation error that cannot be resolved by retrying the transaction. For example, if the input data is incorrect, incomplete, or outdated, a BusinessRuleException should be thrown. A BusinessRuleException can be thrown by using the Throw activity with the following expression:

VB New BusinessRuleException("Message") where Message is a string that describes the error. A BusinessRuleException can be caught by using the Catch activity with the following expression:

VB ex As BusinessRuleException where ex is a variable that stores the exception object. A BusinessRuleException can be handled differently from other types of exceptions, such as SystemException or ApplicationException, depending on the logic of the automation. For example, in the REFramework, a BusinessRuleException sets the status of the transaction item to Failed and does not retry the transaction, whereas a SystemException sets the status of the transaction item to Retry and retries the transaction up to a specified number of times. References: [BusinessRuleException], [Throw], [Catch], [REFramework]

질문 # 177

.....

Itexamdump 에서 제공해드리는 UiPath인증UiPath-ADPv1 시험덤프자료를 구입하시면 완벽한 구매후 서비스를 약속드립니다. Itexamdump에서 제공해드리는 덤프는 IT업계 유명인사들이 자신들의 노하우와 경험을 토대로 하여 실제 출제되는 시험문제를 연구하여 제작한 최고품질의 덤프자료입니다. UiPath인증UiPath-ADPv1 시험은 Itexamdump 표UiPath인증UiPath-ADPv1 덤프자료로 시험준비를 하시면 시험패스는 아주 간단하게 할 수 있습니다. 구매하기전 PDF버전 무료샘플을 다운받아 공부하세요.

UiPath-ADPv1최신 덤프데모 다운 : <https://www.itexamdump.com/UiPath-ADPv1.html>

- UiPath-ADPv1 최고품질 덤프공부자료 시험준비에 가장 좋은 인기시험 기출문제자료 □ 무료로 쉽게 다운로드하려면 > kr.fast2test.com □에서⇒ UiPath-ADPv1 □를 검색하세요 UiPath-ADPv1 최신덤프문제
- UiPath-ADPv1 최고품질 덤프공부자료 시험준비에 가장 좋은 인기시험 기출문제자료 \ 시험 자료를 무료로 다운로드하려면 □ www.itdumpskr.com □을 통해⇒ UiPath-ADPv1 □를 검색하십시오 UiPath-ADPv1 합격보장 가능 덤프문제
- UiPath-ADPv1 최고품질 덤프공부자료 시험준비에 가장 좋은 인기시험 기출문제자료 □ ➡ www.dumptop.com □에서□ UiPath-ADPv1 □를 검색하고 무료 다운로드 받기 UiPath-ADPv1 최신 시험대비 공부자료
- 시험준비에 가장 좋은 UiPath-ADPv1 최고품질 덤프공부자료 최신버전 덤프자료 □ 무료로 쉽게 다운로드하려면 > www.itdumpskr.com □에서⇒ UiPath-ADPv1 ◀를 검색하세요 UiPath-ADPv1 최신 시험대비 공부자료
- UiPath-ADPv1 최고품질 덤프공부자료 시험준비에 가장 좋은 인기시험 기출문제자료 □ ⇒ www.passtip.net ◀에서 { UiPath-ADPv1 }를 검색하고 무료로 다운로드하세요 UiPath-ADPv1 시험덤프
- UiPath-ADPv1 퍼펙트 덤프데모문제 □ UiPath-ADPv1 합격보장 가능 덤프문제 ◀ UiPath-ADPv1 최신 업데이트 인증공부자료 □ ➡ www.itdumpskr.com □에서□ UiPath-ADPv1 □를 검색하고 무료로 다운로드하세요 UiPath-ADPv1 최신 시험덤프자료
- UiPath-ADPv1 퍼펙트 최신버전 덤프자료 □ UiPath-ADPv1 최신덤프문제 □ UiPath-ADPv1 최신기출자료 □ 무료로 다운로드하려면“ www.koreadumps.com ”로 이동하여 □ UiPath-ADPv1 □를 검색하십시오 UiPath-ADPv1 인증덤프 샘플 다운로드
- UiPath-ADPv1 테스트자료 □ UiPath-ADPv1 인증덤프 샘플 다운로드 □ UiPath-ADPv1 합격보장 가능 덤프문제 □ ⇒ www.itdumpskr.com ◀에서 검색만 하면 > UiPath-ADPv1 □를 무료로 다운로드할 수 있습니다 UiPath-ADPv1 합격보장 가능 덤프문제

- [illegible]

참고: Iteamdump에서 Google Drive로 공유하는 무료 2026 UiPath UiPath-ADPv1 시험 문제집이 있습니다:
<https://drive.google.com/open?id=159-Xh21t-Xnr6DYIbbowQ7HuxSIT5mYO>