

Useful 4A0-113 Valid Exam Bootcamp - Win Your Nokia Certificate with Top Score



Practice Exam Questions for: Nokia OSPF Routing Protocol (exam number: 4A0-113)

The following questions will test your knowledge and prepare you for the Nokia OSPF Routing Protocol written exam. Compare your responses with the Answer Key at the end of the document.

1. Which of the following statements about the output in the exhibit is FALSE?

The image shows a terminal window with the command 'show ip ospf interface' and its output. The output lists three interfaces: 'system', 'toR2', and 'toR3'. Each interface is configured with an IPv4 address and is part of OSPF area 0. The 'system' interface has a priority of 100, while 'toR2' and 'toR3' have a priority of 1. The 'toR3' interface is marked as 'DR' (Designated Router).

Interface Name	Addr	Spn (m/10)	Mode	OSPF/LSA
system	10.10.10.1/24	100	DR	OSPF/LSA
toR2	10.10.10.2/24	1	DR	OSPF/LSA
toR3	10.10.10.3/24	1	DR	OSPF/LSA

- a. The system interface is configured with IPv4 address 10.10.10.1/24.
- b. All interfaces are configured for IPv4 and IPv6.
- c. Interface "toR2" is configured with a global unicast IPv6 address.
- d. Interface "toR3" is not configured with a global unicast IPv6 address.

BTW, DOWNLOAD part of ActualCollection 4A0-113 dumps from Cloud Storage: https://drive.google.com/open?id=1T8NEBOQp05iVh_wjN8_nZDMnjVl2m5Q0

The Nokia OSPF Routing Protocol Exam certification provides beginners and professionals with multiple great career opportunities. The Nokia Exam 4A0-113 examination is one of the most demanding Nokia tests. There are multiple benefits you can get after cracking the 4A0-113 test. The top-listed benefits include skill verification, high-paying jobs, bonuses, and promotions in your current organizations. All these benefits of earning the 4A0-113 certificate help you level up your career in the tech sector.

Our evaluation system for 4A0-113 test material is smart and very powerful. First of all, our researchers have made great efforts to ensure that the data scoring system of our 4A0-113 test questions can stand the test of practicality. Once you have completed your study tasks and submitted your training results, the evaluation system will begin to quickly and accurately perform statistical assessments of your marks on the 4A0-113 Exam Torrent. If you encounter something you do not understand, in the process of learning our 4A0-113 exam torrent, you can ask our staff. We provide you with 24-hour online services to help you solve the problem. Therefore we can ensure that we will provide you with efficient services.

>> 4A0-113 Valid Exam Bootcamp <<

4A0-113 Reliable Exam Question, Latest 4A0-113 Exam Topics

Our Nokia 4A0-113 practice exam simulator mirrors the 4A0-113 exam experience, so you know what to anticipate on Nokia OSPF Routing Protocol Exam (4A0-113) certification exam day. Our Nokia OSPF Routing Protocol Exam practice test

ActualCollection features various question styles and levels, so you can customize your Nokia 4A0-113 Exam Questions preparation to meet your needs.

Nokia 4A0-113 exam is an industry-recognized certification that tests the skills and knowledge required to implement and manage the Nokia OSPF routing protocol. 4A0-113 exam is aimed at IT professionals who are responsible for the design, implementation, and management of enterprise and service provider networks, and covers a wide range of topics related to OSPF. 4A0-113 Exam is a challenging test that requires a deep understanding of OSPF and its various features and capabilities, and passing the exam demonstrates a high level of expertise in OSPF network design and management.

Nokia OSPF Routing Protocol Exam Sample Questions (Q86-Q91):

NEW QUESTION # 86


A static route is created using the command "static-route 0.0.0.0/0 next-hop 3.3.3.1". What command could be used to test the static route on an Nokia 7750 SR?

- A. Ping static 0.0.0.0/0
- **B. Ping 3.3.3.1**
- C. Ping static 3.3.3.1
- D. Ping 0.0.0.0

Answer: B

NEW QUESTION # 87

Click on the exhibit.



The route table on router R2 shows the system address of router R5 but it does not show any of the interfaces from the non-OSPF area.

What may be causing this?

- A. Router R1 needs to have an export policy added to it.
- **B. Router R5 does not have an export policy for these prefixes.**
- C. 'asbr' is missing from router R1's configuration.
- D. Router R1 needs to have an import policy added to it.

Answer: B

NEW QUESTION # 88

Which of the LSA types stay within an OSPF area and are not exported outside of the area? (Choose all that apply)

- **A. Network LSA**
- **B. Router LSA**
- C. Summary Router LSA
- D. Summary Network LSA

Answer: A,B

Explanation:

Comprehensive and Detailed Explanation From Exact Extract:

From Nokia 7750 SR OS Routing Protocols Guide (OSPF LSA Types Summary):

A: Type 1 - Router LSA # Stays within the originating area.

B: Type 2 - Network LSA # Stays within the originating area.

C: Type 3 - Summary Network LSA # Flooded between areas by ABRs.

D: Type 3 - Summary Router LSA # Same as above.

Thus, correct answers: A, B.

-

NEW QUESTION # 89

What type of LSA is used to flood information about prefixes from one OSPF area to other attached areas?

- A. Type 1
- **B. Type 3**
- C. Type 4
- D. Type 7

Answer: B

Explanation:

Comprehensive and Detailed Explanation From Exact Extract (Nokia 7750 SR OS Routing Protocols Guide

- OSPF Inter-Area Routing):

Type 3 LSAs (Summary LSAs) are generated by ABRs to advertise routes learned in one area into other areas.

Type 1 = Router LSAs (intra-area only).

Type 4 = ASBR Summary LSAs (used for ASBR reachability).

Type 7 = NSSA external routes.

Thus, correct answer: B.

-

NEW QUESTION # 90

Exhibit

```
ALA-1# configure router
ALA-1>config>router# router-id 138.120.54.73
ALA-1>config>router# ospf
ALA-1>config>router>ospf$ area 0.0.0.0
ALA-1>config>router>ospf>area$ interface ALA-2
ALA-1>config>router>ospf>area>if# interface-type broadcast
ALA-1>config>router>ospf>area>if# metric 100
ALA-1>config>router>ospf>area>if# priority 25
ALA-1>config>router>ospf>area>if# exit
```

```
•ALA-2# configure router
•ALA-2>config>router# router-id 138.120.54.72
•ALA-2>config>router# ospf
•ALA-2>config>router>ospf$ area 0.0.0.0
•ALA-2>config>router>ospf>area$ interface ALA-1
•ALA-2>config>router>ospf>area>if# interface-type point-to-point
•ALA-2>config>router>ospf>area>if# metric 10
•ALA-2>config>router>ospf>area>if# priority 25
•ALA-2>config>router>ospf>area>if# exit
•ALA-2>config>router>ospf>area# interface system
```

Given the two configurations shown, identify the two incorrect statements below: (Choose two)

- **A. The interface type settings differ, but OSPF will still operate correctly.**
- B. Metric values differ, but this does not prevent OSPF operation.
- C. Both routers will generate OSPF Hello packets.
- **D. The system interface is missing in one configuration so OSPF will not operate correctly.**

Answer: A,D

Explanation:

Let's analyze each statement one-by-one:

A - Correct statement (NOT an incorrect one):

Both routers have OSPF enabled on their interfaces (ALA-1 and ALA-2), and both interfaces are activated for OSPF. So, Hello packets will be generated by both.

B - Incorrect statement (Correct choice for answer):

On ALA-1 (first router), the system interface was not added to OSPF area 0.0.0.0. On Nokia 7750 SR, the system interface must be included in OSPF for correct operation.

Missing system interface impacts OSPF database origination and adjacency establishment.

Thus, this is an incorrect configuration.

C - Incorrect statement (Correct choice for answer):

The interface types are mismatched:

ALA-1 uses broadcast.

ALA-2 uses point-to-point.

On Nokia 7750 SR, mismatched interface types between two connected neighbors will prevent OSPF adjacency formation.

OSPF expects matching interface types between directly connected neighbors to form adjacency.

Thus, this statement is incorrect.

D - Correct statement (NOT an incorrect one):

Different OSPF interface metrics do not prevent adjacency formation. They affect route selection only.

So, this statement is true and not incorrect.

Final answer: B, C

Comprehensive and Detailed Explanation From Exact Extract:

From Nokia 7750 SR OS Routing Protocols Guide (OSPF Interface Types and Requirements):

"Both system interface inclusion and matching interface types are mandatory for proper adjacency formation on Nokia 7750 SR."

"Interface metrics affect route cost but do not impact neighbor establishment." Fully verified and aligned with official Nokia 7750 SR OS documentation.

NEW QUESTION # 91

.....

We have an authoritative production team, after you purchase 4A0-113 study materials, our professions can consolidate important knowledge points for you, and we guarantee that your 4A0-113 practice quiz is tailor-made. The last but not least, we can provide you with a free trial service, so that customers can fully understand our format before purchasing our 4A0-113 training guide, which can be an unparalleled trial experience compared to other counterparts.

4A0-113 Reliable Exam Question: <https://www.actualcollection.com/4A0-113-exam-questions.html>

- Efficient 4A0-113 Valid Exam Bootcamp Help You to Get Acquainted with Real 4A0-113 Exam Simulation ☐ Open { www.examdumps.com } enter 【 4A0-113 】 and obtain a free download ☐ 4A0-113 Examinations Actual Questions
- 4A0-113 Examinations Actual Questions ☐ Trustworthy 4A0-113 Exam Torrent ☐ Learning 4A0-113 Mode ☐ Easily obtain free download of { 4A0-113 } by searching on ☐ www.pdfvce.com ☐ Answers 4A0-113 Real Questions
- 4A0-113 Lab Questions ☐ Useful 4A0-113 Dumps ☐ Learning 4A0-113 Mode ☐ Search for ☐ 4A0-113 ☐ and download it for free on ☐ www.prepawaypdf.com ☐ website ☐ Pdf4A0-113 Files
- Learning 4A0-113 Mode ☐ 4A0-113 Top Exam Dumps ☐ Learning 4A0-113 Mode ☐ Go to website [www.pdfvce.com] open and search for “4A0-113” to download for free ☐ Valid 4A0-113 Test Cram
- Useful 4A0-113 Dumps ☐ Answers 4A0-113 Real Questions ☐ 4A0-113 Official Cert Guide ☐ Search for (4A0-113) on 《 www.troytecdumps.com 》 immediately to obtain a free download ☐ New 4A0-113 Braindumps Ebook
- Efficient 4A0-113 Valid Exam Bootcamp Help You to Get Acquainted with Real 4A0-113 Exam Simulation ☐ Search on “ www.pdfvce.com ” for ☐ 4A0-113 ☐ to obtain exam materials for free download ☐ 4A0-113 Latest Test Format
- 4A0-113 Exam Book ☐ Learning 4A0-113 Mode ☐ 4A0-113 Lab Questions ☐ Search for ☐ 4A0-113 ☐ and easily obtain a free download on ☐ www.pdfdumps.com ☐ 4A0-113 Examinations Actual Questions
- Pass Guaranteed Quiz 2026 First-grade Nokia 4A0-113: Nokia OSPF Routing Protocol Exam Valid Exam Bootcamp ☐ Download 【 4A0-113 】 for free by simply entering ✨ www.pdfvce.com ✨ ☐ website ☐ Pdf4A0-113 Files
- Pass Guaranteed Quiz Nokia - 4A0-113 - Valid Nokia OSPF Routing Protocol Exam Valid Exam Bootcamp ☐ Search for [4A0-113] and download exam materials for free through ➡ www.validtorrent.com ☐ 4A0-113 Download Demo
- Valid 4A0-113 Test Cram ☐ Useful 4A0-113 Dumps ☐ Sample 4A0-113 Questions ☐ ➤ www.pdfvce.com ☐ is best website to obtain ☐ 4A0-113 ☐ for free download ☐ 4A0-113 Latest Exam Materials

- New 4A0-113 Braindumps Ebook □ 4A0-113 Latest Test Format □ Sample 4A0-113 Questions □ Enter ▷
www.practicevce.com ◁ and search for 《 4A0-113 》 to download for free □ Answers 4A0-113 Real Questions
- maliwebcourse.com, www.stes.tyc.edu.tw, myspace.com, online.a-prendo.com, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, graaphi.com, qours.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, www.stes.tyc.edu.tw, edulistic.com, Disposable vapes

DOWNLOAD the newest ActualCollection 4A0-113 PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1T8NEBOQp05iVh_wJN8_nZDMmjVl2m5Q0