

Reliable AD0-E137 Dumps Book - AD0-E137 Exam Guide Materials



BONUS!!! Download part of ITexamReview AD0-E137 dumps for free: https://drive.google.com/open?id=1iMgIIzFfgJUMQaqsEg_Fo23GPmXZydxF

If you want to pass the exam smoothly buying our AD0-E137 useful test guide is your ideal choice. They can help you learn efficiently, save your time and energy and let you master the useful information. Our passing rate of AD0-E137 study tool is very high and you needn't worry that you have spent money and energy on them but you gain nothing. We provide the great service after you purchase our AD0-E137 cram training materials and you can contact our customer service at any time during one day. It is a pity if you don't buy our AD0-E137 study tool to prepare for the test AD0-E137 certification.

Adobe AD0-E137 Exam Syllabus Topics:

Topic	Details
Topic 1	• AEM Development: This section of the exam measures the skills of Technical Consultants and covers implementing a single-page application (SPA) structure, building components using HTL, sling models, and services, writing unit tests and mapping mock data, integrating third-party APIs, developing OSGi services or servlets, and choosing appropriate JCR queries in context.
Topic 2	• Build and Deployment: This section of the exam measures the skills of AEM Developers and covers front-end and back-end dependency management, creating a project via Maven archetype, crafting custom run modes, configuring workflows, and creating and managing custom Oak indexes.
Topic 3	• Environment Maintenance: This section of the exam measures the skills of Implementation Specialists and covers managing AEM environment configurations, release management, synchronizing content and configurations across environments via package manager, and applying maintenance tools to support environments.

Topic 4	Configurations: This section of the exam measures skills of AEM Developers and covers how to select and configure dispatcher rules based on scenario, set up multi-tenant environments, integrate SAML and LDAP for authentication, configure replication agents, and manage editable templates or content fragment models.
---------	---

>> Reliable AD0-E137 Dumps Book <<

AD0-E137 Exam Guide Materials, New AD0-E137 Exam Notes

Our brand has marched into the international market and many overseas clients purchase our AD0-E137 exam dump online. As the saying goes, Rome is not build in a day. The achievements we get hinge on the constant improvement on the quality of our AD0-E137 latest study question and the belief we hold that we should provide the best service for the clients. The great efforts we devote to the Adobe exam dump and the experiences we accumulate for decades are incalculable. All of these lead to our success of AD0-E137 learning file and high prestige.

Adobe Experience Manager Sites Developer Expert Sample Questions (Q13-Q18):

NEW QUESTION # 13

A developer is creating a dialog for a component, which has a checkbox field. After saving the component configuration, the developer noticed that the checkbox value is stored as a String type in JCR. What should be done to store the checkbox value as a Boolean type in JCR?

- A. Implement JCR Event Listener to change field type afterwards
- B. Use Switch instead of Checkbox
- C. Add TypeHint field to the dialog

Answer: C

NEW QUESTION # 14

A client has a requirement to get the location of stores based on the zip code authored in the component dialog. Location needs to be pulled from an external API using OSGi services.

Which OSGi Service code snippet should be used to represent the requirement?

A)

```
@OSGiService(component = Service.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}
```

B)

```
@Component(service = Service.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
```

```

    } catch (IOException e) {
    }
    return storeLocations;
}
}
C)
@Service(service = Component.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}

```

- A. Option D
- **B. Option B**
- C. Option C
- D. Option A

Answer: B

NEW QUESTION # 15

A developer needs to upgrade an existing custom component based on Core Components Version 1 (v1) to Core Components Version 2 (v2).

How should the developer upgrade to this version?

- **A. Modify the slingresourceSuperType property on the custom component to point to the V2 Component**
- B. The Custom Component will be automatically upgraded to the V2 Core Component on AEM Restart
- C. Modify the slingresourceType property on the custom component to point to the V2 Component

Answer: A

NEW QUESTION # 16

A developer is creating a set of SPA components, half of which do not require a custom component exporter. The developer needs to override the default exporter for the remaining components.

How can the developer meet this goal?

- **A. Implement ComponentExporter service**
- B. Implement ImplementationPicker service
- C. Implement FallbackComponentImpl service

Answer: A

NEW QUESTION # 17

A customer has the requirement to use SAML authentication on AEM using their SAML 2.0 compatible IDP.

Example:

AEM: www.wknd.com/content/siteB/index.html

IDP: <https://www.idpB.com>

How should an AEM Developer configure their SAML Authentication Handler?

- **A. com.adobe.granite.auth.saml.SamlAuthenticationHandler.path : /content/siteB**

B. com.adobe.granite.auth.saml.SamlAuthenticationHandler.userIntermediatePath :
/content/siteBcom.adobe.granite.auth.saml.SamlAuthenticationHandler.assertionConsumerServiceURL :
<https://www.idpB.com>

C. com.adobe.granite.auth.saml.SamlAuthenticationHandler.userIntermediatePath : /content/siteB
com.adobe.granite.auth.saml.SamlAuthenticationHandler.serviceProviderEntityId : <https://www.idpB.com>

BONUS!!! Download part of ITexamReview AD0-E137 dumps for free: https://drive.google.com/open?id=1iMgIIzFfgJUMQaqsEg_Fo23GPmXZydxF