

# PCNSE Updated Test Cram | PCNSE Actual Test Answers

---

## PCNSE PRACTICE TEST correctly answered 2023

What is the last step of packet processing in the firewall?

- A. check allowed ports
- B. check Security Profiles
- C. check Security policy
- D. forwarding lookup - correct answer B

Which interface type requires you to configure where the next hop is for various addresses?

- A. tap
- B. virtual wire
- C. Layer 2
- D. Layer 3 - correct answer D

How do you enable the firewall to be managed through a data-plane interface?

- A. You specify Web UI in the interface properties.
- B. You specify Management in the interface properties.
- C. You specify HTTPS in the Interface Management Profile, and then specify in the interface properties to use that profile.
- D. You specify Management in the Interface Management Profile, and then specify in the interface properties to use that profile. - correct answer C

Some devices managed by Panorama have their external interface on ethernet1/1, some on ethernet1/2. However, the zone definitions for the external zone are identical. What is the recommended solution in this case?

- A. Create two templates: one for the ethernet1/1 devices, one for the ethernet1/2 devices. Use the same external zone definitions in both. Apply those two templates to the appropriate devices.
- B. Create three templates: one for the ethernet1/1 devices, one for the ethernet1/2 devices, and one with the external zone definitions. Use those templates to create two template stacks, one with the ethernet1/1 and external zone, another with the ethernet1/2 and external zone. Apply those two template stacks to the appropriate devices.
- C. Create three templates: one for the ethernet1/1 devices, one for the ethernet1/2 devices, and one with the external zone definitions. Apply the external zone template to all devices, and the ethernet1/1 and ethernet1/2 as appropriate (you can apply up to five templates per device).
- D. Create three template stacks: one for the ethernet1/1 devices, one for the ethernet1/2 devices, and one with the external zone definitions. Apply the external zone template to all devices, and the ethernet1/1 and ethernet1/2 as appropriate (you can apply up to five templates per device). - correct answer A

DOWNLOAD the newest PrepAwayETE PCNSE PDF dumps from Cloud Storage for free: [https://drive.google.com/open?id=1y-B3VD7KwjC0jpbpGHM\\_Ztd\\_WG\\_ZV5g](https://drive.google.com/open?id=1y-B3VD7KwjC0jpbpGHM_Ztd_WG_ZV5g)

Our passing rate is very high to reach 99% and our PCNSE exam torrent also boost high hit rate. Our PCNSE study questions are compiled by authorized experts and approved by professionals with years of experiences. They are compiled according to the latest development conditions in the theory and practice and the questions and answers are based on real exam. Our PCNSE study questions are linked tightly with the exam papers in the past and conform to the popular trend in the industry. Our product convey you more important information with less amount of the questions and answers. Thus we can be sure that our PCNSE guide torrent are of high quality and can help you pass the exam with high probability.

Our PCNSE guide torrent has gone through strict analysis and summary according to the past exam papers and the popular trend in the industry and are revised and updated according to the change of the syllabus and the latest development conditions in the theory and the practice. The PCNSE exam questions have simplified the sophisticated notions. The software boosts varied self-learning and self-assessment functions to check the learning results. The software of our PCNSE Test Torrent provides the statistics report function and help the students find the weak links and deal with them.

>> PCNSE Updated Test Cram <<

**PCNSE Actual Test Answers, Actual PCNSE Tests**

Keeping the dynamic Palo Alto Networks Certified Network Security Engineer Exam (PCNSE) exam content in mind, we provide updated and reliable PCNSE test material. We also offer free Palo Alto Networks Dumps updates for up to 1 year after your purchase. We only provide cost-effective Palo Alto Networks Certified Network Security Engineer Exam (PCNSE) exam practice material. A 24/7 customer service can also help you in case of any problem. Don't wait for your success if the best Palo Alto Networks Certified Network Security Engineer Exam (PCNSE) exam preparation material is available on our platform. You can get actual Palo Alto Networks Certified Network Security Engineer Exam (PCNSE) exam questions and prepare for your test in a short time. If you have any issue, please contact our customer support.

## **Palo Alto Networks Certified Network Security Engineer Exam Sample Questions (Q29-Q34):**

### **NEW QUESTION # 29**

Which two actions are required to make Microsoft Active Directory users appear in a firewall traffic log? (Choose two.)

- A. Enable User-ID on the zone object for the source zone
- B. Run the User-ID Agent using an Active Directory account that has "domain administrator" permissions
- C. Configure a RADIUS server profile to point to a domain controller
- D. Enable User-ID on the zone object for the destination zone
- E. Run the User-ID Agent using an Active Directory account that has "event log viewer" permissions

**Answer: A,E**

### **NEW QUESTION # 30**

Which conditions must be met when provisioning a high availability (HA) cluster? (Choose two.)

- A. Panorama must be used to manage HA cluster members.
- B. HA cluster members must be the same firewall model and run the same PAN-OS version.
- C. HA cluster members must share the same zone names.
- D. Dedicated HA communication interfaces for the cluster must be used over HSCI interfaces.

**Answer: B,C**

Explanation:

HA cluster members must be the same firewall model and run the same PAN-OS version.

HA cluster members must share the same zone names in order for sessions to successfully fail over to another cluster member.  
<https://docs.paloaltonetworks.com/pan-os/11-0/pan-os-admin/high-availability/ha-clustering-best-practices-and-provisioning>

### **NEW QUESTION # 31**

After switching to a different WAN connection, users have reported that various websites will not load, and timeouts are occurring. The web servers work fine from other locations.

The firewall engineer discovers that some return traffic from these web servers is not reaching the users behind the firewall. The engineer later concludes that the maximum transmission unit (MTU) on an upstream router interface is set to 1400 bytes. The engineer reviews the following CLI output for ethernet1/1.

```
> show interface ethernet1/1

Name: ethernet1/1, ID: 16
Link status:
  Runtime link speed/duplex/state: unknown/unknown/down
  Configured link speed/duplex/state: auto/auto/auto
MAC address:
  Port MAC address 8c:36:7a:fd:b5:10
Operation mode: layer3
Untagged sub-interface support: no

Name: ethernet1/1, ID: 16
Operation mode: layer3
Virtual router default
Interface MTU 1500
Interface IP address: 9.16.70.146/23
Interface management profile: ping
  ping: yes telnet: no ssh: no http: no https: no
  snmp: no response-pages: no userid service: no
Service configured: SSL-VPN
Zone: L3-WAN, virtual
Adjust TCP MSS: no
Ignore IPv4 DF: no
Policing: no
```

Which setting should be modified on ethernet1/1 to remedy this problem?

- A. Adjust the TCP maximum segment size (MSS) value.
- B. Lower the interface MTU value below 1500.
- C. Enable the Ignore IPv4 Don't Fragment (DF) setting.
- D. Change the subnet mask from /23 to /24.

**Answer: A**

Explanation:

<https://knowledgebase.paloaltonetworks.com/KCSArticleDetail?id=kA10g000000PN0gCAG> Please note that even though adjusting the MSS value on the PA firewall solves the issue, the issue is not caused by the Firewall. The issue is caused by other hosts in the path that have lower MTU setting.

## NEW QUESTION # 32

An Administrator is configuring an IPSec VPN to a Cisco ASA at the administrator's home and experiencing issues completing the connection. The following is the output from the command:

less mp-log ikemgr.log:

```
less mp-log ikemgr.log:

2014-08-05 03:51:41 [INFO]: IPSec-SA request for 108.81.64.59 queued since no phase1 found
2014-08-05 03:51:41 [PROTO_NOTIFY]: >>> PHASE-1 NEGOTIATION STARTED AS INITIATOR, MAIN MODE <<<
  >>> Initiated SA: 69.15.96.53[500]-108.81.64.59[500] cookie:09e05260f28f4e15:0000000000000000 <<<
2014-08-05 03:52:03 [PROTO_NOTIFY]: >>> PHASE-1 NEGOTIATION FAILED AS INITIATOR, MAIN MODE <<<
  >>> Failed SA: 69.15.96.53[500]-108.81.64.59[500] cookie:09e05260f28f4e15:0000000000000000 <<< Due to
timeout.
2014-08-05 03:52:33 [INFO]: >>> PHASE-1 SA DELETED <<<
  >>> Deleted SA: 69.15.96.53[500]-108.81.64.59[500] cookie:09e05260f28f4e15:0000000000000000 <<<
2014-08-05 03:53:02 [INFO]: IPSec-SA request for 108.81.64.59 queued since no phase1 found
2014-08-05 03:53:02 [PROTO_NOTIFY]: >>> PHASE-1 NEGOTIATION STARTED AS INITIATOR, MAIN MODE <<<
  >>> Initiated SA: 69.15.96.53[500]-108.81.64.59[500] cookie:53351420a91a47:0000000000000000 <<<
2014-08-05 03:53:54 [PROTO_NOTIFY]: >>> PHASE-1 NEGOTIATION FAILED AS INITIATOR, MAIN MODE <<<
  >>> Failed SA: 69.15.96.53[500]-108.81.64.59[500] cookie:53351420a91a47:0000000000000000 <<< Due to
timeout.
```

What could be the cause of this problem?

- A. The shared secrets do not match between the Palo Alto firewall and the ASA
- B. The public IP addresses do not match for both the Palo Alto Networks Firewall and the ASA.
- C. The Proxy IDs on the Palo Alto Networks Firewall do not match the settings on the ASA.
- D. The dead peer detection settings do not match between the Palo Alto Networks Firewall and the ASA

**Answer: C**

## NEW QUESTION # 33

Which template values will be configured on the firewall if each template has an SSL to be deployed. The template stack should consist of four templates arranged according to the diagram.



Which template values will be configured on the firewall if each template has an SSL/TLS Service profile configured named Management?

- A. Values in Global Settings
- B. Values in Datacenter
- C. Values in Chicago
- D. Values in efw01ab.chi

**Answer: C**

Explanation:

The template stack should consist of four templates arranged according to the diagram. The template values that will be configured on the firewall if each template has an SSL/TLS Service profile configured named Management will be the values in Chicago. This is because the SSL/TLS Service profile is configured in the Chicago template, which is the highest priority template in the stack. The firewall will inherit the settings from the highest priority template that has the setting configured, and ignore the settings from the lower priority templates that have the same setting configured. Therefore, the values in Datacenter, efw01ab.chi, and Global Settings will not be applied to the firewall. References:

- \* [Manage Templates and Template Stacks]
- \* [Template Stack Configuration]
- \* [Template Stack Priority]

#### NEW QUESTION # 34

.....

With these mock exams, it is easy to track your progress by monitoring your marks each time you go through the PCNSE practice test. Our PCNSE practice exams will give you an experience of attempting the PCNSE original examination. You will be able to deal with the actual exam pressure better when you have already experienced it in our Palo Alto Networks PCNSE practice exams.

**PCNSE Actual Test Answers:** <https://www.prepawayete.com/Palo-Alto-Networks/PCNSE-practice-exam-dumps.html>

PCNSE exam practice is well known for its quality service, Passing the PCNSE test certification can help you prove that you are competent in some area and if you buy our PCNSE study materials you will pass the test almost without any problems for we are the trustful vendor of the PCNSE practice guide for years, Palo Alto Networks PCNSE Updated Test Cram It will ensure your success in the real exam

One of the most important aspects of using alternative sites is documentation, PCNSE There are several new elements of C in this program: Notice that the code uses a new kind of variable declaration.

#### Reliable PCNSE Updated Test Cram - Easy and Guaranteed PCNSE Exam Success

PCNSE exam practice is well known for its quality service, Passing the PCNSE test certification can help you prove that you are competent in some area and if you buy our PCNSE study materials you will pass the test almost without any problems for we are the

trustful vendor of the PCNSE practice guide for years.

It will ensure your success in the real exam. Also if you are preparing for IT exams, PCNSE test torrent sheet will be also suitable for you to prepare carefully, and PCNSE Actual Test Answers our products will ease a lot of annoyance with our latest Palo Alto Networks Certified Network Security Engineer Exam exam dumps PDF.

To get the Palo Alto Networks PCNSE exam questions credential, candidates must pass the Palo Alto Networks PCNSE exam.

DOWNLOAD the newest PrepAwayETE PCNSE PDF dumps from Cloud Storage for free: [https://drive.google.com/open?id=1y-B3VD7KwjC0jpfpGHM\\_Ztd\\_WG\\_ZV5g](https://drive.google.com/open?id=1y-B3VD7KwjC0jpfpGHM_Ztd_WG_ZV5g)