

# UiPath-ADAv1 Free Sample Questions, Reliable UiPath-ADAv1 Exam Prep



Instant downloads

Latest Sample Question

High Success Rate

**Updated**  
Question&Answers

**Click Here**

P.S. Free & New UiPath-ADAv1 dumps are available on Google Drive shared by TrainingQuiz: <https://drive.google.com/open?id=1gYaYF58fDbCdHD4s2AIIks05QeLzlhvf>

You deserve this opportunity to win and try to make some difference in your life if you want to attend the UiPath-ADAv1 exam and get the certification by the help of our UiPath-ADAv1 practice braindumps. As we all know, all companies will pay more attention on the staffs who have more certifications which is a symbol of better understanding and efficiency on the job. Our UiPath-ADAv1 Study Materials have the high pass rate as 98% to 100%, hope you can use it fully and pass the exam smoothly.

TrainingQuiz releases 100% pass-rate UiPath UiPath-ADAv1 study guide files which guarantee candidates 100% pass exam in the first attempt. It is time for you to choose a valid UiPath UiPath-ADAv1 study guide, this will be your best method for clearing exam and obtain a certification. Good UiPath-ADAv1 Study Guide will be a shortcut for you to well-directed prepare and practice efficiently, you will avoid do much useless efforts and do something interesting.

>> **UiPath-ADAv1 Free Sample Questions <<**


## **Browser-based UiPath UiPath-ADAv1 Practice Test Software**

You should prepare with TrainingQuiz UiPath-ADAv1 Questions that are in compliance with UiPath-ADAv1 exam content. More than 90,000 professionals worldwide have provided their feedback, helping create and launch UiPath-ADAv1 questions in the market. So, if you're determined to pass the UiPath exam and achieve UiPath-ADAv1 Certification to accelerate your career, it's time to build your knowledge and skills. You can try the demo version of UiPath Automation Developer Associate v1 Exam (UiPath-ADAv1) practice dumps before payment.

## **UiPath Automation Developer Associate v1 Exam Sample Questions (Q174-Q179):**

### **NEW QUESTION # 174**

A developer wants to add items to a list of strings using the Invoke Method activity. The list is declared as follows:



The screenshot shows the Data Manager interface in UiPath Studio. It displays two configurations of a variable named 'Colors'.

**Left Configuration:**

- Variables:** Colors
- Data Type:** System.Collections.Generic.List<System.String>
- Scope:** TestWorkflow
- Default Value:** Enter a VB expression

**Right Configuration:**

- Variables:** Colors
- Data Type:** System.Collections.Generic.List<System.String>
- Scope:** TestWorkflow
- Default Value:** Enter a VB expression

A large watermark 'trainingquiz.com' is diagonally across the image.



The **Invoke Method** activity has the following properties:

System.Activities.Statements.InvokeMethod

**Common**

DisplayName: Invoke Method

**Misc**

GenericTypeArguments	(Collection)	...
MethodName	Add	...
Parameters	(Collection)	...
Private	<input type="checkbox"/>	
Result	Enter a VB expression	...
RunAsynchronously	<input type="checkbox"/>	
TargetObject	Colors	...
TargetType	(null)	...

The **Parameters** property is as follows:

Direction	Type	Value
In	String	"Yellow"

Create Argument

OK Cancel

Based on the information shown in the exhibits, what is the outcome of the **Invoke Method** activity?

- A. Colors will contain an item with the value "Yellow".
- B. Colors will contain an item with an empty value.
- C. Colors will contain an item with the value "Colors: Yellow".
- D. An exception will be thrown.

**Answer: A**

**Explanation:**

The **Invoke Method** activity is used to add items to a list of strings. In this case, the list is declared as "Colors". The outcome of the **Invoke Method** activity will be that the list "Colors" will contain an item with the value "Yellow". This is because the **TargetObject** property is set to "Colors", which is the list variable, the **MethodName** property is set to "Add", which is the method of the list class, and the **Parameters** property is set to "Yellow", which is the value to be added to the list. (UiPath Studio documentation1)

#### NEW QUESTION # 175

Which option from the UiPath Studio backstage view prohibits debugging projects with Workflow Analyzer errors?

- A. Enforce Analyzer before Push/Check-in.
- B. Enforce Analyzer before Run.**
- C. Enforce Analyzer before Publish,
- D. Enforce Analyzer before remote execution.

**Answer: B**

**Explanation:**

In UiPath Studio, the option that prohibits debugging projects with Workflow Analyzer errors is "Enforce Analyzer before Run." When this option is enabled in the backstage view, the Workflow Analyzer runs before the execution of the project, and if there are errors, the project will not run.

## NEW QUESTION # 176

Which option best describes a process that is considered SEMI-AUTOMATION?

- A. Processes that are digital and involve a highly static system and process environment, so that they can be easily broken into instructions and simple triggers can be defined.
- B. Processes where change is frequent, the system environment is volatile, and multiple manual (even non-digital) actions are required.
- C. Processes that can be broken down into steps that can be clearly automated, and steps that need to stay manual (such as validations or usage of physical security tokens).
- D. Processes that are rather digital and can be automated, but use some technologies that are complex (such as OCR) or require advanced programming skills.

**Answer: D**

Explanation:

"High-Cost RPA" = Processes that are rather digital and can be automated, but use some technologies that are complex (such as OCR) or require advanced programming skills. "No RPA" = Processes where change is frequent, the system environment is volatile, and multiple manual (even non-digital) actions are required.

## NEW QUESTION # 177

What is the primary responsibility of an automation business analyst in the Process Analysis phase of automation implementation?

- A. Defining and finalizing the TO-BE process.
- B. Ensuring a proper handover of the compiled documents to the development team.
- C. Analyzing the chosen process in its AS-IS state and starting the Process Definition Document (PDD) creation.
- D. Assisting the clients in the creation of test cases and scenarios.

**Answer: C**

Explanation:

Comprehensive and Detailed In-Depth Explanation:

The Process Analysis phase is a critical stage where the Automation Business Analyst (ABA) analyzes the current (AS-IS) state of a process and begins documenting it in the Process Definition Document (PDD).

# Primary Responsibilities of an Automation Business Analyst in the Process Analysis Phase:

1## Analyze the AS-IS Process

- \* Understand how the current manual process works.
- \* Identify bottlenecks and inefficiencies.
- \* Gather business requirements from stakeholders.

2## Start Creating the Process Definition Document (PDD)

- \* Document the process flow.
- \* Identify automation opportunities.
- \* Define inputs, outputs, and business rules.

3## Work with the Development Team to Validate Feasibility

- \* Check if the process is technically automatable.
- \* Identify potential challenges before development begins.

Real-World Use Case: Automating an Invoice Approval Process

# Scenario:

A company manually processes 1000+ invoices per month, leading to:

# Delays

# Human errors

# High processing costs

# Automation Business Analyst Steps:

1## Interviews finance employees to document the AS-IS process.

2## Identifies decision points (e.g., manager approvals).

3## Creates a PDD with step-by-step details.

4## Passes the PDD to the development team for feasibility analysis.

# This ensures smooth automation implementation!

Why the other options are incorrect?

# B. Ensuring a proper handover of compiled documents to the development team


\* Handover happens later, after PDD completion.

- # C. Defining and finalizing the TO-BE process
  - \* TO-BE process is finalized later, after analyzing AS-IS.
- # D. Assisting in the creation of test cases
  - \* Test cases are created during development and UAT, not during Process Analysis.
- # Reference:
  - \* UiPath Documentation: Process Definition Document (PDD)
  - \* UiPath Academy: RPA Business Analysis

### NEW QUESTION # 178

A developer aims to employ the REFramework for automating a business process that involves a TransactionData collection (DataTable) comprising vendor names and addresses.


Instructions: Choose the appropriate variable type for the TransactionItem from the provided drop-down list in the following exhibit.



Name	Variable type	Scope	Default
TransactionItem	DataRow	General Business ...	Enter a VB expression
SystemException	DataRow	General Business ...	Enter a VB expression
BusinessException	List<DataRow>	General Business ...	Enter a VB expression
TransactionNumber	QueueItem	General Business ...	Enter a VB expression
Config	DataTable	General Business ...	1

### Answer:

Explanation:



Name	Variable type	Scope	Default
TransactionItem	DataRow	General Business ...	Enter a VB expression
SystemException	DataRow	General Business ...	Enter a VB expression
BusinessException	List<DataRow>	General Business ...	Enter a VB expression
TransactionNumber	QueueItem	General Business ...	1
Config	DataTable	General Business ...	Enter a VB expression

Explanation:

DataRow

The REFramework is a template that provides a robust and scalable structure for building automation projects. It uses the concept of TransactionData and TransactionItem to handle the input data and process it in a loop1. The TransactionData is a collection of items that need to be processed, and the TransactionItem is a single item from that collection that is assigned to the robot in each iteration2.

The type of the TransactionItem variable depends on the type of the TransactionData variable. By default, the REFramework uses QueueItem as the type for both variables, assuming that the input data comes from an Orchestrator queue3. However, if the input data comes from a different source, such as an Excel file, a web page, or a SAP application, then the type of both variables needs to be changed accordingly4.

In your case, since the input data is a DataTable that contains vendor names and addresses, the appropriate type for the TransactionItem variable is DataRow. A DataRow represents a single row in a DataTable, and it can store multiple values in its columns. By using DataRow as the type for the TransactionItem variable, you can access and manipulate the vendor information in each iteration of the process.

References:

- \* REFramework Documentation - UiPath Documentation Portal.
- \* REFramework - TransactionItem type - Help - UiPath Community Forum.
- \* REFramework for Tabular Data - RPA Component - UiPath Marketplace.
- \* Transaction Item variable type - Studio - UiPath Community Forum.
- \* [DataRow Class (System.Data) | Microsoft Docs].

### NEW QUESTION # 179

.....

Our company is a professional certificate test materials provider, and we have rich experiences in providing exam materials. UiPath-ADAv1 exam materials are reliable, and we can help you pass the exam just one time. UiPath-ADAv1 exam dumps are also known as high pass rate, and the pass rate reaches 98.95%. We are pass guaranteed and money back guaranteed in case you fail to pass the exam. Moreover, we have free demo for UiPath-ADAv1 Exam Materials for you to have a general understanding of the product.

**Reliable UiPath-ADAv1 Exam Prep:** <https://www.trainingquiz.com/UiPath-ADAv1-practice-quiz.html>

You can claim a refund if you don't pass the UiPath UiPath-ADAv1 certification exam after using these actual UiPath UiPath-ADAv1 exam dumps, UiPath UiPath-ADAv1 Free Sample Questions **THIS IS A COMPREHENSIVE LIMITATION OF LIABILITY THAT APPLIES TO ALL DAMAGES OF ANY KIND, INCLUDING (WITHOUT LIMITATION) COMPENSATORY, DIRECT, INDIRECT OR CONSEQUENTIAL DAMAGES, LOSS OF DATA, INCOME OR PROFIT, LOSS OF OR DAMAGE TO PROPERTY AND CLAIMS OF THIRD PARTIES**, We have made **commit** to all of our customers to success pass in the UiPath-ADAv1 actual test.

Is there another way, Ensures that all students UiPath-ADAv1 Practice Exam Pdf will be able to understand explanations of topics, You can claim a refund if you don't pass the UiPath UiPath-ADAv1 Certification Exam after using these actual UiPath UiPath-ADAv1 exam dumps.

## **Updated and Error-free UiPath UiPath-ADAv1 Exam Practice Test Questions**

THIS IS A COMPREHENSIVE LIMITATION OF LIABILITY UiPath-ADAv1 Latest Study Plan THAT APPLIES TO ALL DAMAGES OF ANY KIND, INCLUDING (WITHOUT LIMITATION) COMPENSATORY, DIRECT, INDIRECT OR CONSEQUENTIAL DAMAGES, LOSS UiPath-ADAv1 OF DATA, INCOME OR PROFIT, LOSS OF OR DAMAGE TO PROPERTY AND CLAIMS OF THIRD PARTIES.

We have made commit to all of our customers to success pass in the UiPath-ADAv1 actual test, Now, you can download our UiPath-ADAv1 free demo for try, Free of virus for our UiPath Automation Developer Associate v1 Exam PDF dumps.

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, hlchocca.msvmarketing.com.br, www.stes.tyc.edu.tw, kellywood.com.au, www.stes.tyc.edu.tw, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

P.S. Free & New UiPath-ADAv1 dumps are available on Google Drive shared by TrainingQuiz: <https://drive.google.com/open?id=1gYaYF58fDbCdHD4s2AIiks05QeLzfhvf>