

# Exam XK0-005 Bible | XK0-005 Exam Passing Score



What's more, part of that TestPassed XK0-005 dumps now are free: [https://drive.google.com/open?id=1qa7WvnNclfpbo1NgoiYqrA\\_JA7iUeOC-](https://drive.google.com/open?id=1qa7WvnNclfpbo1NgoiYqrA_JA7iUeOC-)

Often candidates fail the XK0-005 exam due to the fact that they do not know the tactics of attempting the CompTIA Linux+ Certification Exam (XK0-005) exam in an ideal way. The decisive part is often effective time management. Some CompTIA XK0-005 Exam Questions demand more attention than others, which disturbs the time allotted to each topic. The best way to counter them is to use an updated XK0-005 Dumps.

We attach great importance on the quality of our XK0-005 exam dumps. Every product will undergo a strict inspection process. The quality of our XK0-005 study guide deserves your trust. The most important thing for preparing the exam is reviewing the essential point. Almost all questions and answers of the real exam occur on our XK0-005 practice materials. That means if you study our XK0-005 training prep, your passing rate is much higher than other candidates.

>> Exam XK0-005 Bible <<

## Well-known XK0-005 Practice Engine Sends You the Best Training Dumps - TestPassed

Without a doubt, there is one thing that can assist them with perceiving this interest and clearing their CompTIA Linux+ Certification Exam (XK0-005) exam with flying colors. CompTIA XK0-005 dumps merge all that gigantic and the competitor doesn't require to purchase the aide or different books to review. They have this test material and need nothing else for planning CompTIA Linux+ Certification Exam exam.

## CompTIA Linux+ Certification Exam Sample Questions (Q772-Q777):

### NEW QUESTION # 772

A systems administrator is reviewing the following output on the text editor that is being used to update the company's internal

database records:

```
{
  "Company Name": "CompTIA",
  "Address": "1234 Main Street",
  "City": "San Francisco",
  "State": "CA"
}
```

Which of the following extensions should the systems administrator use when saving the file?

- A. .sh
- B. .yaml
- C. .tf
- D. .json

**Answer: B**

#### NEW QUESTION # 773

A Linux administrator was asked to run a container with the httpd server inside. This container should be exposed at port 443 of a Linux host machine while it internally listens on port 8443. Which of the following commands will accomplish this task?

- A. podman exec -p 8443:443 httpd
- B. podman run -d -e 443:8443 httpd
- C. podman run -d -p 8443:443 httpd
- D. podman run -d -p 443:8443 httpd

**Answer: D**

Explanation:

Explanation

The command that will accomplish the task of running a container with the httpd server inside and exposing it at port 443 of the Linux host machine while it internally listens on port 8443 is podman run -d -p 443:8443

httpd. This command uses the podman tool, which is a daemonless container engine that can run and manage containers on Linux systems. The -d option runs the container in detached mode, meaning that it runs in the background without blocking the terminal.

The -p option maps a port on the host machine to a port inside the container, using the format host\_port:container\_port. In this case, port 443 on the host machine is mapped to port 8443 inside the container, allowing external access to the httpd server. The httpd argument specifies the name of the image to run as a container, which in this case is an image that contains the Apache HTTP Server software. The other options are not correct commands for accomplishing the task. Podman run -d -p 8443:443

httpd maps port 8443 on the host machine to port 443 inside the container, which does not match the requirement. Podman run -d -e 443:8443 httpd uses the -e option instead of the -p option, which sets an environment variable inside the container instead of mapping a port. Podman exec -p 8443:443 httpd uses the podman exec command instead of the podman run command, which executes a command inside an existing container instead of creating a new one. References: CompTIA Linux+ (XK0-005) Certification Study Guide, Chapter 18: Automating Tasks

#### NEW QUESTION # 774

A systems administrator needs to list the contents of archive.tar.xz. Which of the following commands will list the files?

- A. tar ddf archive.tar.xz
- B. tar xzf archive.tar.xz
- C. tar tJf archive.tar.xz
- D. tar jvf archive.tar.xz

**Answer: C**

#### NEW QUESTION # 775

Based on an organization's new cybersecurity policies, an administrator has been instructed to ensure that, by default, all new users and groups that are created fall within the specified values below.

```
# Min/max values for automatic uid selection in useradd
#
UID_MIN 1000
UID_MAX 60000
# Min/max values for automatic gid selection in groupadd
#
GID_MIN 1000
GID_MAX 60000
```

To which of the following configuration files will the required changes need to be made?

- A. /etc/security/limits.conf
- B. /etc/login.defs
- C. /etc/default/useradd
- D. /etc/profile

**Answer: B**

Explanation:

The required changes need to be made to the /etc/login.defs configuration file. The /etc/login.defs file defines the default values for user and group IDs, passwords, shells, and other parameters for user and group creation. The file contains the directives UID\_MIN, UID\_MAX, GID\_MIN, and GID\_MAX, which set the minimum and maximum values for automatic user and group ID selection. The administrator can edit this file and change the values to match the organization's new cybersecurity policies. This is the correct file to modify to accomplish the task. The other options are incorrect because they either do not affect the user and group IDs (/etc/security/limits.conf or /etc/profile) or do not set the default values (/etc/default/useradd). Reference: CompTIA Linux+ (XK0-005) Certification Study Guide, Chapter 15: Managing Users and Groups, page 463.

#### NEW QUESTION # 776

Joe, a user, is unable to log in to the Linux system. Given the following output:

```
# grep joe /etc/passwd /etc/shadow
/etc/passwd:joe:x:1001:1001:./home/joe:/bin/nologin
/etc/shadow:joe:$6$S3uOw6qWx9876jGhgKJsdFh987634534voj.:18883:0:99999:7:::
```

Which of the following commands would resolve the issue?

- A. usermod -s /bin/bash joe
- B. passwd -u joe
- C. pam\_tally2 -u joe -r
- D. chage -E 90 joe

**Answer: C**

Explanation:

Explanation

The command pam\_tally2 -u joe -r will resolve the issue of Joe being unable to log in to the Linux system.

The pam\_tally2 command is a tool for managing the login counter for the PAM (Pluggable Authentication Modules) system. PAM is a framework for managing authentication and authorization on Linux systems.

PAM allows the administrator to define the rules and policies for accessing various system resources and services, such as login, sudo, ssh, or cron. PAM also supports different types of authentication methods, such as passwords, tokens, biometrics, or smart cards. PAM can be used to implement login restrictions, such as limiting the number of failed login attempts, locking the account after a certain number of failures, or enforcing a minimum or maximum time between login attempts. The pam\_tally2 command can display, reset, or unlock the login counter for the users or hosts. The -u joe option specifies the user name that the command should apply to. The -r option resets the login counter for the user. The command pam\_tally2 -u joe -r will reset the login counter for Joe, which will unlock his account and allow him to log in to the Linux system. This will resolve the issue of Joe being unable to log in to the Linux system. This is the correct command to use to resolve the issue. The other options are incorrect because they either do not unlock the account (usermod -s

/bin/bash joe or passwd -u joe) or do not affect the login counter (chage -E 90 joe). References: CompTIA Linux+ (XK0-005) Certification Study Guide, Chapter 17: Implementing Basic Security, page 517.

• • • • •

**XK0-005 Exam Passing Score:** <https://www.testpassed.com/XK0-005-still-valid-exam.html>

Our XK0-005 preparation materials are very willing to accompany you through this difficult journey, Scrum Is Iterative and Incremental, How to pass the XK0-005 Exam successfully and quickly?

After all, the notes will help you review the important knowledge easily, XK0-005 While the interface of the test can be set by yourself, so you can change it as you like, thus your test looks like no longer dull but interesting.

- [illegible]

P.S. Free 2025 CompTIA XK0-005 dumps are available on Google Drive shared by TestPassed: [https://drive.google.com/open?id=1qa7WvnNclfpbo1NgoiYqrA\\_JA7iUeOC-](https://drive.google.com/open?id=1qa7WvnNclfpbo1NgoiYqrA_JA7iUeOC-)