

Quiz Efficient Nokia - Lab 4A0-D01 Questions



BTW, DOWNLOAD part of PassExamDumps 4A0-D01 dumps from Cloud Storage: <https://drive.google.com/open?id=1CpG0tOhG2jo21PHnznRRmi5SiEMNcyOD>

The PassExamDumps is a leading platform that is committed to offering to make Nokia Exam Questions preparation simple, smart, and successful. To achieve this objective PassExamDumps has got the services of experienced and qualified Nokia 4A0-D01 Exam trainers. They work together and put all their efforts and ensure the top standard of PassExamDumps Nokia 4A0-D01 exam dumps all the time.

Nokia 4A0-D01 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Module 5 – EDA (Event Driven Automation) Introduction
Topic 2	<ul style="list-style-type: none">SR Linux User and System Management: This section of the exam measures skills of a Network Automation Specialist and includes managing user roles, TLS configurations for secure communication, and automation features like Zero-Touch Provisioning (ZTP). It covers ZTP setup, configuration processes, and common issues that may arise during deployment.
Topic 3	<ul style="list-style-type: none">This section of the exam measures skills of a Network Automation Specialist and introduces the principles of Event Driven Automation in SR Linux environments. It covers integration with Kubernetes and explores core use cases such as intent-based automation for fabrics and services, as well as enhanced network observability.

TOP Lab 4A0-D01 Questions 100% Pass | Valid Nokia Practice Nokia Data Center Fabric Fundamentals Exam Mock Pass for sure

We have to admit that the exam of gaining the 4A0-D01 certification is not easy for a lot of people, especial these people who have no enough time. If you also look forward to change your present boring life, maybe trying your best to have the 4A0-D01 certification is a good choice for you. Now it is time for you to take an exam for getting the certification. If you have any worry about the 4A0-D01 Exam, do not worry, we are glad to help you. Because the 4A0-D01 study materials from our company are very useful for you to pass the exam and get the certification.

Nokia Data Center Fabric Fundamentals Exam Sample Questions (Q21-Q26):

NEW QUESTION # 21

Which of the following is NOT a function of Nokia's SR Linux application manager?

- A. It monitors the health of all applications.
- B. It reads the application's configuration information and starts each application.
- C. It translates the application's YANG model into protobufs for the IDB.
- D. It manages the SR Linux and customer-defined applications.

Answer: C

Explanation:

The SR Linux application manager does not perform the function of translating an application's YANG model into protobufs for the Interface DataBase (IDB). Its primary roles are managing applications, reading their configuration, and monitoring their health.

NEW QUESTION # 22

Which of the following statements about SR Linux interfaces is FALSE?

- A. The loopback interface is a physical interface directly connected to another interface on the same chassis.
- B. Network interfaces are associated with physical ports on the linecards.
- C. Only one management interface is allowed.
- D. Layer 2 parameters such as MTU are configured at the SR Linux interface level while Layer 3 parameters are configured at the subinterface level.

Answer: A

Explanation:

The loopback interface in SR Linux is a logical, virtual interface used for management and routing purposes; it is not a physical interface directly connected to another interface on the same chassis.

NEW QUESTION # 23

Which of the following statements about configuration checkpoints in Nokia SR Linux is FALSE?

- A. The operator can generate a new checkpoint when committing configuration changes.
- B. The operator can revert to any existing checkpoint.
- C. Checkpoint 0 is always the oldest checkpoint.
- D. The current running configuration can be saved as a JSON-formatted checkpoint file.

Answer: C

Explanation:

In Nokia SR Linux, checkpoint numbering is dynamic. The system assigns the lowest available number to the most recent checkpoint, not necessarily "0." When the number of saved checkpoints exceeds the configured maximum, the oldest checkpoint is removed, and the remaining checkpoints are renumbered accordingly. Therefore, checkpoint "0" is not always the oldest checkpoint.

NEW QUESTION # 24

Which of the following statements about the MAC table shown in the exhibit output is FALSE?

```
A:dc-leaf-1# show network-instance mac-vrf-1 bridge-table mac-table all
```

address	Destination	Dest Index	Type	Active	Aging	Last Update
00:02:01:FF:00:41	irb-interface	0	irb-interface	true	N/A	2021-12-08T21:10:17.000Z
00:25:BA:00:00:10	ethernet-1/10.0	3	duplicate	true	N/A	2021-12-10T20:41:22.000Z
00:25:BA:00:00:11	ethernet-1/11.0	4	learnt	true	290	2021-12-10T19:41:07.000Z

Total Irb Macs	: 1 Total	1 Active				
Total Static Macs	: 0 Total	0 Active				
Total Duplicate Macs	: 1 Total	1 Active				
Total Learnt Macs	: 1 Total	1 Active				
Total Macs	: 3 Total	3 Active				

```
-----
```

- A. The MAC re-learning rate has exceeded the threshold within the specified time frame.
- B. Mac-duplication detection is enabled in mac-vrf-1.
- C. [interface ethernet-1/10 is configured with the MAC address 00:25:BA:00:00:10.
- D. The MAC address 00:25: BA:00:00:10 is learnt on more than one interface.

Answer: D

Explanation:

The MAC address 00:25:BA:00:00:10 is listed as "duplicate," but it appears only once associated with interface ethernet-1/10. Therefore, it is not learned on more than one interface.

NEW QUESTION # 25

Based on the exhibit output, what CLI command can be used to display the contents of "bgp-log" in Nokia's SR Linux?

```
--{ + candidate shared default }--[ system logging ]--
A:dc-leaf-1# info
:
:
file bgp-log {
    format "%TIMEGENERATED:::date-rfc3339% %HOSTNAME% %syslogfacility-text%|%syslogseverity-text:1:4:uppercase%
%SYSLOGTAG%MSG:::sp-if-no-1st-sp%MSG:::drop-last-1f%\\n"
    subsystem bgp {
    }
    subsystem netinst {
    }
}
```

- A. info system logging buffer bgp-log
- B. info system logging file bgp-log
- C. show system logging file bgp-log
- D. show system logging buffer bgp-log

Answer: C

Explanation:

The "bgp-log" is defined as a log file in the configuration, so the correct command to display its contents is show system logging file bgp-log.

NEW QUESTION # 26

.....

Perhaps you are in a bad condition and need help to solve all the troubles. Don't worry, once you realize economic freedom, nothing

Practice 4A0-D01 Mock: <https://www.passexamdumps.com/4A0-D01-valid-exam-dumps.html>

- BTW, DOWNLOAD part of PassExamDumps 4A0-D01 dumps from Cloud Storage: <https://drive.google.com/open?id=1CpG0tOhG2jo2lPHznRRmi5SiEMNcvOD>