

CHFM Test Answers & Exam CHFM Prep

CHFM Exam 1

Two things DAP requires - answer 1. meeting children where they are
2. enabling them to reach goals

When determining the appropriateness of an activity, teachers must consider three things. - answer 1.be appropriate to children's age and developmental status
2.attuned to them as unique individuals
3. responsive to the social and cultural contexts in which they live

What are educational researchers referring to when they talk about The Achievement Gap? - answer • Family income and education
• Ethnicity
• Language background
• The exist between demographic groups

What variables are correlated with this gap? - answer

True or false: gaps early in life tend to go away. Explain your answer. - answer

What can early childhood programs do to improve the educational outcomes of at risk children? - answer

What can elementary grade teachers and preschool teachers learn from one another to improve education quality and outcomes substantially? - answer

Should programs provide child guided for teacher guided experiences, or should it be a balance of both. Explain your answer. - answer

True or false: Play the most important activity in a young child's day. Explain your answer. - answer True. Play promotes key abilities that enable children to learn successfully.

Describe an intentional teacher. - answer A variety of approaches and strategies to support children's interest and ability to each learning domain.

Briefly describe six of the 12 principles - answer

BONUS!!! Download part of Pass4Test CHFM dumps for free: <https://drive.google.com/open?id=1V-C0Zs-0jiTd5dilcEnaWCt89YRYxj2J>

The web-based CHFM practice test frees you from the need for software installation. It is compatible with all operating systems. The web-based Certified Healthcare Facility Manager (CHFM) certification exam (CHFM) practice test of requires no special plugins to function properly. Customization of this format allows you to change settings of CHFM Practice Exams. This self-assessment CHFM practice exam tracks your progress so you overcome your mistakes.

Our CHFM exam questions are of high quality and efficient. We provide the client with the latest materials so that the client can follow the newest trends in theory and practice it so thus the client can pass the exam easily. Don't be hesitated and take action immediately! The study materials what we provide is to boost pass rate and hit rate, you only need little time to prepare and review, and then you can pass the CHFM Exam. It costs you little time and energy, and you can download the software freely and try out the product before you buy it.

>> [CHFM Test Answers](#) <<

Medical Professional CHFM Exam | CHFM Test Answers - 100% Safe Shopping Experience

The test software used in our products is a perfect match for Windows' CHFM learning material, which enables you to enjoy the

best learning style on your computer. Our CHFM study materials also use the latest science and technology to meet the new requirements of authoritative research material network learning. Unlike the traditional way of learning, the great benefit of our CHFM Study Materials are that when the user finishes the exercise, he can get feedback in the fastest time.

Medical Professional Certified Healthcare Facility Manager (CHFM) certification exam Sample Questions (Q75-Q80):

NEW QUESTION # 75

Which of the following must be considered at the schematic design stage?

- A. general conditions
- B. equipment specifications
- **C. egress requirements**
- D. lighting fixtures

Answer: C

Explanation:

In the schematic design phase, the design team establishes overall building configuration, circulation, and code-driven life safety concepts, including means of egress. Life Safety Code requirements (occupant loads, exit access, number and arrangement of exits, travel distances) are fundamental constraints that shape the plan early; they must be set before moving into design development where specific fixtures and detailed equipment specifications are finalized. Contract "general conditions" are part of procurement/contract documents later, not schematic design.

References:

AIA, Architect's Handbook of Professional Practice (Programming and Schematic Design-code and egress framework).

NFPA 101, Life Safety Code (fundamentals of means of egress).

AHA/ASHE CHFM Study Resources - Planning, Design, and Construction domain.

NEW QUESTION # 76

In order to ensure a safe environment for patients, what department must be involved during the planning of all construction projects?

- A. Patient Services
- B. Biomedical Engineering
- C. Information Technology
- **D. Infection Control**

Answer: D

Explanation:

All construction and renovation projects in healthcare must include Infection Control Risk Assessment (ICRA). Infection Control professionals assess potential risks such as dust, ventilation disruptions, and waterborne hazards during construction. They ensure patient safety through control measures (barriers, negative pressure, monitoring).

D). Infection Control (Correct): Mandatory involvement in construction planning.

A). IT / B. Biomed / C. Patient Services: May participate but are not mandated by TJC and CDC requirements for ICRA.

References:

CDC Guidelines for Environmental Infection Control in Healthcare Facilities.

The Joint Commission, Environment of Care and Infection Prevention Standards.

CHFM Candidate Handbook - Planning, Design, and Construction domain.

NEW QUESTION # 77

An emergency generator consumes 25 gallons of fuel per hour at peak load. The same hospital uses a boiler that consumes 35 gallons of fuel per hour. What capacity fuel tank is needed to operate both for 72 hours?

- **A. 4,320 gallons**
- B. 3,600 gallons
- C. 1,800 gallons
- D. 2,520 gallons

Answer: A

Explanation:

Fuel requirements for emergency systems are determined by calculating total consumption per hour multiplied by the required operating duration.

Generator: 25 gallons/hour

Boiler: 35 gallons/hour

Total consumption per hour = $25 + 35 = 60$ gallons/hour

For 72 hours: $60 \times 72 = 4,320$ gallons

Therefore, the fuel tank must have at least 4,320 gallons capacity to meet the 72-hour requirement.

Correct Answer (D. 4,320 gallons).

Other options are underestimations of total combined consumption and would not meet compliance with CMS and NFPA 110 standards, which require hospitals to maintain a 72-hour supply of fuel for emergency power and critical operations.

References:

NFPA 110: Standard for Emergency and Standby Power Systems - 72-hour minimum fuel supply requirement for healthcare facilities.

Centers for Medicare and Medicaid Services (CMS), Emergency Preparedness Final Rule - Essential fuel supply requirements.

American Hospital Association, CHFM Candidate Handbook - Maintenance and Operations domain includes calculations for utility and emergency power requirements.

NEW QUESTION # 78

A code compliant, medical gas storage room contains a large number of different compressed gases. The gases are in 25 cu. ft. cylinders and in 250 cu. ft. cylinders. All cylinders are full. The Safety Officer completed a cylinder storage audit and discovered the room was over the maximum amount of compressed gas cylinders allowed by 140 cu. ft. Which of the following is the minimum number of 25 cu. ft. cylinders that must be removed to make the storage room code compliant?

- A. 0
- B. 1
- C. 2
- D. 3

Answer: A

Explanation:

Overage = 140 cu. ft.

Each small cylinder = 25 cu. ft.

$140 \div 25 = 5.6$ # minimum 6 needed if rounding up. However, since the question asks for the minimum number to remove to get below the limit, removing 5 cylinders = 125 cu. ft. would still leave 15 cu. ft. over the limit. Therefore, 6 cylinders must be removed. Correct answer = C (6), not B.

References: NFPA 99 (Health Care Facilities Code), Chapter on Medical Gas Systems.

NEW QUESTION # 79

Fire drills in healthcare occupancies shall include the

- A. evacuation of bedridden and infirmed patients to the adjacent smoke compartment.
- B. evacuation of patients to areas of refuge and evacuation of staff from the building.
- C. transmission of a fire alarm signal and audible alarms on each shift.
- D. transmission of the fire alarm signal and simulation of emergency fire conditions.

Answer: D

Explanation:

NFPA 101 (Life Safety Code, Chapter 18/19.7.1.4) requires healthcare fire drills to include transmission of the fire alarm signal and a simulation of emergency fire conditions, ensuring staff are trained to carry out emergency duties. Full evacuation of patients is not required during drills.

References: NFPA 101, Sections 18/19.7.1.4; The Joint Commission EOC standards.

NEW QUESTION # 80

You can set time to test your study efficiency, so that you can accomplish your test within the given time when you are in the real CHFM exam. Moreover, you can adjust yourself to the exam speed and stay alert according to the time-keeper that we set on our CHFM training materials. Therefore, you can trust on our CHFM Study Guide for this effective simulation function will eventually improve your efficiency and assist you to succeed in the CHFM exam. Just have a try on our free demo of CHFM exam questions!

Exam CHFM Prep: <https://www.pass4test.com/CHFM.html>

We believe our CHFM study materials will be very useful and helpful for you to pass the CHFM exam. Contact at billing@Pass4TestExamCHFMPrep.com to claim the refund. Medical Professional CHFM Test Answers If you are purchasing a product on CD, you will be able to select the shipping option of your choice during the checkout process. Medical Professional CHFM Test Answers Your financial information is also safe with us as we care about our customers.

The content of the Properties window just below the Project Explorer window) CHFM now contains the properties of the project, Using those specialized tools, customers could receive information from several news sources.

CHFM valid dumps, CHFM test exam, CHFM real braindump

We believe our CHFM Study Materials will be very useful and helpful for you to pass the CHFM exam. Contact at billing@Pass4Test.com to claim the refund.

If you are purchasing a product on CD, you will be able to select the Exam CHFM Prep shipping option of your choice during the checkout process. Your financial information is also safe with us as we care about our customers.

In fact, the users of our CHFM exam targeted training have won more than that, but a perpetual wealth of life.

myportal.utt.edu.tt, bbs.t-firefly.com, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

BONUS!!! Download part of Pass4Test CHFM dumps for free: <https://drive.google.com/open?id=1V-C0Zs-0jiTd5di1cEnaWCt89YRYxj2J>