


# Test EMT Guide & EMT Test Labs



BTW, DOWNLOAD part of Exam4Docs EMT dumps from Cloud Storage: <https://drive.google.com/open?id=1Yfd-062kKcjA9ocGj0GChRt9ISB4emp7>

People from all walks of life all work hard for the future. You must work hard to upgrade your IT skills. Then, do you have obtained NREMT EMT certificate which is very popular? How much do you know about EMT test? If you want to pass EMT exam without enough exam related knowledge, how should you do? But don't you worry: Exam4Docs will give assistance to you.

## There is the cost of Test Prep EMT Exam

- The Test Prep EMT Exam is \$80.

## Following is the Test Prep EMT Exam Format

Format: Multiple choices, multiple answers

- Passing score: 70%
- Number of Questions: 70-120
- Length of Examination: 120 minutes
- Language: English

>> Test EMT Guide <<

**2026 EMT – 100% Free Test Guide | Authoritative EMT Test Labs**

There are no threshold limits to attend the EMT test such as the age, sexuality, education background and your job conditions, and anybody who wishes to improve their volume of knowledge and actual abilities can attend the test. Our EMT study materials contain a lot of useful and helpful knowledge which can help you find a good job and be promoted quickly. Our EMT Study Materials are compiled by the senior experts elaborately and we update them frequently to follow the trend of the times.

## To get more details visit:

Test Prep EMT Exam Reference

## NREMT Emergency Medical Technicians Exam Sample Questions (Q61-Q66):

### NEW QUESTION # 61

During a mass casualty incident, a patient has an open tibia and fibula deformity. Using START triage, in which of the following priorities should the EMT place the patient?

- A. Immediate
- **B. Delayed**
- C. Emergent
- D. Minimal

**Answer: B**

Explanation:

Comprehensive and Detailed Explanation From Exact Extract:

The START (Simple Triage and Rapid Treatment) system classifies patients based on ability to walk, respirations, perfusion, and mental status. A patient with an open fracture who can breathe adequately, has a pulse, and follows commands is categorized as "Delayed".

Immediate (Red) is reserved for those who cannot walk and have life-threatening conditions, such as compromised airway or severe bleeding.

References:

U.S. Department of Health START Triage Protocol

FEMA MCI Guidelines

Brady Emergency Care (13th ed.) - Chapter on MCI and Incident Management

### NEW QUESTION # 62

A 67-year-old patient is sitting in the tripod position. What general impression should the EMT most strongly suspect from this patient's position?

- A. The patient has abdominal pain
- B. The patient is in cardiac arrest
- **C. The patient has trouble breathing**
- D. The patient is having a seizure

**Answer: C**

Explanation:

Comprehensive and Detailed Explanation From Exact Extract:

The tripod position- sitting upright, leaning forward, supporting the upper body with arms on knees - is a classic sign of respiratory distress. This position:

\* Maximizes diaphragmatic movement

\* Engages accessory muscles of respiration

\* Improves air exchange in patients with obstructive airway diseases (e.g., COPD, asthma) It is rarely used by patients with abdominal pain or seizures and is not associated with cardiac arrest (where unconsciousness is expected).

References:

NREMT Medical Assessment Flowchart - General Impression

AAOS EMT Textbook (11th ed.), Chapter: Respiratory Emergencies

AHA BLS: Identifying Signs of Respiratory Distress

### NEW QUESTION # 63

Which of the following components can be determined by assessing the mechanism of injury? Select the two correct options.

- A. Destination facility
- **B. Extent of injury**
- **C. Need for additional resources**
- D. Patient's medical history
- E. Chances of survival

**Answer: B,C**

Explanation:

Comprehensive and Detailed Explanation From Exact Extract:

Mechanism of Injury (MOI) assessment is a cornerstone of trauma care. It helps providers determine:

\* Extent of injury: High-speed collisions, falls from height, or penetrating trauma suggest internal injuries even if external signs are limited.

\* Need for additional resources: MOI may indicate the necessity of ALS backup, air transport, or technical rescue.

MOI cannot determine a patient's medical history or guarantee survival predictions. The destination facility depends on multiple factors including triage protocols, vital signs, and local trauma system regulations.

References:

NREMT Trauma Assessment Skills Sheet

National EMS Education Standards - Trauma Module

AAOS Emergency Care and Transportation (11th ed.), Chapter: Mechanism of Injury and Trauma Assessment

### NEW QUESTION # 64

You have consulted with on-line medical direction to terminate resuscitation of a 74-year-old female.

How should you inform her family of this decision?

- A. "She is at peace."
- B. "She has died."
- C. "She didn't make it."
- **D. "She has passed."**

**Answer: D**

Explanation:

Comprehensive and Detailed Explanation From Exact Extract:

EMS professionals are expected to use empathetic yet clear language when communicating a death. The phrase "She has passed" is both respectful and commonly accepted as an appropriate way to convey death compassionately without being overly clinical or harsh. "Died" may sound too blunt in an emotional moment, while "didn't make it" and "at peace" can feel vague or dismissive. Clear, empathetic communication is critical for patient dignity and family support during death notifications.

References:

National EMS Education Standards - Ethics, Communication, and Patient Advocacy NAEMT Guidelines for Death Notification in the Field Brady Emergency Care (13th ed.), Chapter: Special Situations and Emotional Support

### NEW QUESTION # 65

A 9-year-old patient who was injured in an MCI is brought to the treatment area with a delayed triage tag. Which of the following signs or symptoms would the EMT expect to find? Select the three correct options.

- **A. Palpable pulses being present**
- **B. Follows simple commands**
- C. Mottled skin
- D. Breathing only after opening the airway
- **E. Ability to ambulate**
- F. Respiratory rate of 16

**Answer: A,B,E**

Explanation:

In pediatric START or JumpSTART triage, a "delayed" status is appropriate if the child is breathing adequately, has palpable pulses, and follows commands. The respiratory rate of 16 is normal for a 9-year-old, and being able to walk also supports the "delayed" tag.

References:

National EMS Education Standards - Triage

### NEW QUESTION # 66

• • • • •

[illegible]

DOWNLOAD the newest Exam4Docs EMT PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1Yfd-062kKciA9ocGj0GChRt9ISB4emp7>