

# 1z0-1104-25 Trusted Exam Resource & 1z0-1104-25 Valid Test Answers



P.S. Free 2026 Oracle 1z0-1104-25 dumps are available on Google Drive shared by CertkingdomPDF:  
[https://drive.google.com/open?id=1s8mTNWzScq\\_B9S2mz3Hc58xw2nlcJAaT](https://drive.google.com/open?id=1s8mTNWzScq_B9S2mz3Hc58xw2nlcJAaT)

We always adhere to the principle of “mutual development and benefit”, and we believe our 1z0-1104-25 practice materials can give you a timely and effective helping hand whenever you need in the process of learning our 1z0-1104-25 study braindumps. For we have been in this career over ten years and we are good at tracing the changes of the 1z0-1104-25 guide prep in time and update our exam dumps fast and accurately.

The price for the 1z0-1104-25 certification test's registration is somewhere around \$100 to \$1000. Thus, you would never risk your precious time and money. CertkingdomPDF offers a demo version of the Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) practice material which is totally free. You can try a free demo to make yourself more confident about the authenticity of the Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) product. After buying the 1z0-1104-25 material, you can instantly use it.

>> **1z0-1104-25 Trusted Exam Resource** <<

## Verified 1z0-1104-25 Trusted Exam Resource | Amazing Pass Rate For 1z0-1104-25: Oracle Cloud Infrastructure 2025 Security Professional | Correct 1z0-1104-25 Valid Test Answers

As you all know that practicing with the wrong preparation material will waste your valuable money and many precious study hours. So you need to choose the most proper and verified preparation material with caution. Preparation material for the Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) exam questions from CertkingdomPDF helps to break down the most difficult concepts into easy-to-understand examples. Also, you will find that all the included questions are based on the last and updated 1z0-1104-25 exam dumps version.

## Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q35-Q40):

## NEW QUESTION # 35

"You are designing a secure access strategy for compute instances deployed within a private subnet of an OCI Virtual Cloud Network (VCN). Your security policy requires that no compute instances in the private subnet should have direct Internet access, and administrative access should be controlled.

Which statement best describes the role of an OCI Bastion in securing access to these private compute instances?

- A. It provides a direct public endpoint for the compute instance, enabling remote access.
- B. It acts as a firewall, blocking any external access to the private compute instance.
- C. It serves as a secondary authentication point, verifying user credentials before granting access to the compute instance.
- D. **It creates a secure, publicly accessible entry point to access target resources in a private subnet."**

**Answer: D**

## NEW QUESTION # 36

Challenge 2 -Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:

Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 2: Create a Security Zone

Create a security Zone named IAD\_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe (IAD-SAP-PBT-CSP-01) created in the previous task.

Enter the OCID of the created Security zone in the box below.

**Answer:**

Explanation:

See the solution below in Explanation.

Explanation:

To create a Security Zone named IAD\_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe IAD-SP-PBT-CSP-01 created in the previous task, follow these steps based on the Oracle Cloud Infrastructure (OCI) Security Zones documentation.

Step-by-Step Solution for Task 2: Create a Security Zone

\* Log in to the OCI Console:

\* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

\* Ensure you have access to the assigned compartment.

\* Navigate to Security Zones:

\* From the OCI Console, click the navigation menu (hamburger icon) on the top left.

\* Under Governance and Administration, select Security Zones.

\* Create a New Security Zone:

\* In the Security Zones dashboard, click the Create Security Zone button.

\* Configure the Security Zone Details:

\* Name: Enter IAD\_SAP-PBT-CSZ-01.

\* Compartment: Select the assigned compartment provided.

\* Description (Optional): Add a description, e.g., "Security Zone for public subnet compute instances."

\* Associate the Custom Security Zone Recipe:

\* In the Recipes section, select the custom recipe IAD-SP-PBT-CSP-01 created in Task 1 from the dropdown list.

\* Ensure the recipe is correctly associated to enforce the policy allowing compute instances in the public subnet.

\* Define the Security Zone Scope:

\* Under Resources to Protect, select the compartment or specific resources (e.g., the VCN with CIDR 10.0.0.0/16 and public subnet 10.0.10.0/24) to apply the security zone.

\* Check the box to include all resources in the selected compartment if applicable.

\* Create the Security Zone:

- \* Click Create to finalize the security zone creation.
  - \* Once created, note the OCID of the security zone from the security zone details page. The OCID will be a unique identifier starting with ocid1.securityzone.
  - \* Verify the Security Zone:
    - \* Go to the Security Zone tab and locate IAD\_SAP-PBT-CSZ-01.
    - \* Confirm the associated recipe (IAD-SP-PBT-CSP-01) and the applied policies.
  - OCID of the Created Security Zone
    - \* The exact OCID will be generated upon creation (e.g., ocid1.securityzone.oc1..<unique\_string>).
- Please enter the OCID displayed in the OCI Console after completing Step 7.

## NEW QUESTION # 37

According to the Oracle Cloud Infrastructure (OCI) Shared Responsibility Model, which statement accurately reflects OCI's responsibility for security?

- A. OCI is responsible for securing the underlying infrastructure but not customer data.
- B. Customers are responsible for securing both infrastructure and data.
- C. OCI has no security responsibilities; customers need to secure their resources.
- D. OCI provides security only for free-tier services; customers secure everything else.

**Answer: A**

## NEW QUESTION # 38

Challenge 2

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:

Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 5: Provision a Compute Instance

Provision a compute instance in the IAD-SP-PBT-PUBSNET-01 public subnet, where:

Name IAD-SP-PBT-1-VM-01

Image: Oracle Linux 8

Shape VM: Standard, A1, Flex

Enter the OCID of the created compute instance in the text box below.

**Answer:**

Explanation:

See the solution below in Explanation.

Explanation:

To provision a compute instance named IAD-SP-PBT-1-VM-01 in the IAD-SP-PBT-PUBSNET-01 public subnet with the specified configuration (Oracle Linux 8 image, VM Standard A1 Flex shape), follow these steps based on the Oracle Cloud Infrastructure (OCI) Compute documentation.

Step-by-Step Solution for Task 5: Provision a Compute Instance

\* Log in to the OCI Console:

\* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

\* Ensure you have access to the assigned compartment.

\* Navigate to Compute Instances:

\* From the OCI Console, click the navigation menu (hamburger icon) on the top left.

\* Under Compute, select Instances.

\* Create a New Compute Instance:

\* Click the Create Instance button.

- \* Configure the Instance Details:
    - \* Name: Enter IAD-SP-PBT-1-VM-01.
    - \* Compartment: Select the assigned compartment.
    - \* Placement: Choose the availability domain (e.g., AD-1) based on your region's availability.
    - \* Select the Image:
      - \* Under Image and Shape, click Change Image.
      - \* Select Oracle Linux 8 from the platform images list.
      - \* Click Select Image.
    - \* Choose the Shape:
      - \* Click Change Shape.
      - \* Select VM Standard category.
      - \* Choose A1 Flex from the shape options.
    - \* Configure the OCPUs (e.g., 1 OCPU) and memory (e.g., 6 GB) as needed for A1 Flex, then click Select Shape.
  - \* Configure Networking:
    - \* Under Networking, ensure the Virtual Cloud Network is set to IAD-SP-PBT-VCN-01.
    - \* Set the Subnet to IAD-SP-PBT-PUBSNET-01 (public subnet with CIDR 10.0.1.0/24).
    - \* Enable Assign a public IPv4 address to allow external connectivity.
    - \* Leave the default security list or assign a custom one if configured previously.
  - \* Set Up SSH Access:
    - \* Under Add SSH Keys, either:
      - \* Upload your public SSH key file, or
      - \* Paste your public SSH key manually.
    - \* This ensures you can access the instance via SSH.
  - \* Launch the Instance:
    - \* Click Create to provision the compute instance.
    - \* Wait for the instance to reach the Running state (this may take a few minutes).
  - \* Note the Instance OCID:
    - \* Once the instance is running, go to the instance details page for IAD-SP-PBT-1-VM-01.
    - \* Copy the OCID displayed (e.g., ocid1.instance.oc1..<unique\_string>).
- OCID of the Created Compute Instance
- \* Enter the OCID of the created compute instance (IAD-SP-PBT-1-VM-01) into the text box. The exact OCID will be available after Step 9 (e.g., ocid1.instance.oc1..<unique\_string>).
- Notes
- \* Ensure the security zone IAD\_SAP-PBT-CSZ-01 and its associated recipe IAD-SP-PBT-CSP-01 allow compute instance creation in the public subnet (10.0.1.0/24).
  - \* Verify network connectivity by testing SSH access using the public IP assigned to the instance.

### NEW QUESTION # 39

An E-commerce company running on Oracle Cloud Infrastructure (OCI) wants to prevent accidental misconfigurations that could expose sensitive data. They need an OCI service that can enforce predefined security rules when creating or modifying cloud resources.

Which OCI service should they use?

- A. OCI Identity and Access Management (IAM)
- B. OCI Web Application Firewall (WAF)
- **C. OCI Security Zone**
- D. OCI Certificates

**Answer: C**

### NEW QUESTION # 40

.....

The 1z0-1104-25 exam offered by Oracle is regarded as one of the most promising certification exams in the field of. The 1z0-1104-25 preparation products available here are provided in line with latest changes and updates in 1z0-1104-25 syllabus. The Oracle 1z0-1104-25 undergo several changes which are regularly accommodated to keep our customers well-informed. We have the complete list of Popular 1z0-1104-25 Exams. Now you can simply choose your 1z0-1104-25 exam from the list and be directed right to its page where you can find links to download 1z0-1104-25 exams.

1z0-1104-25 Valid Test Answers: <https://www.certkingdompdf.com/1z0-1104-25-latest-certkingdom-dumps.html>

Passing the 1z0-1104-25 Valid Test Answers - Oracle Cloud Infrastructure 2025 Security Professional test certification can help you be competent in some area and gain the competition advantages in the labor market. For the purpose CertkingdomPDF 1z0-1104-25 Valid Test Answers IT professionals monitor the recently introduced changes and innovations in the certification exam patterns, Oracle 1z0-1104-25 Trusted Exam Resource So many IT candidates feel agonizing and aimless.

Google started like many companies, with software developers writing and testing 1z0-1104-25 Trusted Exam Resource their own code. In planning an overall strategy for security architecture design, sound principles are needed to accomplish an effective security posture.

## Oracle certification 1z0-1104-25 exam questions and answers come out

Passing the Oracle Cloud Infrastructure 2025 Security Professional test certification can 1z0-1104-25 help you be competent in some area and gain the competition advantages in the labor market, For the purpose CertkingdomPDF IT professionals 1z0-1104-25 Trusted Exam Resource monitor the recently introduced changes and innovations in the certification exam patterns.

So many IT candidates feel agonizing and aimless, Secondly, our service is 7\*24 online working including official holidays, Don't worry, with our 1z0-1104-25 Study Material, your preparing for the exam will be more efficient and easily.



P.S. Free 2026 Oracle 1z0-1104-25 dumps are available on Google Drive shared by CertkingdomPDF:  
[https://drive.google.com/open?id=1s8mTNWzScq\\_B9S2mz3Hc58xw2nlcJAaT](https://drive.google.com/open?id=1s8mTNWzScq_B9S2mz3Hc58xw2nlcJAaT)