

EFM Prüfungsressourcen: Certified - Electronic Fetal Monitoring & EFM Reale Fragen

NCC Electronic Fetal Monitoring (EFM) Actual Exam Completed 2023 Updated Version (Passed and Certified)

Change in cardiac output and SVR in pre-E? ----- CORRECT ANSWER ---- **CO and SVR INCREASED in pre-E**

Prolonged decels occurred in ____% of uterine rupture? ----- CORRECT ANSWER ---- **71%**

Signif. neonatal morbidity occurred when ____ min or longer elapsed between onset of HFR decel and delivery. ----- CORRECT ANSWER ---- **18min**

Normal arterial pH for healthy vaginal deliveries? ----- CORRECT ANSWER ---- **7.28 +/- 0.05**

Normal arterial pO2 for healthy vaginal deliveries? ----- CORRECT ANSWER ---- **18.0 +/- 6.2**

Normal arterial pCO2 for healthy vaginal deliveries? ----- CORRECT ANSWER ---- **49.2 +/- 8.4**

Normal base deficit for healthy vaginal deliveries? ----- CORRECT ANSWER ---- **Less than 12**

pH at which acidosis ----- CORRECT ANSWER ---- **7.2 (7.1)**

Tachysystole ----- CORRECT ANSWER ---- **>5 contractions in 10min**

Baseline (defn) ----- CORRECT ANSWER ---- **mean FHR rounded to increments of 5 BPM during a 10min period excl. periodic or episodic changes, contractions, periods of marked variability, and segments of baseline that differ by >25 BPM**

Sinusoidal pattern? ----- CORRECT ANSWER ---- **Fetal anemia**

As many as ____% of infants with complete heart block have assoc. congenital cardiac malformations. ----- CORRECT ANSWER ---- **50%**

Mortality rate for newborns with complete heart block ----- CORRECT ANSWER ---- **25%**

Newborn with complete heart block in absence of congen. heart disease frequently has neonatal ----- CORRECT ANSWER ---- **Lupus erythematosus**

Das Ziel der NCC EFM Prüfungssoftware ist: Bei Ihrer Vorbereitung der NCC EFM Prüfung Ihnen die effektivste Hilfe zu bieten, um Ihre Geld nicht zu verschwenden und Ihre Zeit zu sparen. Unsere Software hat schon zahllose Prüfungsteilnehmer geholfen, NCC EFM Prüfung zu bestehen. Wenngleich die Bestehensquote sehr hoch ist, versprechen wir, dass wir alle Ihrer Gebühren für die NCC EFM Software erstatten wollen, falls Sie die Prüfung nicht bestehen. Wir tun so, um Sie beim Kauf unbesorgt zu machen.

Die Ausbildungsmaterialien zur NCC EFM Zertifizierungsprüfung aus DeutschPrüfung enthalten Testfragen und Antworten. Diese Materialien sind von unserer Berufsgruppe aus erfahrenen IT-Experten untersucht und erforscht, deren Autorität zweifellos ist. Sie können auf unserer Webseite einige kostenlosen Testaufgaben und Antworten als Probe herunterladen. Nachdem Sie unsere Ausbildungsmaterialien zur NCC EFM Zertifizierungsprüfung gekauft haben, werden wir Ihnen einjähriger Aktualisierung kostenlos anbieten.

>>> EFM Schulungsangebot <<<

EFM Kostenlos Downladen - EFM Unterlage

DeutschPrüfung kann Ihnen nicht nur die ausgezeichnete Prüfungsunterlagen zur NCC EFM Zertifizierung sondern auch guten Service bieten. Kaufen Sie DeutschPrüfung Dumps, bekommen Sie einjährige kostenlose Aktualisierung von DeutschPrüfung. Damit können Sie immer die neuesten NCC EFM Prüfungsfragen besitzen. Falls Sie die NCC EFM Prüfung nicht ausgereicht hätten, gibt DeutschPrüfung Ihnen voll Geld zurück. Und dann machen Sie sich keine Sorge. Wir DeutschPrüfung sind sehr zuversichtlich für

unsere Dumps. Glauben Sie bitten auch an uns. Verpassen Sie bitte nicht DeutschPrüfung zu Ihrem Erfolg. Wenn Sie das ignorieren, verlieren die Chance für einen einmaligen Erfolg.

NCC Certified - Electronic Fetal Monitoring EFM Prüfungsfragen mit Lösungen (Q56-Q61):

56. Frage

When accelerations precede a variable deceleration pattern, this is caused by

- A. oligohydramnios
- **B. occlusion of the umbilical vein**
- C. hypoxic reflex response

Antwort: B

Begründung:

Comprehensive and Detailed Explanation From Exact Extract (No URLs or Links) NCC-recommended physiologic texts (AWHONN, Menihan, Simpson, Creasy & Resnik) explain that variable decelerations are caused by umbilical cord compression. This process occurs in a three-step sequence, well known in fetal monitoring physiology:

* Umbilical vein occlusion occurs first # decreases fetal venous return # brief fetal acceleration (a compensatory sympathetic response).

* Umbilical artery occlusion follows # increases fetal systemic vascular resistance # variable deceleration as vagal stimulation lowers the fetal heart rate.

* Release of compression # post-deceleration acceleration may occur.

Thus, an acceleration immediately before a variable deceleration represents the initial compression of the umbilical vein, not a hypoxic response. This is a normal physiologic response to transient cord compression, often described in AWHONN and Menihan's physiologic explanation of "shoulders" around variable decelerations.

Oligohydramnios can contribute to cord compression but does not explain accelerations preceding the deceleration. A "hypoxic reflex" would not produce a pre-deceleration acceleration.

Therefore, the correct physiologic cause is:

Umbilical vein occlusion.

References (No URLs)

* NCC C-EFM Candidate Guide 2025 - Physiology

* AWHONN Fetal Heart Monitoring Principles


* Menihan: Electronic Fetal Monitoring

* Simpson & Creehan: Perinatal Nursing

* Creasy & Resnik: Maternal-Fetal Medicine

57. Frage

A 45-year-old woman at 36-weeks gestation presents for a nonstress test. Vital signs are:



A 45-year-old woman at 36-weeks gestation presents for a nonstress test. Vital signs are

Maternal pulse rate	86 beats per minute
Blood pressure	118/76 mm Hg
Temperature	36.7°C (98.1°F)

- * Maternal pulse rate: 86 beats per minute
 - * Blood pressure: 118/76 mm Hg
 - * Temperature: 36.7°C (98.1°F)
- The next course of action would include:

- A. Discharge home
- B. Perform a Kleihauer-Betke test
- C. Induce labor

Antwort: A

Begründung:

Comprehensive and Detailed Explanation From NCC-Aligned Sources:

The NST strip shows:

- * Baseline FHR about 140 bpm
- * Moderate variability
- * Two or more accelerations meeting 15×15 criteria
- * No decelerations
- * Normal, infrequent contractions

Per NCC and AWHONN, a reactive NST is defined as:

- * #2 accelerations of 15 bpm × 15 seconds in a 20-minute period
- * With baseline 110-160 and moderate variability
- * No recurrent decelerations

A reactive NST at 36 weeks in a hemodynamically stable mother with normal vitals is reassuring, and the appropriate disposition is routine follow-up and discharge.


Why the other options are incorrect:

- * B. Induce labor - Not indicated solely on maternal age or a reactive NST.
 - * C. Kleihauer-Betke test - Used to quantify fetomaternal hemorrhage after trauma or sensitization risk; there is no such history here.
- Therefore, the correct action is A. Discharge home.

References: NCC C-EFM Candidate Guide; AWHONN Fetal Heart Monitoring Principles & Practices; Simpson & Creehan; Creasy & Resnik.

58. Frage

What is the appropriate interpretation of this tracing?



- A. Tachycardia with variable decelerations
- B. Multiple prolonged accelerations
- C. Marked variability

Antwort: C

Begründung:

Comprehensive and Detailed Explanation From Exact Extract-Based NCC C-EFM References:

The tracing demonstrates:

- * Baseline ~150 bpm
- * Variability # 25 bpm amplitude, highly erratic and wide
- * No sustained decelerations
- * No sustained accelerations # 2 min

NICHD/NCC definition of marked variability:

Amplitude of baseline FHR fluctuations greater than 25 bpm.

Marked variability often reflects transient fetal autonomic instability due to:

- * Fetal stimulation
- * Mild hypoxemia
- * Maternal anxiety
- * Drugs (e.g., butorphanol)

Why other answers are incorrect:

- * B. Multiple prolonged accelerations - No accelerations of #2 minutes are present.
- * C. Tachycardia with variables - Baseline is NOT tachycardic (>160 bpm), and decelerations are not present.

Thus, the correct interpretation is A. Marked variability.

References: NICHD FHR Definitions; NCC C-EFM Candidate Guide; AWHONN; Menihan; Simpson & Creehan.

59. Frage

A woman reports 12 fetal movements over one hour. The best recommendation is to:

- A. Instruct her to count again the next day
- B. Administer a nonstress test
- C. Continue to monitor for one hour

Antwort: A

Begründung:

Comprehensive and Detailed Explanation From Exact Extract-Based NCC C-EFM References:

NCC and AWHONN consider fetal movement counts normal when:

- * #10 distinct movements occur within 2 hours
- * Or #4 movements in 1 hour for certain protocols
- * Or #10 movements in 1 hour (common triage threshold)

This patient reports 12 movements in 1 hour, which is reassuring and requires no further testing.

Thus, recommending she continue daily kick counts at home is appropriate.

Why the other options are incorrect:

- * A. NST is not needed because movements are normal.
- * B. Continue to monitor is unnecessary; the test is already reassuring.

Correct choice: C. Count again the next day.

References: NCC C-EFM Candidate Guide; AWHONN Fetal Assessment guidelines; Simpson & Creehan.

60. Frage

This tracing has lasted for 20 minutes in a woman who is 6 cm dilated. The most appropriate intervention is:



- A. Intravenous bolus of D5% Lactated Ringers
- **B. Fetal scalp stimulation**
- C. Delivery

Antwort: B

Begründung:

Comprehensive and Detailed Explanation From NCC-Aligned Sources:

This tracing shows:

- * Baseline approximately 135-140 bpm
- * Minimal variability
- * No accelerations
- * No recurrent decelerations
- * Category II for 20 minutes

According to NCC, AWHONN, and NICHD, minimal variability persisting # 20 minutes without accelerations requires assessment of fetal acid-base status, and fetal scalp stimulation is an accepted method to evaluate fetal well-being when a Category II tracing persists.

Fetal scalp stimulation:

- * Should produce an acceleration # 15 bpm lasting # 15 seconds
 - * A positive response indicates intact fetal nervous system and normal pH
 - * If no acceleration occurs # further intrauterine resuscitation or expedited delivery may be required
- Why other options are incorrect:
- * A. Delivery - Not indicated; this is Category II, not Category III.
 - * C. IV bolus - IV hydration may improve variability, but assessment of fetal status comes first after 20 minutes of minimal variability.

Thus, the correct answer is B. Fetal scalp stimulation.

References: NCC C-EFM Candidate Guide; AWHONN FHMPP; NICHD Three-Tier System; Menihan; Miller's Pocket Guide; Simpson & Creehan.

61. Frage

.....

Die Zertifizierung der NCC EFM zu erwerben bedeutet mehr Möglichkeiten in der IT-Branche. Wir DeutschPrüfung haben schon reichliche Erfahrungen von der Entwicklung der NCC EFM Prüfungssoftware. Unsere Technik-Gruppe verbessert beständig die Prüfungsunterlagen, um die Benutzer der NCC EFM Prüfungssoftware immer leichter die Prüfung bestehen zu lassen.

EFM Kostenlos Downloaden: <https://www.deutschpruefung.com/EFM-deutsch-pruefungsfragen.html>

Die Gebühren für EFM Kostenlos Downladen - Certified - Electronic Fetal Monitoring enthalten zahlreiche Hilfe, Nachdem Sie die NCC C-EFM EFM Zertifizierung gewonnen haben, können Sie die Chance haben, einer großen Firma beizutreten, und Sie erhalten eine reiche Belohnung zusammen mit einer höheren Position, wenn Sie Wert für das Unternehmen schaffen, NCC EFM Schulungsangebot Die durchschnittliche Bestehensquote beträgt zwischen 97% und 99,7%.

Noch wandelt er hier untern Palmen; und Wird gleich um jene Mauer EFM Unterlage kommen. Seht, Da kommt er, Tyron erkannte ihren Hauptmann, Die Gebühren für Certified - Electronic Fetal Monitoring enthalten zahlreiche Hilfe.

Nachdem Sie die NCC C-EFM EFM Zertifizierung gewonnen haben, können Sie die Chance haben, einer großen Firma beizutreten, und Sie erhalten eine reiche Belohnung EFM zusammen mit einer höheren Position, wenn Sie Wert für das Unternehmen schaffen.

EFM Prüfungsfragen Prüfungsvorbereitungen, EFM Fragen und Antworten, Certified - Electronic Fetal Monitoring

Die durchschnittliche Bestehensquote beträgt zwischen 97% und 99,7%, EFM Fragenpool Mit DeutschPrüfung können Sie sich ganz gut auf die Prüfung vorbereiten, Die Antworten davon werden auch ausführlich analysiert.

- EFM Unterlage ☐ EFM Online Prüfung ☐ EFM Examengine ☐ ☐ de.fast2test.com ☐ ist die beste Webseite um den kostenlosen Download von ☐ EFM ☐ zu erhalten ☐ EFM Prüfungsübungen
- EFM Zertifizierungsfragen ☐ EFM Zertifizierungsfragen ☒ EFM Prüfungsübungen ☐ Öffnen Sie die Webseite (www.itzert.com) und suchen Sie nach kostenloser Download von ☐ EFM ☐ ☐ EFM Unterlage
- EFM aktueller Test, Test VCE-Dumps für Certified - Electronic Fetal Monitoring ☐ Suchen Sie auf [www.pruefungfrage.de] nach kostenlosem Download von ➡ EFM ☐ ☐ EFM Prüfungsfrage
- Die seit kurzem aktuellsten Certified - Electronic Fetal Monitoring Prüfungsunterlagen, 100% Garantie für Ihren Erfolg in der NCC EFM Prüfungen! ☐ Suchen Sie jetzt auf ➤ www.itzert.com ☐ nach ☐ EFM ☐ und laden Sie es kostenlos herunter ☐ EFM Unterlage
- Wir machen EFM leichter zu bestehen! ☐ Öffnen Sie die Webseite ☐ www.zertsoft.com ☐ und suchen Sie nach kostenloser Download von ➤ EFM ◀ ☐ EFM Deutsch Prüfung
- Hilfsreiche Prüfungsunterlagen verwirklicht Ihren Wunsch nach der Zertifikat der Certified - Electronic Fetal Monitoring ☐ Öffnen Sie die Website “www.itzert.com” Suchen Sie ☐ EFM ☐ Kostenloser Download ☐ EFM Vorbereitung
- EFM Lernhilfe ☐ EFM Online Prüfung ☐ EFM Unterlage ☐ Öffnen Sie die Webseite ➡ www.zertsoft.com ☐ und suchen Sie nach kostenloser Download von [EFM] ☐ EFM Demotesten
- EFM Prüfungsfrage ☐ EFM Originale Fragen ↘ EFM Vorbereitung ☐ Suchen Sie jetzt auf ➡ www.itzert.com ☐ ☐ ☐ nach ➡ EFM ☐ um den kostenlosen Download zu erhalten ☐ EFM Vorbereitung
- EFM Online Prüfung ☐ EFM Fragen Antworten ☐ EFM Zertifizierungsfragen ☐ Geben Sie **【 de.fast2test.com 】** ein und suchen Sie nach kostenloser Download von ☐ EFM ☐ ☐ EFM Prüfungsübungen
- EFM aktueller Test, Test VCE-Dumps für Certified - Electronic Fetal Monitoring ☐ Öffnen Sie die Website ☐ www.itzert.com ☐ Suchen Sie ➡ EFM ☐ Kostenloser Download ☐ EFM Lernhilfe
- EFM Tests ☐ EFM Vorbereitung ☐ EFM Tests ☐ Suchen Sie einfach auf ⇒ www.zertsoft.com ⇐ nach kostenloser Download von ☐ EFM ☐ ☐ EFM Unterlage
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, mpgimer.edu.in, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes