


# OGA-032최신버전시험공부덤프데모다운



ExamPassdump의 The Open Group OGA-032덤프는 IT업계에 오랜 시간동안 종사한 전문가들의 끊임없는 노력과 지금까지의 노하우로 만들어낸 The Open Group OGA-032시험대비 알맞춤 자료입니다. ExamPassdump의 The Open Group OGA-032덤프만 공부하시면 여러분은 충분히 안전하게 The Open Group OGA-032시험을 패스하실 수 있습니다. ExamPassdump The Open Group OGA-032덤프의 도움으로 여러분은 IT업계에서 또 한층 업그레이드 될것입니다

OGA-032 시험은 Archimate 3 Certification Program의 두 번째 부분으로, 아치형 모델링 언어의 고급 개념을 테스트하도록 설계되었습니다. 이 시험에는 조직의 물리적 및 기술 인프라 모델링, 조직의 다른 구성 요소의 행동 모델링 및 조직의 다른 구성 요소 간의 관계를 모델링하는 것과 같은 주제가 다릅니다. 이 시험은 또한 후보자가 실제 언어를 실제 시나리오 및 사용 사례에 적용하는 능력을 평가합니다.

Open Group OGA-032 (Archimate 3 Part 2) 인증 시험은 공급 업체 종립 인증으로 특정 기술이나 제품과 관련이 없음을 의미합니다. 이를 통해 특정 기술이나 제품에 제한되지 않고 엔터프라이즈 아키텍처에서 자신의 기술과 지식을 보여 주려는 엔터프라이즈 아키텍트에게 이상적인 인증이됩니다. 인증은 정부 기관, 대학 및 기업을 포함한 많은 조직에서 전 세계적으로 인정됩니다.

>> [OGA-032최신버전 시험공부](#) <<

## The Open Group OGA-032최신버전 공부문제 - OGA-032높은 통과율 덤프 공부

근 몇년간 IT산업이 전례없이 신속히 발전하여 IT업계에 종사하는 분들이 어느때보다 많습니다. 경쟁이 이와같이 치열한 환경속에서 누구도 대체할수 없는 자기만의 자리를 찾으려면 IT인증자격증취득은 무조건 해야 하는것이 아닌가 싶습니다. The Open Group인증 OGA-032시험은 IT인증시험중 가장 인기있는 시험입니다. ExamPassdump에서는 여러분이 The Open Group인증 OGA-032시험을 한방에 패스하도록 실제시험문제에 대비한 The Open Group인증 OGA-032덤프를 발췌하여 저렴한 가격에 제공해드립니다. 시험패스 못할시 덤프비용은 환불처리 해드리기에 고객님께 아무런 폐를 끼치지 않을것입니다.

Archimate 언어 뒤에 있는 조직인 The Open Group은 OGA-032 시험을 개인들이 Archimate 언어 사용 능력을 입증하는 수단으로 제공합니다. 시험은 40개의 객관식 문항으로 구성되어 있으며, 90분의 시간 제한이 있습니다. 시험은 교차 레이어 종속성 모델링, 동기 및 전략 모델링, 구현 및 이전 모델링과 같은 고급 주제를 다릅니다. 시험에 합격하면 개인이 Archimate 언어에 대한 깊은 이해를 가지고 있으며 효과적인 기업 아키텍처 모델을 만들기 위해 사용 할 수 있다는 것을 입증합니다. OGA-032 시험이 일부인 Archimate 3 자격증 프로그램은 기업 아키텍처 모델링의 표준으로 인정되며 IT 산업에서 고용주에게 높은 가치를 두고 있습니다.

## 최신 Archimate 3 Foundation OGA-032 무료샘플문제 (Q10-Q15):

### 질문 # 10

Please read this scenario prior to answering the question

ArchiCar is a specialized company that focuses on manufacturing luxury electric cars and powertrain components, along with producing battery-charging equipment. With its own distribution network and showrooms, ArchiCar adopts a direct-to- customer sales model through online channels.

The manufacturing of ArchiCar's electric cars is carried out on fully automated assembly lines. Leveraging a cutting-edge

manufacturing process, the company boasts an impressive ability to sell and deliver a vehicle within just one month from the time of order placement. Anticipating significant growth, the CEO has set ambitious plans to increase annual production from 100,000 to 500,000 vehicles within a three-year timeframe.

To ensure the highest quality standards, ArchiCar relies on locally manufactured finished steel from the renowned ArchiMetal plant. ArchiMetal specializes in lightweight steels that allow ArchiCar to achieve a reduced vehicle weight without compromising strength and crash performance. The finished steel is efficiently transported by rail to ArchiCar's production plant, where it is stored in a dedicated warehouse until required for the automated car assembly process. Conveyor belts facilitate the seamless transfer of the finished steel from the warehouse to the assembly plant.


At the ArchiCar assembly plant, an optimized and streamlined assembly process is implemented, resulting in the production of 12 vehicles per hour. Once assembled, the cars are transported to a nearby distribution center using specialized trucks.

These vehicles are then stored at the distribution center until they are ready for delivery to their eagerly awaiting new owners. Refer to the Scenario


You are a consultant to the CIO. She has asked you to illustrate the end-to-end technology processes at ArchiCar from raw materials to assembled cars ready for delivery.

Which of the following answers provides the best description?


- A.




- B. A diagram of a vehicle assembly Description automatically generated



- C.



- D.



정답: D

설명:

In this scenario, the task is to model the end-to-end technology processes at ArchiCar, showing how raw materials (finished steel) are processed through the company's manufacturing, transportation, and distribution system, ultimately resulting in fully assembled cars ready for delivery.

Key ArchiMate® 3.2 Concepts Applied:

\* Business Processes:

- \* Steel Making: ArchiMetal manufactures finished steel, a key raw material for ArchiCar's production.
- \* Transportation: The finished steel is transported by rail from the ArchiMetal steel plant to ArchiCar's warehouse.
- \* Storage: The finished steel is stored in the ArchiCar Warehouse until it is required for the assembly process.
- \* Car Assembly: The conveyor belt moves the steel from the warehouse to the assembly plant, where cars are assembled on automated lines.
- \* Transportation (Specialized Trucks): Once assembled, the cars are transported to a distribution center using specialized trucks.
- \* Storage (Distribution Center): The finished cars are stored in the distribution center, awaiting delivery to customers.

\* Application and Technology Components:

- \* Conveyor Belt: The transfer of finished steel between the warehouse and assembly plant is automated via the conveyor belt.
- \* Rail Transport and Specialized Trucks: Rail transport handles the movement of steel, and specialized trucks are used for car transportation to the distribution center.

\* End-to-End Flow:

- \* The model needs to clearly depict the full process flow from the production of steel, through its transportation and storage, to the automated assembly of luxury cars and their eventual transportation to the distribution center.
- \* The relationships between processes (e.g., steel making, transportation, car assembly, and storage) must be clear and follow the logical flow of operations.

Why Option D is Correct:

- \* Option D provides a clear and accurate representation of the end-to-end processes described in the scenario.
- \* It begins with the steel-making process at the ArchiMetal steel plant and follows through with the transportation of the finished steel to the warehouse by rail transport.
- \* The process of moving steel via the conveyor belt from the warehouse to the assembly plant for car manufacturing is clearly depicted.
- \* Once cars are assembled, they are transported to the distribution center using specialized trucks and are then stored until delivery, completing the end-to-end flow.
- \* The relationships between processes and supporting components (e.g., conveyor belt, transportation methods) are clearly illustrated, following ArchiMate® standards.

Why Other Options Are Incorrect:

- \* Option A is incorrect because it misses some key elements of the process. It does not fully clarify the role of the warehouse or how the finished steel is transported between locations.
- \* Option B represents the process flow, particularly the storage and assembly process. The connection between steel production and car assembly is not as clearly illustrated.
- \* Option C also lacks clarity in how the finished steel is moved from the warehouse to the assembly plant, and it does not accurately capture the flow of transportation and storage after car assembly.

Conclusion:

Option D is the best answer because it provides the most complete and clear description of the end-to-end technology processes at ArchiCar, from raw materials (finished steel) to assembled luxury cars ready for delivery. It aligns well with the scenario and adheres to ArchiMate® 3.2 modeling standards, showing all necessary relationships between business processes and supporting components.

Please read this scenario prior to answering the question

The ArchiSurance senior management, board members, customers, and major stockholders have expressed long-standing concerns regarding the business continuity risks associated with relying on a single data center.

Located in an area prone to

flooding, earthquakes, and occasional water leaks from the cafeteria above, the current data center has significant vulnerabilities.

To address these concerns and mitigate the risks, ArchiSurance has developed a comprehensive plan to relocate its existing data center to two separate ready-to-use data centers in different cities. As a major undertaking, the approval of the Board of Directors is required to proceed with the project.

The primary objectives of the data center move are to reduce the risk of business interruptions, reduce both planned and unplanned downtime for critical applications, and provide reassurance to ArchiSurance stakeholders. Ensuring minimal disruption during the transition is crucial. However, several constraints make the planned migration to the new data centers particularly challenging.

Certain critical ArchiSurance applications cannot be offline for more than one hour, and any planned downtime must be restricted to specific four-hour windows on weekends. Additionally, the migration cannot take place during quarterly or year-end closing periods to avoid disrupting critical processing operations.

ArchiSurance management has devised a multi-phase data center transformation program to facilitate a smooth transition. Each phase is critical for establishing stable and fully functional data center configurations throughout the transformation process.

The initial phase entails detailed scheduling and planning to develop a comprehensive transformation plan aligned with ArchiSurance's timing and scheduling requirements. During the second phase, ArchiSurance will procure the necessary hardware and software for the new data centers, while also seeking refunds for the hardware and software in the current data center once it is decommissioned. The third phase involves setting up the new data centers and conducting parallel testing of the new hardware and software alongside the existing production environment. The transition between the old and new data centers occurs in the fourth phase, followed by the fifth phase, which is the decommissioning of the old data center. This involves returning the hardware and software to obtain the contracted refunds. Each phase, from the second to the fifth, is initiated once specific conditions outlined in the previous phase have been met.


Refer to the Scenario

The IT department's leader has assigned you the task of creating a model to explain the rationale behind Archisurance's decision to transform its data center infrastructure. The model should show the concerns and motivations of the stakeholders involved.


Additionally, it should outline the specific goals to be achieved through the data center transformation program, the associated deliverables, and the limitations that must be considered throughout the program's implementation.

Which of the following answers provides the best explanation?


- A. A diagram of data center AI-generated content may be incorrect.




- B. A diagram of a data center AI-generated content may be incorrect.



- C. A diagram of data center AI-generated content may be incorrect.



- D. A diagram of a data center AI-generated content may be incorrect.



정답: C

설명:

We need to identify the most accurate and complete model that explains:

\* Stakeholder Concerns & Motivations- Including senior management, board members, customers, and stockholders.

\* Objectives & Goals- Reducing business risks, minimizing downtime, and reassuring stakeholders.

\* Deliverables- The transition to two new data centers and data center transformation program.

\* Constraints & Requirements-Planned downtime limits, critical application uptime requirements, and scheduling constraints.

Why C is the Best Choice:

#Includes all stakeholder concerns- Clearly represents business continuity risks and the rationale for transitioning to two new data centers.#Clearly defines the objectives- Reducing downtime and risk of business interruption.#Shows key constraints-

\* Critical applications cannot be offline for more than one hour.

\* Downtime must be in four-hour weekend windows.

\* The migration must avoid closing periods.#Links deliverables to objectives- The data center transformation program and new data centers are clearly positioned as solutions.#Represents dependencies correctly- Showing how each motivation leads to a goal, which leads to a deliverable.

Why Not A, B, or D?

\* A: Does not establish a strong link between the concerns and the solution clearly enough.

\* B: The structure does not align well with the scenario requirements, and some constraints and dependencies are missing.

\* D: Overcomplicates some relationships and does not emphasize stakeholder concerns effectively.

## 질문 # 12

Please read this scenario prior to answering the question

ArchiAir Catering Services (ACS) manages the catering services for ArchiAir, a leading airline. ACS is the sole catering supplier for all ArchiAir flights, and its services include full provisioning to the aircraft.

Currently, ACS operates three central production facilities, supported by distribution hubs and local pre-flight production facilities. The central production facilities are responsible for producing standardized non-food materials (such as plates, cutlery, and boxes), non-perishable food products, and key ingredients required by the local production facilities. These materials are subsequently distributed to the distribution hubs, which also serve as warehouses for the local production facilities. Within the local production facilities, multiple production machines are utilized, each featuring dedicated workstations for chefs and quality inspectors. Most of the local production facilities employ fully automated assembly lines, including built-in packaging stations. The loaded service trolleys are then transported to the aircraft using small lorries.


In response to investor pressure for ArchiAir to reduce its carbon footprint, the CEO of ACS has announced a plan to address this environmental concern. Subsequently, the Ministry of Social Welfare and Health has enacted a law mandating a reduction in CO2 emissions from all production facilities by the end of the year. Additionally, the airline's decision to raise ticket prices due to escalating fuel costs has led to a decrease in passenger numbers. This, in turn, impacts the volume of non-food materials required from ACS. An internal investigation has produced a report highlighting the potential benefits of centralizing production facilities and reducing the number of distribution centers. Such changes would result in lower CO2 emissions while still effectively meeting all the requirements of ArchiAir.

In addition to evaluating its supply chain to reduce its carbon footprint, ArchiAir is taking proactive steps to achieve a net zero carbon footprint for its IT operations. The Chief Information Officer (CIO) has identified two crucial requirements to support this endeavor. The first requirement involves switching to renewable energy for ACS facilities, which are often located in remote areas where traditional fuels are the primary source of energy. To align with sustainability goals, ArchiAir aims to transition these facilities to renewable energy sources. By utilizing renewable energy, ArchiAir can significantly reduce its reliance on traditional fuels and contribute to a greener operation. The second requirement pertains to the scalability of ArchiAir's IT operations, taking into account the airline's susceptibility to seasonal changes in demand. The CIO has observed notable disparities between sites that have additional blade servers and can scale their capacity, and sites that solely rely on the two mainframes housed in central facilities. A comprehensive report has revealed that the blade servers have a negligible impact on resource waste, whereas the mainframes are notorious for their power inefficiency, particularly during periods of low demand.


Refer to the Scenario

Which of the following answers best describes the proposed transition from baseline to target, including details of motivation for changes? Note that there is no need to show the details of the target state.


- A. A diagram of a process Description automatically generated




• B.



• C.



• D.



## 정답: D

### 설명:

The correct answer is D, as it best describes the transition from the baseline to the target state, including the motivation for changes based on the scenario. Here's a detailed explanation of why D is the most accurate model:

#### \* Baseline and Target:

\* The Baseline state in all answers correctly depicts the current structure of ACS's operations, including the ACS Central Production, Local Trucking, ACS Local Production, and Fully Automated Assembly Line.

\* D captures the essential transition from this baseline state to the target state by illustrating how the organization is aiming to decrease CO2 emissions, as required by the new regulations, and how they intend to centralize production facilities.

#### \* Motivation for Changes (Decrease in CO2 Emissions):

\* The CEO's plan to reduce CO2 emissions is a critical driver for change. This is captured clearly in D, which shows the effects of Decreasing CO2 Emissions, Complying with Laws and Regulations, and Centralizing Production Facilities.

\* The Ministry of Social Welfare and Health's law mandating CO2 reductions is accurately reflected in D, showing compliance as part of the motivation.

\* D also depicts the motivation to centralize production facilities, which helps reduce CO2 emissions and aligns with the internal report suggesting that fewer distribution centers can meet ACS's needs effectively.

#### \* Business and Environmental Factors:

\* The scenario also points out that passenger numbers have decreased due to rising ticket prices, which reduces the demand for non-food materials from ACS. This factor is linked to the centralization effort, as reducing the need for distribution centers can reduce costs while still meeting business needs.

\* D reflects this by linking Fewer Distribution Centers and Centralized Production Facilities to both decreased emissions and operational efficiency.

#### \* Compliance with Laws and Regulations:

\* D shows a clear connection between compliance with CO2 Emission Laws and the Amount of CO2 Emissions generated by ACS, which is an essential driver of change in the scenario.

\* The need to ensure that emissions are within the legal limit is modeled effectively in D, reflecting the scenario's requirement to meet regulatory expectations by the end of the year.

#### \* Centralization of Production:

\* The scenario suggests that centralizing production is one way to reduce emissions and achieve operational efficiency. This is depicted clearly in D, where Production Facilities Centralized leads to both fewer distribution centers and a significant decrease in CO2 emissions.

\* D links the motivation for fewer distribution centers to environmental sustainability (CO2 reduction) as well as operational improvements.

#### \* Comprehensive ArchiMate® 3 Compliance:

\* D aligns well with ArchiMate® 3 standards. It models the Motivation Elements such as goals (e.g., Decrease CO2 Emissions), assessments (e.g., CO2 Emission Above Norm), and requirements (e.g., Comply with Laws and Regulations) accurately.

\* The relationships between these motivation elements are correctly depicted using ArchiMate® connectors like influences and associations, ensuring that the transition from baseline to target is clear and fully compliant with ArchiMate® 3 best practices.

Conclusion: Answer D provides the best representation of the proposed transition, focusing on the motivations for centralization and reduction of CO2 emissions. It accurately reflects the scenario's requirements, including legal compliance, environmental goals, and operational changes, all while following ArchiMate® 3 modeling standards.

## 질문 # 13

Please read this scenario prior to answering the question

The IT Operations (IT Ops) department at ArchiInsurance has five core responsibilities, each encompassing a dedicated business process: (1) Batch Operations (Batch Ops), (2) Online Operations (Online Ops), (3) Security Operations (Security Ops), (4) User Support and (5) Continuous Improvement. Service level agreements (SLAs) are in place for Batch Ops and Online Ops, and each Ops process generates monitoring data that is utilized by the Continuous Improvement process.

The System Ops category consists of Batch Ops, Online Ops, and Security Ops, each having an incident management sub-process. These sub-processes are triggered by Batch, Online, and Security Incidents, respectively. In the initial stages of the incident management sub-processes, an Incident Alert is shared with the other System Ops processes by posting it to the Alert Buffer. Batch Ops relies on a schedule that outlines all batch jobs and their dependencies. This schedule serves two sub-processes: Batch Planning, which updates the schedule for use by the Execution Management sub-process.

The Batch Ops process relies on a suite of interconnected applications to facilitate its operations. Among these applications, the Batch Scheduler plays a vital role by allowing users to manage a comprehensive database of jobs, job schedules, and dependencies. It effectively launches batch jobs according to the information stored in the database.

Working in conjunction with the Batch Scheduler, the Batch Monitor application utilizes the job schedules as a reference point to

monitor job execution. It identifies any exceptional conditions that may arise during the execution process. To ensure effective handling of these exceptions, the Batch Monitor communicates the information to both the Batch Scheduler and the Incident Handler applications through the previously mentioned Alert Buffer.

The Incident Handler application operates based on a defined set of business rules. It uses these rules to determine the relevant systems and individuals that need to be notified in the event of each incident.

Subsequently, the Incident Handler

application generates appropriate notifications according to these determinations.


Recognizing the criticality of the Batch Scheduler, Batch Monitor, and Incident Handler applications, ArchiSurance has implemented redundant hosting arrangements across multiple geographically distributed data centers. In each data center, these three applications are supported by fully redundant virtual server clusters. Each cluster is connected to two site local area networks, both of which are further linked to separate storage array hardware devices.

Refer to the scenario


As part of an IT service management initiative, you have been assigned the task to show how applications and technology support the Batch Ops process. This should show the relationships between the applications, their functions, the data they access, and the technology that hosts the applications and data, along with the networks that connect the servers. It is only necessary to model a single data center.

Which of the following answers provides the most complete and accurate model?


- A. A diagram of a work flow Description automatically generated




- B. A diagram of a work flow Description automatically generated



- C. A diagram of a software system Description automatically generated with medium confidence



- D. A diagram of a firefighter Description automatically generated



정답: D

설명:

The correct answer is Cas as it provides the most complete and accurate model according to the ArchiMate® 3 framework and the given scenario.

Here's why:

\* Business Processes and Sub-Processes:

\* The Batch Operations (Batch Ops) is one of the core responsibilities in IT Operations, and its processes are modeled clearly. The Batch Scheduler is responsible for managing batch jobs, schedules, and dependencies.

\* The Batch Monitor is correctly shown to monitor the job execution and notify exceptions using the Alert Buffer.

\* The Incident Handler is used to notify relevant systems and individuals, triggered by the incident detection from Batch Monitor. This is modeled by the use of incident handling rules and notifications.

\* Application Layer (Application Components and Functions):

\* The Batch Scheduler, Batch Monitor, and Incident Handler are accurately depicted as the main applications. These applications are crucial for managing job scheduling, monitoring execution, and handling incidents.

\* These applications share the same virtual server cluster, which is an important detail reflecting redundancy and high availability, which was mentioned in the scenario.

\* The interrelationships between applications are accurately depicted: the Batch Scheduler launches jobs, the Batch Monitor checks their status, and the Incident Handler deals with exceptions.

\* Data Access:

\* The Batch Scheduler accesses and updates batch jobs and schedules, and this is represented clearly.

\* The Incident data and Incident notifications are accurately modeled as being used by the Incident Handler.

\* Technology Layer:

\* The Virtual server cluster, Storage arrays, and Site Local Area Networks are appropriately connected to support the application infrastructure.

\* Redundancy is shown through the use of multiple storage arrays and network connections, as described in the scenario.

\* Accuracy in Relationship Types (ArchiMate® 3) References:

\* The relationships between components are modeled using ArchiMate® 3 standards, such as flow relationships between the Batch Monitor and Alert Buffer or between the Incident Handler and storage components.

\* Triggering relationships exist between the applications that manage batch jobs and the monitoring/notification process, ensuring correct job execution and incident handling.

Conclusion: Answer C is the most complete model, as it accurately reflects the roles of the various applications, their interactions, and the underlying technology components in support of the Batch Ops process, following the guidelines and modeling standards of ArchiMate® 3.

질문 # 14

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution plays a crucial role in supporting a large number of document types and managing a high volume of document-based transactions each day. Given its business-critical nature, the document management solution is hosted redundantly across two geographically separate data center sites: Site A and Site B. Both sites are configured identically to ensure seamless operations.

Each site has a highly available data center network (DCN) that connects to the resilient ArchiSurance wide area network (WAN). Each claim management server is connected to its respective site's DCN, forming a converged network that interconnects servers and storage arrays. A dedicated physical storage array is allocated to the claim management application within each DCN.

Additionally, each site houses four powerful physical servers exclusively dedicated to the claim management application. Among these servers, one remains on standby at any given time, while the other three take on specific roles in hosting the document, workflow, and application engines.


The standby server is responsible for monitoring the behavior of the other servers, providing a logging and reporting service. The active servers regularly transmit data to facilitate this monitoring functionality. In the event of a server failure, the standby server steps in to perform resource reallocation, replacing the faulty server. However, this task requires manual intervention from a system administrator to reconfigure the logging and reporting service to adapt to the new environment.

### Refer to the Scenario


The IT manager has asked you to model the hardware and networks that support the document management solution. This includes capturing the infrastructure components such as data center sites, servers, storage, and networks. Additionally, you are expected to outline the necessary functionality and services required to enable failover within a server cluster. Given that both data centers share an identical configuration, it is sufficient for Site B to only show the associated networking.

Which of the following is the best answer?


- A diagram of a server AI-generated content may be incorrect.




- B. A diagram of a server AI-generated content may be incorrect.



- C. A diagram of a server AI-generated content may be incorrect.



- D. A diagram of a software server AI-generated content may be incorrect.



정답: C

설명:

We need to identify the most accurate and complete model that represents:

- \* Infrastructure Components- Including data centers, servers, storage arrays, and networks.
- \* Failover Capabilities- Showing the standby server's role in monitoring and switching functionality upon failure.
- \* Redundant Setup- Ensuring the representation of both data centers (Site A and Site B), with Site B showing only networking.
- \* Interconnectivity- Between servers, DCN, and WAN.

Why D is the Best Choice:

#All required infrastructure components are included, such as:

- \* Physical servers (Document, Workflow, and Application Servers).
- \* Standby Server for failover.
- \* Claim Management Storage Array.
- \* DCN (Data Center Network) for Site A and Site B.
- \* ArchiSurance WAN for external connectivity.

#The Standby Server is correctly linked to logging, monitoring, and reporting, showing its role in monitoring and failover.

#Networking is modeled properly:

- \* Both Site A and Site B have a DCN, correctly interconnecting storage and servers.
- \* Site B does not duplicate servers but represents networking, as per the scenario.

#Functionality of Failover is Modeled Accurately:

- \* Monitoring and reporting services are depicted.
- \* Manual intervention by a system administrator is present.

Why Not A, B, or C?

- \* A: Does not fully capture the network and storage relationships clearly.
- \* B: Similar to A but misses some essential network connections.
- \* C: Incorrect failover representation, and networking elements are not clearly depicted.

## 질문 # 15

.....

OGA-032최신버전 공부문제: [https://www.exampassdump.com/OGA-032\\_valid-braindumps.html](https://www.exampassdump.com/OGA-032_valid-braindumps.html)

- OGA-032시험자료 □ OGA-032인기시험덤프 □ OGA-032퍼펙트 덤프 최신 샘플 □ ↗ www.dumptop.com  
□ ↗ □를 통해 쉽게 ▶ OGA-032 □무료 다운로드 받기 OGA-032최고품질 시험대비자료
- OGA-032최신버전 시험공부 덤프데모 다운 □ 검색만 하면 ➔ www.itdumpskr.com □에서 ➔ OGA-032 □무료 다운로드 OGA-032최신 기출자료
- 최신버전 OGA-032최신버전 시험공부 완벽한 덤프 최신버전 □ 시험 자료를 무료로 다운로드하려면 ➔ kr.fast2test.com □를 통해 ➔ OGA-032 □□□를 검색하십시오 OGA-032인기시험덤프
- 최신버전 OGA-032최신버전 시험공부 완벽한 덤프 최신버전 □ 검색만 하면 ➔ www.itdumpskr.com □에서 ➔ OGA-032 □□□무료 다운로드 OGA-032최신덤프자료
- OGA-032시험자료 □ OGA-032 100%시험패스 덤프 □ OGA-032최신버전 덤프자료 ↗ ➔ www.koreadumps.com ➔ OGA-032 □무료 다운로드를 받을 수 있는 최고의 사이트입니다 OGA-032퍼펙트 덤프 샘플 다운로드
- OGA-032시험자료 □ OGA-032최신버전 덤프자료 □ OGA-032최고품질 시험대비자료 ↗ ➔ www.itdumpskr.com □에서 검색만 하면 ✓ OGA-032 □✓ □를 무료로 다운로드할 수 있습니다 OGA-032인기시

협업프