

Excellent Exam 1z0-1104-25 Quiz | 100% Free 1z0-1104-25 Reliable Braindumps Book

Part 1: Multiple Choice

Choose the best answer and fill in the blank. (30%)

1. My brother Leo _____ video games every evening. A) play B) plays C) is playing
2. We _____ have class on Saturday mornings. A) don't B) doesn't C) aren't
3. _____ your sister like to listen to music? A) Do B) Is C) Does
4. I am _____ late for school because I wake up early. A) always B) never C) often
5. He is a vegetarian, so he _____ eats meat. A) never B) sometimes C) always
6. A: How often do you go to the library? B: I _____ go there. Maybe two or three times a week. A) rarely B) often C) never

Part 2: Verb Fill-in-the-Blanks (30%)

Use the verb in parentheses to fill in the blank with the correct simple present form.

7. He _____ (work) in a big office.
8. I _____ (not / like) to drink coffee.
9. They _____ (study) English together after school.
10. The sun _____ (rise) in the east.
11. A: _____ you _____ (speak) Japanese? B: No, I _____.
12. My cat _____ (sleep) on the sofa all day.

Part 3: Sentence Unscramble (20%)

Put the words in the correct order to make a complete and grammatically correct sentence.

13. homework / always / does / She / her / .

14. I / on weekends / usually / my grandparents / visit / .

15. late / for work / is / Tom / rarely / .

16. you / Do / exercise / often / ?
_____?

Part 4: Reading Comprehension (20%)

Read the short text below and answer the questions.

What's more, part of that iPassleader 1z0-1104-25 dumps now are free: <https://drive.google.com/open?id=1BYqaagd6571CwhcYs2EDWwtpUSIbRcHA>

Oracle certification is very helpful, especially the 1z0-1104-25 which is recognized as a valid qualification in this industry. So far, 1z0-1104-25 free download pdf has been the popular study material many candidates prefer. 1z0-1104-25 questions & answers can assist you to make a detail study plan with the comprehensive and detail knowledge. Besides, we have money refund policy to ensure your interest in case of your failure in 1z0-1104-25 Actual Test. Additional, if you have any needs and questions about the Oracle test dump, our 24/7 will always be here to answer you.

Oracle 1z0-1104-25 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">• Implementing Identity and Access Management (IAM): This section of the exam measures skills of OCI Administrators and focuses on identity and access controls. It covers IAM domains, users, groups, and compartments, as well as the use of IAM policies to manage access to resources. Candidates are also tested on configuring dynamic groups, network sources, and tag-based access control, along with managing MFA, sign-on policies, and activity monitoring.

Topic 2	<ul style="list-style-type: none"> Protecting Data: This section of the exam measures the skills of Cloud Security Professionals and highlights data security practices in OCI. It tests knowledge of using the Key Management Service for encryption keys, managing secrets in the OCI Vault, and applying features of OCI Data Safe to ensure sensitive data remains protected.
Topic 3	<ul style="list-style-type: none"> Protecting Infrastructure - Network and Applications: This section of the exam measures the skills of Cloud Security Professionals and covers methods for securing networks and applications on OCI. Topics include network security groups, firewalls, and security lists, while also focusing on the use of load balancers for availability. The section further addresses the configuration of OCI certificates and web application firewalls to strengthen infrastructure security.
Topic 4	<ul style="list-style-type: none"> Detecting, Remediating, and Monitoring OCI Resources: This section of the exam measures the skills of OCI Administrators and emphasizes monitoring and maintaining security posture across cloud resources. It focuses on the use of Cloud Guard, security zones, and the Security Advisor. Candidates also need to understand how to identify rogue users with threat intelligence, as well as use monitoring, logging, and event services for continuous visibility into performance and security.
Topic 5	<ul style="list-style-type: none"> Implementing OS and Workload Protection: This section of the exam measures the skills of OCI Administrators and looks at securing workloads and operating systems. It includes the use of OCI Bastion for time-limited access, vulnerability scanning of hosts and containers, and the use of OS management for automated updates. The goal is to ensure that workloads remain resilient and well-protected.

>> Exam 1z0-1104-25 Quiz <<

1z0-1104-25 Study Guide & 1z0-1104-25 Guide Torrent & 1z0-1104-25 Practice Test

The Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) PDF format, desktop practice test software, and web-based practice test software, all three formats of actual exam questions are ready for quick download. You just need to pay the affordable Oracle 1z0-1104-25 Exam Questions charges and click on the download button. Get them now and start Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) exam preparation today.

Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q30-Q35):

NEW QUESTION # 30

Challenge 2

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:

Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 5: Provision a Compute Instance

Provision a compute instance in the IAD-SP-PBT-PUBSNET-01 public subnet, where:

Name IAD-SP-PBT-1-VM-01

Image: Oracle Linux 8

Shape VM: Standard, A1, Flex

Enter the OCID of the created compute instance in the text box below.

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

To provision a compute instance named IAD-SP-PBT-1-VM-01 in the IAD-SP-PBT-PUBSNET-01 public subnet with the specified configuration (Oracle Linux 8 image, VM Standard A1 Flex shape), follow these steps based on the Oracle Cloud Infrastructure (OCI) Compute documentation.

Step-by-Step Solution for Task 5: Provision a Compute Instance

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

* Ensure you have access to the assigned compartment.

* Navigate to Compute Instances:

* From the OCI Console, click the navigation menu (hamburger icon) on the top left.

* UnderCompute, selectInstances.

* Create a New Compute Instance:

* Click theCreate Instancebutton.

* Configure the Instance Details:

* Name:Enter IAD-SP-PBT-1-VM-01.

* Compartment:Select the assigned compartment.

* Placement:Choose the availability domain (e.g., AD-1) based on your region's availability.

* Select the Image:

* UnderImage and Shape, clickChange Image.

* SelectOracle Linux 8from the platform images list.

* ClickSelect Image.

* Choose the Shape:

* ClickChange Shape.

* SelectVM Standardcategory.

* ChooseA1 Flexfrom the shape options.

* Configure the OCPUs (e.g., 1 OCPU) and memory (e.g., 6 GB) as needed for A1 Flex, then click Select Shape.

* Configure Networking:

* UnderNetworking, ensure theVirtual Cloud Networkis set to IAD-SP-PBT-VCN-01.

* Set theSubnetto IAD-SP-PBT-PUBSNET-01 (public subnet with CIDR 10.0.1.0/24).

* EnableAssign a public IPv4 addresssto allow external connectivity.

* Leave the default security list or assign a custom one if configured previously.

* Set Up SSH Access:

* UnderAdd SSH Keys, either:

* Upload your public SSH key file, or

* Paste your public SSH key manually.

* This ensures you can access the instance via SSH.

* Launch the Instance:

* ClickCreate to provision the compute instance.

* Wait for the instance to reach theRunningstate (this may take a few minutes).

* Note the Instance OCID:

* Once the instance is running, go to the instance details page for IAD-SP-PBT-1-VM-01.

* Copy theOCIDdisplayed (e.g., ocid1.instance.oc1..<unique_string>).

OCID of the Created Compute Instance

* Enter the OCID of the created compute instance (IAD-SP-PBT-1-VM-01) into the text box. The exact OCID will be available after Step 9 (e.g., ocid1.instance.oc1..<unique_string>).

Notes

* Ensure the security zone IAD_SAP-PBT-CSZ-01 and its associated recipe IAD-SP-PBT-CSP-01 allow compute instance creation in the public subnet (10.0.1.0/24).

* Verify network connectivity by testing SSH access using the public IP assigned to the instance.

NEW QUESTION # 31

Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure

Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:

Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 1: Create a Custom Security Zone Recipe

Create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in the public subnet.

Enter the OCID of the created custom security zone recipe in the text box below.

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

To create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in a public subnet, we will follow the steps outlined in the Oracle Cloud Infrastructure (OCI) Security Zones documentation. These steps are based on verified procedures from the OCI Security Zone Guide and related resources.

Step-by-Step Solution for Task 1: Create a Custom Security Zone Recipe

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

* Ensure you have access to the assigned compartment provided in the tenancy.

* Navigate to Security Zones:

* From the OCI Console, go to the navigation menu (hamburger icon) on the top left.

* Under Governance and Administration, select Security Zones.

* Create a New Security Zone Recipe:

* In the Security Zones dashboard, click on the Recipe tab.

* Click the Create Recipe button.

* Configure the Recipe Details:

* Name: Enter IAD-SP-PBT-CSP-01.

* Description: (Optional) Add a description, e.g., "Custom recipe to allow compute instances in public subnet."

* Leave the Compartment as the assigned compartment provided.

* Define the Security Zone Policy:

* In the policy editor, start with a base policy. Since the Maximum Security Zone recipe restricts public subnet usage, you need to customize it.

* Add the following policy statement to allow compute instances in a public subnet:

Allow service compute to use virtual-network-family in compartment <compartment-name> where ALL { target.resource.type = 'Instance', target.vcn.cidr_block = '10.0.0.0/16', target.subnet.cidr_block = '10.0.10.0/24' }

* Replace <compartment-name> with the name of your assigned compartment.

* This policy allows the Compute service to provision instances in the public subnet (10.0.10.0/24) within the VCN (10.0.0.0/16).

* Adjust Restrictions:

* Ensure the recipe does not inherit the Maximum Security Zone recipe's default restrictions that block public subnet usage.

Explicitly allow the public subnet by including the subnet CIDR block (10.0.10.0/24) in the policy.

* Remove or modify any conflicting default rules that prohibit public subnet usage (e.g., rules blocking internet access or public IP assignment).

* Save the Recipe:

* Click Create to save the custom security zone recipe.

* Once created, note the OCID of the recipe from the recipe details page. The OCID will be a unique identifier starting with ocid1.securityzonerecipe.

* Verify the Recipe:

* Go to the Recipe tab and locate IAD-SP-PBT-CSP-01.

* Ensure the policy reflects the allowance for compute instances in the public subnet by reviewing the policy statement.

OCID of the Created Custom Security Zone Recipe

* The exact OCID will be generated upon creation (e.g., ocid1.securityzonerecipe.oc1..unique_string).

Please enter the OCID displayed in the OCI Console after completing Step 7.

Notes

* Ensure IAM policies are correctly configured to grant you permissions to create and manage security zone recipes in the compartment.

* The policy assumes the public subnet CIDR (10.0.10.0/24) matches the diagram. Adjust if the actual subnet CIDR differs.

* Test the recipe by associating it with a security zone and attempting to launch a compute instance to confirm compliance.

NEW QUESTION # 32

"A programmer is developing a Node.js application which will run on a Linux server on their on-premises data center. This application will access various Oracle Cloud Infrastructure (OCI) services using OCI SDKs.

What is the secure way to access OCI services with OCI Identity and Access Management (IAM)?

- A. Create a new OCI IAM user associated with a dynamic group and a policy that grants the desired permissions to OCI services. Add the on-premises Linux server in the dynamic group.
- B. Create a new OCI IAM user, add the user to a group associated with a policy that grants the desired permissions to OCI services. In the on-premises Linux server, generate the keypair used for signing API requests and upload the public key to the IAM user.
- C. Create a new OCI IAM user, add the user to a group associated with a policy that grants the desired permissions to OCI services. In the on-premises Linux server, add the user name and password to a file used by Node.js authentication.
- D. Create an OCI IAM policy with appropriate permissions to access the required OCI services and assign the policy to the on-premises Linux server."

Answer: B

NEW QUESTION # 33

When trying to encrypt plaintext using Command Line Interface (CLI), the developer gets a Service Error.

This is the command the developer tried to run:

What is the reason for this error?

- A. The user should pass the key version OCID instead of the key OCID.
- B. The developer has the wrong endpoint.
- C. The developer forgot to specify the region.
- D. The plaintext needs to be in JSON form

Answer: A

NEW QUESTION # 34

An OCI administrator notices that a compute instance running in the production compartment is unable to create Object Storage buckets using the OCI CLI command:

oci os bucket create --name mybucket --compartment-id <compartment_OCID> --auth instance_principal The error message returned states:

"NotAuthorizedOrNotFound: You are not authorized to perform this action." The administrator verifies that the instance has Internet access and can reach OCI endpoints.

What then could be causing the issue?

- A. The policy is written at the root compartment instead of the production compartment.
- B. The instance is using the wrong OCI CLI authentication method.
- C. The bucket name is already in use, causing a conflict.
- D. The instance is not part of any Dynamic Group or the matching rule is incorrect.

Answer: D

NEW QUESTION # 35

.....

With the rapid development of the world economy and frequent contacts between different countries, the talent competition is increasing day by day, and the employment pressure is also increasing day by day. If you want to get a better job and relieve your employment pressure, it is essential for you to get the 1z0-1104-25 Certification. However, due to the severe employment situation, more and more people have been crazy for passing the 1z0-1104-25 exam by taking examinations, the exam has also been more and more difficult to pass.

1z0-1104-25 Reliable Braindumps Book: <https://www.ipassleader.com/Oracle/1z0-1104-25-practice-exam-dumps.html>

BTW, DOWNLOAD part of iPassleader 1z0-1104-25 dumps from Cloud Storage: <https://drive.google.com/open?id=1BYqaagd6571CwhcYs2EDWwtpUSlBrcHA>