

FCSS_SDW_AR-7.6 Practice Exam Pdf - FCSS_SDW_AR-7.6 Reliable Exam Questions



Our company has employed a lot of excellent experts and professors in the field in the past years, in order to design the best and most suitable FCSS_SDW_AR-7.6 study materials for all customers. More importantly, it is evident to all that the FCSS_SDW_AR-7.6 Study Materials from our company have a high quality, and we can make sure that the quality of our products will be higher than other study materials in the market.

If you prefer to prepare for your FCSS_SDW_AR-7.6 exam on paper, we will be your best choice. FCSS_SDW_AR-7.6 PDF version is printable, and you can print them into hard one and take some notes on them if you like, and you can study them anytime and anywhere. In addition, FCSS_SDW_AR-7.6 Pdf Version have free demo for you to have a try, so that you can have deeper understanding of what you are going to buy. FCSS_SDW_AR-7.6 exam dumps are edited by skilled experts, and therefore the quality can be guaranteed. And you can use them at ease.

>> FCSS_SDW_AR-7.6 Practice Exam Pdf <<

FCSS_SDW_AR-7.6 Reliable Exam Questions | FCSS_SDW_AR-7.6 Reliable Test Sample

Pass rate is 98.45% for FCSS_SDW_AR-7.6 learning materials, which helps us gain plenty of customers. You can pass the exam and obtain the certification successfully if you choose us. FCSS_SDW_AR-7.6 exam braindumps contain both questions and answers, and it's convenient for you to check the answers after practicing. You can try free demo before buying FCSS_SDW_AR-7.6 Exam Materials, so that you can know what the complete version is like. We provide you with free update for 365 days after purchasing, and the update version for FCSS_SDW_AR-7.6 exam dumps will be sent to you automatically. You just need to check your email and change your learning ways according to new changes.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q55-Q60):

NEW QUESTION # 55

Refer to the exhibits. You connect to a device behind a branch FortiGate device and initiate a ping test. The device is part of the LAN subnet and its IP address is 10.0.1.101.

Based on the exhibits, which interface uses branch 1_fgt to steer the test traffic?

Diagnose output

```
branch_fgt # diagnose firewall proute list
list route policy info (vf=root):

id=1(0x1) dscp_tag=0xfc flags=0x0 tos=0x00 tos_mask=0x00 protocol=0
port=src(0->0):dst(0->0) iif=0(any)
path(1): oif=21(HUB1-VPN2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 10.1.0.7/255.255.255.255
hit_count=0 rule_last_used=2025-01-06 00:41:44

id=2130903041 (0x7f030001) vwl_service=1 (Critical-DIA) vwl_mbr_seq=1 2
dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(2): oif=3(port1), oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Salesforce(16920,0) Microsoft.Portal (41469,0)
hit_count=13 rule_last_used=2025-01-06 01:55:12

id=2130903042 (0x7f030002) vwl_service=2 (Non-Critical-DIA) vwl_mbr_seq=2
dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(1): oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(3): Facebook(15832, 0), LinkedIn(16331, 0), Game(0, 8)
hit_count=27 rule_last_used=2025-01-06 01:55:12

id=2130903043 (0x7f030003) vwl_service=3 (Corp) vwl_mbr_seq=4 5 6 7 8 9
dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(6): oif=20(HUB1-VPN1), oif=21(HUB1-VPN2), oif=22(HUB1-VPN3), oif=23
(HUB2-VPN1), oif=24(HUB2-VPN2), oif=25(HUB2-VPN3),
source(1): 10.0.1.0-10.0.1.255
destination (1): 10.0.0.0-10.255.255.255
hit_count=0 rule_last_used=2025-01-06 00:41:49

id=2130903045 (0x7f030005) vwl_service=5 (Internet) vwl_mbr_seq=3 2
dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(3): oif=6(port4), oif=4(port2) path_last_used=2025-01-06 02:12:08,
oif=3(port1)
source(1): 10.0.1.0-10.0.1.255
destination (1): 10.0.0.0-10.255.255.255
hit_count=27 rule_last_used=2025-01-06 02:12:08
```

Diagnose output

```
branch1_fgt # diagnose sys sdwan internet-service-app-ctrl-list
List App Ctrl Database Entry(IPv4) in Kernel:

Max_App_Ctrl_Size=32768 Num_App_Ctrl_Entry=8

Facebook(15832 23): IP=157.240.19.35 6 443

Addicting.Games(30156 8): IP=172.64.80.16 443

Microsoft.Portal(41469 28): IP=184.27.181.201 6 443

LinkedIn(16331 23): IP=13.107.42.14 6 443

MSN.Game(16135 8): IP=13.107.246.35 6 443

Salesforce(16920 29): IP=32,222.17.73 6 443

Salesforce(16920 29): IP=32,222.17.76 6 443

Facebook(15832 23): IP=31.13.80.36 6 443
```

- A. HUB1-VPN1
- B. port1
- C. port2

- D. port4

Answer: C

Explanation:

The ping target IP 157.240.19.35 matches an App Control entry for Facebook (ID 15832).

According to the diagnose firewall route list output, this application is handled by vwl_service=2 (Non-Critical-DIA), which routes traffic via oif=4 (port2). Therefore, FortiGate steers the Facebook test traffic through port2.

NEW QUESTION # 56

The administrator uses the FortiManager SD-WAN overlay template to prepare an SD-WAN deployment. Using information provided through the SD-WAN overlay template wizard, FortiManager creates templates ready to install on the spoke and hub devices.

What are the three templates created by the SD-WAN overlay template for a spoke device? (Choose three.)

- A. Rules template
- B. Static route template
- C. BGP template
- D. CLI template
- E. IPsec tunnel template

Answer: A,C,E

Explanation:

Rules template → Defines the SD-WAN rules for traffic steering.

BGP template → Configures dynamic routing for overlay tunnels.

IPsec tunnel template → Builds the IPsec VPN tunnels from the spoke to the hubs.

NEW QUESTION # 57

You manage an SD-WAN topology. You will soon deploy 50 new branches.

Which three tasks can you do in advance to simplify this deployment? (Choose three.)

- A. Create a ZTP template.
- B. Create model devices.
- C. Define metadata variables value for each device.
- D. Create policy blueprint.
- E. Update the DHCP server configuration.

Answer: A,B,D

Explanation:

When planning to deploy a large number of branches (e.g., 50), Fortinet recommends several preparatory steps to simplify and automate the rollout. Creating model devices allows you to predefine configurations and settings that can be cloned or adapted for each branch, saving time and minimizing manual errors. Preparing a Zero Touch Provisioning (ZTP) template enables automatic onboarding and provisioning of new FortiGates as soon as they come online, reducing manual intervention. Lastly, creating a policy blueprint allows for standardized policy deployment across all branches, ensuring consistent security and SD-WAN rule enforcement. This holistic approach streamlines the deployment process, allows for rapid scaling, and ensures that all devices are configured according to corporate policy from day one.

Reference:

[FCSS_SDW_AR-7.4 1-0.docx Q8]

Fortinet SD-WAN 7.4 Reference Architecture, "ZTP and Model Device Strategies for Scalable Rollouts" FortiManager Admin Guide, "Policy Blueprints and Automation for Branch Deployment"

NEW QUESTION # 58

Refer to the exhibits.

You use FortiManager to configure SD-WAN on three branch devices.

SD-WAN template zones and rules configuration

SD-WAN Zones

<input type="checkbox"/>	ID	Interface	Gateway	Cost	Priority	Status	Installation Target
<input type="checkbox"/>	virtual-wan-link						
<input type="checkbox"/>	underlay						
<input type="checkbox"/>	1	port1	\$(sdwan_port1_gw)	0	1	Enable	
<input type="checkbox"/>	2	port2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	WAN3						
<input type="checkbox"/>	3	port4	\$(sdwan_port4_gw)	0	1	Enable	1 Device in Total branch1_fgt [root]
<input type="checkbox"/>	HUB1						
<input type="checkbox"/>	4	HUB1-VPN1	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	5	HUB1-VPN2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	6	HUB1-VPN3	0.0.0.0	0	1	Enable	

SD-WAN Rules

<input type="checkbox"/>	ID	Name	Interface	Application	Destination	Source IP	Status
<input type="checkbox"/>	1	Critical-DIA	LAN-r	Salesforce Microsoft	port1 port2	any	Enable
<input type="checkbox"/>	2	Non-Critical-DIA	LAN-r	Facebook LinkedIn Game	port2	any	Enable
<input type="checkbox"/>	3	Corp	LAN-r	Corp-net	HUB1-VPN1 HUB1-VPN2 HUB1-VPN3	any	Enable
<input type="checkbox"/>	sd-wan	All	All	Source IP	All	any	

FortiManager error message

Install Wizard - Validate Devices (3/4)

Task finished with errors.

Installation Preparation Total: 4/4. Success: 3. Warning: 0. Error: 1. Show Details. 100%

Ready to Install
Only successfully validated device may be installed. Please confirm and click "Install" button to continue.

Install Preview

<input checked="" type="checkbox"/>	Device Name	Status	Action
<input type="checkbox"/>	branch1_fgt	Copy Failed	Log
<input checked="" type="checkbox"/>	branch2_fgt	Connection Up	
<input checked="" type="checkbox"/>	branch3_fgt	Connection Up	

```

View Install Log
Copy device global objects
Copy objects for vdom root
Commit failed:
error -999 - - (from Template Group Corp-SOT_Branch) (in Template branches)
invalid ip - prop[gateway]: ip4class(${sdwan_port1_gw}) invalid ip addr

```

When you install the device settings, FortiManager prompts you with the error "Copy Failed" for the device branch1_fgt. When you click the log button, FortiManager displays the message shown in the exhibit.

There are two different ways to resolve this issue. Based on the exhibits, which methods could you use? (Choose two.)

- A. Review the per-device mapping configuration for metadata variables
- B. Do not define installation targets for SD-WAN members.
- C. Specify the gateway of the SD-WAN member port1 with an IP address or use the default value.
- D. Update the management IP address of branch1_fgt.

Answer: A,C

Explanation:

Specify the gateway of the SD-WAN member port1 with an IP address or use the default value → The error log shows invalid ip - prop[gateway]: ip4class(\${sdwan_port1_gw}) invalid ip addr, meaning the variable \${sdwan_port1_gw} does not have a valid mapping. Assigning a valid IP address or default value for the gateway resolves this error.

Review the per-device mapping configuration for metadata variables → The issue is tied to how the metadata variable \${sdwan_port1_gw} is mapped for branch1_fgt. If this device does not have the variable properly defined in per-device mapping, the configuration will fail. Correcting the mapping ensures that the install works.

NEW QUESTION # 59

Which two statements are correct when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. Traffic is load balanced using the algorithm set for the v4-ecmp-mode setting.
- B. Traffic does not match any of the entries in the policy route table.
- C. All SD-WAN rules have the default and gateway setting enabled.
- D. The session information output displays no SD-WAN-specific details.

Answer: B,D

Explanation:

If the session matched the SD-WAN implicit rule, and therefore was handled using standard FIB routing, these SD-WAN fields do not appear.

If traffic doesn't match any entry in the route table then it will use the implicit deny SD-WAN rule.

NEW QUESTION # 60

.....

On the one hand, FCSS_SDW_AR-7.6 test torrent is revised and updated according to the changes in the syllabus and the latest developments in theory and practice. On the other hand, a simple, easy-to-understand language of FCSS_SDW_AR-7.6 test answers frees any learner from any learning difficulties - whether you are a student or a staff member. These two characteristics determine that almost all of the candidates who use FCSS_SDW_AR-7.6 Guide Torrent can pass the test at one time. This is not self-determination. According to statistics, by far, our FCSS_SDW_AR-7.6 guide torrent has achieved a high pass rate of 98% to 99%, which exceeds all others to a considerable extent. At the same time, there are specialized staffs to check whether the FCSS_SDW_AR-7.6 test torrent is updated every day.

FCSS_SDW_AR-7.6 Reliable Exam Questions: https://www.validtorrent.com/FCSS_SDW_AR-7.6-valid-exam-torrent.html

As busy working staff good Fortinet FCSS_SDW_AR-7.6 test online will be helper for your certificate exams, Fortinet FCSS_SDW_AR-7.6 Practice Exam Pdf And higher chance of desirable salary and managers' recognition, as well as promotion will not be just dreams, To try this you sincerely need to pass the Fortinet FCSS_SDW_AR-7.6 certification examination, Fortinet

