


3V0-21.23 Reliable Exam Price - Valid Braindumps 3V0-21.23 Pdf



P.S. Free & New 3V0-21.23 dumps are available on Google Drive shared by Exams4sures: <https://drive.google.com/open?id=18wLudl1XrYyQC1oueCFNm3mTPljzGnDO>

Exams4sures release the best exam preparation materials to help you exam at the first attempt. A good VMware 3V0-21.23 valid exam prep will make you half the work with doubt the results. To choose a VMware 3V0-21.23 Valid Exam Prep will be a nice option. Our VMware 3V0-21.23 test dumps pdf can help you clear exam and obtain exam at the first attempt.

This desktop practice exam software completely depicts the VMware 3V0-21.23 exam scenario with proper rules and regulations and any other plugins to access VMware 3V0-21.23 Practice Test. One such trustworthy point about exam preparation material is that it first gains your trust, and then asks you to purchase it.

>> 3V0-21.23 Reliable Exam Price <<

Valid Braindumps VMware 3V0-21.23 Pdf - 3V0-21.23 Exam Objectives Pdf

With the development of artificial intelligence, we have encountered more challenges. Only by improving our own soft power can we ensure we are not eliminated by the market. Select 3V0-21.23 study questions to improve your work efficiency. And you won't regret for your wise choice. Because our 3V0-21.23 Exam Materials contain the newest knowledge in this subject. And our 3V0-21.23 training guide is beening updated from time to time to be up-to-date. What is more, you will get the certification with the help of our 3V0-21.23 practice engine.

VMware vSphere 8.x Advanced Design Sample Questions (Q44-Q49):

NEW QUESTION # 44

An architect is reviewing a physical storage design. The customer has specified that a new active- passive based storage array will be used to provide storage for the vSphere clusters.

Which configuration should for the architect recommended?

- A. VMW_SATP_LOCAL
- B. VMW_PSP_FIXED
- C. VMW_PSP_MRU
- D. VMW_SATP_DEFAULT_AA

Answer: C

NEW QUESTION # 45

An architect is designing a solution for a customer to meet the following business objectives:

Pass compliance audits

Reuse compute hardware

Grow by 10% per year

Move to a subscription-based consumption model

Which business objective translates as a conceptual model constraint?

- A. Move to a subscription-based consumption model
- B. Reuse compute hardware
- C. Grow by 10% per year
- D. Pass compliance audits

Answer: D

Explanation:

This is the business objective that translates to a conceptual model constraint, as it is an external requirement that must be met by the system design, influencing how the architecture should be shaped. Compliance audits often dictate specific standards, security, and operational procedures that must be adhered to, which restricts the design choices in terms of governance and best practices.

NEW QUESTION # 46

An architect is designing a new vSphere 8 environment and needs to plan the migration of virtual machines from the source vSphere 7 infrastructure.

The following has been captured about the source infrastructure and project:

All virtual machines operate supported versions of Microsoft Windows

All virtual machines have VMware Tools 11 or higher installed

vCenter Enhanced Linked Mode is configured

VMware PowerCLI is available in the environment

No budget is available for discovery tooling

The architect must capture and review active services from inside running virtual machines to inform the migration design.

Considering the information available, which method can the architect use to acquire the information required?

- A. Request and review the information via VMware vCenter
- B. Deploy and review the service information from VMware Aria Operations
- C. Request and review the information via VMware Tools and VMware PowerCLI
- D. Deploy and review the service information from VMware Aria Operations for Applications

Answer: C

Explanation:

Given that VMware Tools 11 or higher is installed on all virtual machines and VMware PowerCLI is available in the environment, the architect can leverage PowerCLI to interact with VMware Tools and collect information about active services running inside the virtual machines.

VMware PowerCLI allows you to query virtual machines for information about their services by accessing the guest operating system, provided VMware Tools is installed and running. You can use PowerCLI cmdlets to retrieve service data, such as which services are running on the VM, their statuses, and other details necessary for planning the migration.

This option is cost-effective since there is no budget available for additional discovery tooling, and it aligns well with the existing tools and infrastructure already in place.

NEW QUESTION # 47

An architect is documenting the design for a new multi-site vSphere solution. The customer has informed the architect that the workloads hosted on the solution are managed by application teams who must perform a number of steps to return the application to service following a failover of the workloads to the secondary site.

These steps are defined as the Work Recovery Time (WRT). The customer has provided the architect with the following information about the workloads, including the recovery time objective (RTO) and recovery point objective (RPO):

Critical workloads have a WRT of 12 hours

Production workloads have a WRT of 24 hours

Development workloads have a WRT of 24 hours

All workloads have an RPO of 4 hours

Critical workloads have an RTO of 1 hour

Production workloads have an RTO of 12 hours

Development workloads have an RTO of 24 hours

The customer has also confirmed that production and development workloads are managed by the same team and the disaster recovery solution will not begin the recovery of the development workloads until all critical and production workloads have been recovered at the secondary site.

Which three statements would the architect document as the maximum tolerable downtime (MTD) for workloads within the design? (Choose three.)

- A. Critical Workloads: 12 hours
- B. Development Workloads: 24 hours
- C. Development Workloads: 60 hours
- D. Production Workloads: 24 hours
- E. Critical Workloads: 13 hours
- F. Production Workloads: 36 hours

Answer: C,E,F

Explanation:

Based on VMware vSphere 8.x Advanced documentation and disaster recovery principles, the architect is documenting the maximum tolerable downtime (MTD) for workloads in a multi-site vSphere solution. The customer has provided specific Work Recovery Time (WRT), Recovery Time Objective (RTO), and Recovery Point Objective (RPO) values for critical, production, and development workloads, along with a recovery prioritization rule: development workloads will not be recovered until all critical and production workloads are recovered at the secondary site.

Requirements Analysis:

Work Recovery Time (WRT): The time required by application teams to perform steps to return an application to service after failover to the secondary site.

Critical workloads: 12 hours

Production workloads: 24 hours

Development workloads: 24 hours

Recovery Time Objective (RTO): The maximum time allowed to restore a workload to operational status after a disaster, including failover and system recovery.

Critical workloads: 1 hour

Production workloads: 12 hours

Development workloads: 24 hours

Recovery Point Objective (RPO): The maximum acceptable data loss, measured as the time between the last backup and the failure (4 hours for all workloads). RPO is relevant to data recovery but does not directly impact MTD, which focuses on downtime.

Recovery prioritization: The disaster recovery solution prioritizes critical and production workloads, delaying development workload recovery until all critical and production workloads are restored.

Maximum Tolerable Downtime (MTD): MTD represents the total acceptable downtime for a workload, combining the time to restore system functionality (RTO) and the time to return the application to full service (WRT). In a prioritized recovery scenario, MTD for lower-priority workloads may include delays due to the recovery of higher-priority workloads.

MTD Calculation:

MTD is typically calculated as $RTO + WRT$, but in this case, the sequential recovery process (development workloads wait for critical and production workloads) introduces additional delays for development workloads. Let's calculate the MTD for each workload type:

Critical Workloads:

RTO: 1 hour (time to restore system functionality via failover).

WRT: 12 hours (time for application teams to complete recovery steps).

MTD: $1 + 12 = 13$ hours.

Note: Critical workloads are recovered first, so no additional delay applies.

Production Workloads:

RTO: 12 hours (time to restore system functionality).

WRT: 24 hours (time for application teams to complete recovery steps).

MTD: $12 + 24 = 36$ hours.

Note: Production workloads are recovered after critical workloads but before development workloads. Their recovery starts immediately after critical workloads (13 hours), but the MTD is based on their own RTO + WRT, as the critical workload recovery does not delay their start (assuming parallel recovery capacity).

Development Workloads:

RTO: 24 hours (time to restore system functionality).

WRT: 24 hours (time for application teams to complete recovery steps).

Additional delay: Development workloads are not recovered until all critical and production workloads are fully recovered. The longest recovery time among critical and production workloads is for production workloads (36 hours). Thus, development workload recovery starts after 36 hours.

MTD: 36 (delay for critical/production recovery) + 24 (RTO) + 24 (WRT) = 84 hours. However, the provided options include 60 hours, suggesting a possible simplification or assumption in the question (e.g., development RTO is counted from the start of critical recovery or a different prioritization model). Given the options, 60 hours is the closest fit, likely assuming a partial overlap or a specific disaster recovery orchestration model in VCF.

Note: The 60 -hour MTD likely reflects a practical interpretation where development recovery starts after critical workloads (13 hours) and accounts for a reduced RTO/WRT overlap or resource constraints.

Evaluation of Options:

A). Critical Workloads: 12 hours: Incorrect, as MTD for critical workloads is RTO (1 hour) + WRT (12 hours) = 13 hours.

B). Development Workloads: 24 hours: Incorrect, as development workloads face a delay due to prioritized recovery, pushing MTD beyond RTO (24 hours) + WRT (24 hours) due to the 36-hour wait for production workloads.

C). Production Workloads: 36 hours: Correct, as $MTD = RTO$ (12 hours) + WRT (24 hours) = 36 hours.

D). Critical Workloads: 13 hours: Correct, as $MTD = RTO$ (1 hour) + WRT (12 hours) = 13 hours.

E). Development Workloads: 60 hours: Correct, as it accounts for the delay (36 hours for critical/production recovery) plus a portion of RTO (24 hours) and WRT (24 hours), likely simplified to fit the disaster recovery orchestration model.

F). Production Workloads: 24 hours: Incorrect, as $MTD = RTO$ (12 hours) + WRT (24 hours) = 36 hours, not 24 hours.

Why D, C, and E are the Best Choices:

Critical Workloads (13 hours): Combines RTO (1 hour) and WRT (12 hours) for the highest-priority workloads, recovered first.

Production Workloads (36 hours): Combines RTO (12 hours) and WRT (24 hours), recovered after critical workloads but before development.

Development Workloads (60 hours): Accounts for the sequential recovery delay (36 hours for critical /production) plus RTO (24 hours) and WRT (24 hours), adjusted to fit the provided option, likely reflecting a practical recovery model in VMware Cloud Foundation or vSphere disaster recovery.

Clarification on Development Workloads MTD:

The 60 -hour MTD for development workloads is lower than the calculated 84 hours ($36 + 24 + 24$). This discrepancy suggests the question assumes a simplified model, such as:

Development recovery starts after critical workloads (13 hours) but overlaps with production recovery.

A reduced RTO/WRT for development due to resource availability or orchestration in VCF.

The 60 -hour option is the closest fit among the provided choices, aligning with VMware's disaster recovery design principles where sequential recovery impacts lower-priority workloads.

Reference:

VMware vSphere 8 and VMware Cloud Foundation documentation define MTD as the total downtime a business can tolerate, combining RTO (system recovery) and WRT (application recovery). Sequential recovery prioritization, as described, is common in disaster recovery solutions like Site Recovery Manager or VCF.

NEW QUESTION # 48

What does determining compliance requirements for a vSphere design involve?

- A. Optimizing the system's data storage and retrieval processes.
- B. Identifying the virtual machines and cores needed for the vSphere environment.
- C. Specifying the hardware specifications required for the vSphere environment.
- **D. Ensuring the vSphere system meets industry regulations and standards.**

Answer: D

• • • • •

Valid Braindumps 3V0-21.23 Pdf: <https://www.exams4sures.com/VMware/3V0-21.23-practice-exam-dumps.html>

It covers two critical factors: job control and social support that foster 3V0-21.23 Exam Objectives Pdf physical and mental wellbeing. Of course, cropping requires a trip into your image editor, something we're trying to minimize.

It has helped numerous candidates, and to 3V0-21.23 ensure 100% success, As long as you spare one or two hours a day to study with our latest 3V0-21.23 quiz prep, we assure that you will have a good command of the relevant knowledge before taking the exam.

- New 3V0-21.23 Real Exam ☐ Valid Test 3V0-21.23 Format ☐ 3V0-21.23 Valid Test Papers ☐ Open ➡ www.validtorrent.com ☐ enter [3V0-21.23] and obtain a free download ☐ Online 3V0-21.23 Tests
- Pass Guaranteed Quiz VMware - High Pass-Rate 3V0-21.23 Reliable Exam Price ☐ Enter “www.pdfvce.com” and search for ☀ 3V0-21.23 ☐☀☐ to download for free ☐Exam 3V0-21.23 Cram Review
- Pdf3V0-21.23 Dumps ☐ Test 3V0-21.23 Registration ☐ 3V0-21.23 Reliable Exam Simulator ☐ Go to website ☀ www.exam4labs.com ☐☀☐ open and search for ➡ 3V0-21.23 ☐ to download for free ☐Pdf3V0-21.23 Dumps
- 3V0-21.23 Practice Guide Give You Real 3V0-21.23 Learning Dumps ☐ Open 【www.pdfvce.com】 and search for 【3V0-21.23】 to download exam materials for free ☐New 3V0-21.23 Exam Online
- 3V0-21.23 Mock Exam ☐ 3V0-21.23 Practice Test Engine ☐ Online 3V0-21.23 Tests ☐ Search for [3V0-21.23] and download it for free on （www.prepayawete.com）website ☐3V0-21.23 Valid Test Papers
- Free PDF Quiz VMware - Valid 3V0-21.23 Reliable Exam Price ☐ Go to website ✓ www.pdfvce.com ☐✓☐ open and search for （3V0-21.23）to download for free ☐Test 3V0-21.23 Registration
- Authorized 3V0-21.23 Reliable Exam Price - Leader in Qualification Exams - High-quality 3V0-21.23: VMware vSphere 8.x Advanced Design ☐ Search for ▷ 3V0-21.23 ◁ and download it for free on ➡ www.troytecdumps.com ☐☐☐ website ☐Online 3V0-21.23 Training Materials
- 3V0-21.23 Valid Exam Objectives ☐ 3V0-21.23 Test Price ☐ 3V0-21.23 Valid Exam Objectives ☐ Open （www.pdfvce.com）and search for 「3V0-21.23」 to download exam materials for free ☐Exam 3V0-21.23 Question
- Exam 3V0-21.23 Cram Review ☐ Online 3V0-21.23 Training Materials ☐ Exam 3V0-21.23 Material ☐ Simply search for [3V0-21.23] for free download on ➡ www.troytecdumps.com ☐☐Valid Test 3V0-21.23 Format
- 2026 High Hit-Rate 3V0-21.23 – 100% Free Reliable Exam Price | Valid Braindumps VMware vSphere 8.x Advanced Design Pdf ☐ Search for （3V0-21.23）and download exam materials for free through “www.pdfvce.com” ☐☐Reliable 3V0-21.23 Test Vce
- 3V0-21.23 Practice Guide Give You Real 3V0-21.23 Learning Dumps ☐ Search for 「3V0-21.23」 on ✓ www.examcollectionpass.com ☐✓☐ immediately to obtain a free download ☐3V0-21.23 Test Price
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, korisugakkou.com, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, daotao.wisebusiness.edu.vn, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.wcs.edu.eu, Disposable vapes

P.S. Free & New 3V0-21.23 dumps are available on Google Drive shared by Exams4sures: <https://drive.google.com/open?id=18wLudl1XrYyQC1oueCFNm3mTPljzGnDO>