


JN0-637 Interactive Testing Engine, JN0-637 Reliable Exam Materials



What's more, part of that DumpsKing JN0-637 dumps now are free: <https://drive.google.com/open?id=1pB4X1BMvjDe2XtoPatsUKy9kT67ztZDO>

Generally speaking, every candidate wants to pass the exam just one time. JN0-637 learning materials of us can do that for you. Since we have a professional team to collect and research the latest information for the exam, and therefore the quality can be guaranteed. We offer you free demo for JN0-637 Exam Materials to have a try, so that you can know what the complete version is like. Besides, we also pass guarantee and money back guarantee, and if you fail to pass the exam after using JN0-637 exam materials of us, we will give you refund.

Choosing valid Juniper dumps means closer to success. Before you buy our products, you can download the free demo of JN0-637 test questions to check the accuracy of our dumps. Besides, there are 24/7 customer assisting to support you in case you may have any questions about JN0-637 Dumps PDF or download link.

>> JN0-637 Interactive Testing Engine <<

JN0-637 Reliable Exam Materials - JN0-637 Exam Reviews

You will have good command knowledge with the help of our JN0-637 study materials. The certificate is of great value in the job market. Our JN0-637 learning prep can exactly match your requirements and help you pass JN0-637 exams and obtain certificates. As you can see, our products are very popular in the market. Time and tides wait for no people. Take your satisfied JN0-637 Actual Test guide and start your new learning journey. After learning our JN0-637 learning materials, you will benefit a lot. Being brave to try new things, you will gain meaningful knowledge.

Juniper Security, Professional (JNCIP-SEC) Sample Questions (Q123-Q128):

NEW QUESTION # 123


You want to enable transparent mode on your SRX series device.
In this scenario, which three actions should you perform? (Choose three.)

- A. Add your Layer 2 interfaces to a security zone.
- B. Enable the ethernet-switching family on your Layer 2 interfaces
- C. Install a Layer 2 feature license.
- D. Ensure that no IRB interfaces are configured on the device.
- E. Reboot the SRX device.

Answer: A,B,E

NEW QUESTION # 124

Exhibit



```
...
Session ID: 4546, Policy name: policy1/3, Timeout: 4, Valid
  In: 10.10.10.2/6 --> 10.10.20.2/1382;icmp, Conn Tag 0x0, If: st0.0, Pkts: 1,
  Bytes: 84
  Out: 10.20.20.2/1382 --> 10.10.10.2/6;icmp, Conn Tag 0x0, If: ge-0/0/3.0,
  Pkts: 1, Bytes: 84
Session ID: 4547, Policy name: policy2/5, Timeout: 4, Valid
  In: 10.20.20.2/226 --> 10.10.10.2/38703;icmp, Conn Tag 0x0, If: ge-0/0/3.0,
  Pkts: 1, Bytes: 84
  Out: 10.10.10.2/38703 --> 10.10.20.2/226;icmp, Conn Tag 0x0, If: st0.0, Pkts
  , Bytes: 84
...
```

You are validating bidirectional traffic flows through your IPsec tunnel. The 4546 session represents traffic being sourced from the remote end of the IPsec tunnel. The 4547 session represents traffic that is sourced from the local network destined to the remote network.

Which statement is correct regarding the output shown in the exhibit?

- A. The session information indicates that the IPsec tunnel has not been established
- B. The local gateway address for the IPsec tunnel is 10.20.20.2
- C. The remote gateway address for the IPsec tunnel is 10.20.20.2
- D. NAT is being used to change the source address of outgoing packets

Answer: C

NEW QUESTION # 125

You are not able to activate the SSH honeypot on the all-in-one Juniper ATP appliance.

What would be a cause of this problem?

- A. The collector must have a minimum of three interfaces.
- B. The collector must have a minimum of two interfaces.
- C. The collector must have a minimum of four interfaces.
- D. The collector must have a minimum of five interfaces.

Answer: A

Explanation:

https://www.juniper.net/documentation/en_US/release-independent/jatp/topics/task/configuration/jatp-traffic-collectorsetting-ssh-honeypot-detection.html

NEW QUESTION # 126

Exhibit.

```

user@srx# show system security-profile
sp-1 {
  policy {
    maximum 100;
    reserved 50;
  }
  zone {
    maximum 100;
    reserved 50;
  }
  nat-nopat-address {
    maximum 115;
    reserved 100;
  }
  nat-static-rule {
    maximum 125;
    reserved 100;
  }
}

(edit)
user@srx# show tenants
c-1 {
  security-profile {
    sp-1
  }
}

```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The c-1 TSYS can use security flow resources up to the system maximum.
- B. The c-1 TSYS cannot use any security flow resources.
- C. The c-1 TSYS has no reservation for the security flow resource.
- D. The c-1 TSYS has a reservation for the security flow resource.

Answer: A,D

Explanation:

The system security profile named sp-1 has designated resources for policies and zones with a maximum of 100 and a reservation of 50 each. For NAT with no port address translation (nat-nopat- address), there is a maximum of 115 and a reservation of 100, and for static NAT rules (nat-static-rule), there is a maximum of 125 with 100 reserved.

When considering tenant systems, the profile applied (sp-1) will dictate the resources available to the tenant system named c-1.

The c-1 TSYS has a reservation for the security flow resource. - This would be true if the 'security flow resource' refers to policies and zones since there are reservations made in the profile sp-1.

The c-1 TSYS can use security flow resources up to the system maximum. - This is generally true for any tenant system unless there are explicit limits set that are lower than the system maximum.

NEW QUESTION # 127

You want to create a connection for communication between tenant systems without using physical revenue ports on the SRX Series device.

What are two ways to accomplish this task? (Choose two.)

- A. Use an external router.
- B. Use a secure wire.

- Answer: C,D**

• • • • •

[illegible]

myportal.utt.edu.tt, Disposable vapes

P.S. Free 2026 Juniper JN0-637 dumps are available on Google Drive shared by DumpsKing: <https://drive.google.com/open?id=1pB4X1BMvjDe2XtoPatsUKy9kT67ztZDO>