

C-CPI-2506試験問題、C-CPI-2506日本語受験攻略



SAP C_CPI_2506 SAP Certified Associate - Integration Developer

**Questions & Answers PDF
(Demo Version – Limited Content)**

For More Information – Visit link below:

<https://p2pexam.com/>

Visit us at: <https://p2pexam.com/c-cpi-2506>

さらに、CertJuken C-CPI-2506ダンプの一部が現在無料で提供されています: https://drive.google.com/open?id=1LyfDGOUtKCOUc_TE72GU5I1QFXN_oGVB

テストに関する最も有用で効率的なC-CPI-2506トレーニング資料を提供するために最善を尽くし、クライアントが効率的に学習できるように複数の機能と直感的な方法を提供します。C-CPI-2506の有用なテストガイドを学習すれば、時間と労力はほとんどかかりません。合格率とヒット率はともに高いため、テストに合格するための障害はほとんどありません。Webで紹介を読んだ後、C-CPI-2506学習実践ガイドをさらに理解できます。

多くの人は、SAPインターネットでC-CPI-2506学習準備を購入するとプライバシーが明らかになることを心配することがよくあります。一部の人は、一部のWebサイトSAP Certified Associate - Integration Developerで製品を購入した後、匿名のSMS広告やテレマーケティングに悩まされることがよくあります。しかし、プラットフォームでC-CPI-2506テスト資料を購入すると、このような状況SAP Certified Associate - Integration Developerは決して起こりません。ここでは、顧客のプライバシーと購入情報をしっかりと保護し、顧客情報の開示は行わないことを厳格に約束します。C-CPI-2506準備トレントをC-CPI-2506購入すると、購入情報を入力するCertJuken専任の営業担当者がいます。取引終了後、すべての顧客情報を保持および破棄する専門スタッフもいます。

>> C-CPI-2506試験問題 <<

最高C-CPI-2506 | 実用的なC-CPI-2506試験問題試験 | 試験の準備方法 SAP Certified Associate - Integration Developer日本語受験攻略

このほど、今のIT会社は多くのIT技術人材を急速に需要して、あなたはこのラッキーな人になりたいですか？SAPのC-CPI-2506試験に参加するのはあなたに自身のレベルを高めさせるだけでなく、あなたがより良く就職し輝かしい未来を持っています。弊社CertJukenはSAPのC-CPI-2506問題集を購入し勉強した後、あなたは

C-CPI-2506試験に合格することでできると信じています。

SAP C-CPI-2506 認定試験の出題範囲:

トピック	出題範囲
トピック 1	• SAP Integration Suite Overview: This section of the exam measures the skills of Integration Consultants and covers the foundational concepts of the SAP Integration Suite. It provides an understanding of the suite's capabilities, its role in connecting applications, and its relevance in modern cloud-based integration scenarios.
トピック 2	• SAP Event Mesh: This section of the exam measures the skills of Solution Architects and centers on using SAP Event Mesh to support event-driven integration. It highlights the importance of asynchronous communication, event publishing, and subscription models, allowing organizations to build scalable and decoupled systems.
トピック 3	• Implementing Cloud Integration: This section of the exam measures the skills of Integration Consultants and examines how cloud integration flows are designed and deployed. It emphasizes creating integration scenarios, handling connectivity, and applying best practices to build efficient, secure, and reliable integration processes in SAP's cloud environment.
トピック 4	• Managing APIs: This section of the exam measures the skills of Solution Architects and focuses on managing APIs within the SAP ecosystem. It covers topics such as API provisioning, lifecycle management, security policies, and monitoring, ensuring candidates can handle APIs effectively for enterprise integration needs.

SAP Certified Associate - Integration Developer 認定 C-CPI-2506 試験問題 (Q58-Q63):

質問 # 58

You want to dispatch messages only when a child element "Product" exists. Which condition do you set?

- A. `ProductSet/count(Product)>0`
- B. `/ProductSet/count(Product)=0`
- C. `/ProductSet/count(Product)<0`
- D. `/ProductSet/counter(Product)>0`

正解: A

解説:

The condition `ProductSet/count(Product)>0` checks if the number of Product elements in the ProductSet element is greater than zero, which means that a child element "Product" exists. This condition can be used to dispatch messages only when a Product element is present. Reference: SAP Integration Suite | SAP Community, Integration Software | SAP Integration Suite

質問 # 59

You want to use an HTTPS endpoint from an integration flow. In which of the following must you use the HTTP client?

- A. API Management capability within SAP Integration Suite
- B. SAP Integration Suite, advanced event mesh
- C. **Open Connectors capability within SAP Integration Suite**
- D. SAP Business Application Studio

正解: C

解説:

To use an HTTPS endpoint from an integration flow, you can use the Open Connectors capability within SAP Integration Suite. Open Connectors is a feature that allows you to connect to over 160 third-party applications using standardized and normalized APIs. You can use the HTTP client connector to make HTTP or HTTPS requests to any endpoint that supports these protocols.

You can configure the HTTP client connector with various parameters, such as URL, method, headers, query parameters, body, and authentication. Reference: Open Connectors | SAP Help Portal, HTTP Client Connector | SAP Help Portal

質問 # 60

Which Integration Flow element is best suited for executing custom Logic on the received cloud event data?

- A. Use a Java connector
- **B. Run a Groovy script**
- C. Use an external REST API
- D. Employ a Mule Expression component

正解: B

解説:

For executing custom logic inside an integration flow:

Groovy script (via Script step) is the supported mechanism in SAP Cloud Integration.

External REST APIs can enrich data but are not for embedded custom logic execution.

Mule components are not part of SAP CPI.

Java connectors are not directly supported in SAP CPI runtime.

Thus, the best suited for executing custom logic is Groovy script.

質問 # 61

Which of the following can you use for an XSLT mapping in an integration flow?

- A. JSON
- B. PHP
- C. HTML
- **D. XML**

正解: D

解説:

To use an XSLT mapping in an integration flow, you must use XML as the input and output format. XSLT stands for Extensible Stylesheet Language Transformations, which is a language for transforming XML documents into other XML documents or other formats. An XSLT mapping consists of an XSLT stylesheet that defines the rules for transforming the source XML document into the target XML document. You can use an XSLT mapping step in an integration flow to apply an XSLT transformation to the message body. Reference: XSLT Mapping | SAP Help Portal, XSLT - W3Schools

質問 # 62

You have set up a basic authentication policy, but the API proxy returns an HTTP status of 401. What could be a reason?

- A. In the AssignMessage policy, the Assign To tag has the type="postFlow"
- B. In the AssignMessage policy, the Assign To tag has the type="response"
- **C. In the AssignMessage policy, the Assign To tag has the type="request"**
- D. In the AssignMessage policy, the Assign To tag has the type="preFlow"

正解: C

解説:

In API Management (SAP Integration Suite), when implementing Basic Authentication policies:

If the AssignMessage policy does not correctly assign credentials to the request message, authentication will fail.

This results in HTTP 401 Unauthorized.

Other tags like preFlow, postFlow, response are policy flow phases, but the credentials must be applied to the request for proper authentication.

Thus, the root cause is when the Assign To = request is missing/misconfigured.

• • • • •

C-CPI-2506日本語受験攻略: <https://www.certjuken.com/C-CPI-2506-exam.html>

- P.S.CertJukenがGoogle Driveで共有している無料の2026 SAP C-CPI-2506ダンプ: <https://drive.google.com/open?id=1LyfDGOUtKCOUc TE72GU5H1QFXN oGVB>