

# 100% Pass Quiz 2026 VMware Newest 2V0-15.25: Test VMware Cloud Foundation 9.0 Support Pdf

**VMware 2V0-15.25 VMware vSphere 8.x Professional**

Version 2023.23. We will send the latest version to your mailbox with no charge if we have a new version of 2V0-15.25 learning materials. We will also provide some discount for your ordering after a year if you are satisfied with our 2V0-15.25 Exam Questions. And if you find that your version of the 2V0-15.25 practice guide(s) over one year, you can enjoy 50% discount if you buy it again.

**VMware vSphere 8.x Professional Sample Questions (Q27-Q32):**

**QUESTION # 27**  
An administrator wants to allow a DevOps engineer the ability to delete Tanzu Kubernetes Grid (TKG) cluster objects in a vSphere Manager. Which role would provide the minimum required permissions to perform this operation?

- A. vCenter
- B. vSphere
- C. Administrator
- D. Owner

**Answer: B**

**Explanation:**  
The vSphere role would provide the minimum required permissions to delete Tanzu Kubernetes Grid (TKG) cluster objects in a vSphere Manager, as it allows creating, updating, and deleting objects within a namespace.

**Reference:**  
[https://docs.vmware.com/en/VMware-vSphere/7.0/html/vsphere\\_with\\_tanzu\\_tkg.html#vSphere-2V0-15.25-D48-345-445](https://docs.vmware.com/en/VMware-vSphere/7.0/html/vsphere_with_tanzu_tkg.html#vSphere-2V0-15.25-D48-345-445)

**QUESTION # 28**  
To allow migration in vSphere 2023.23 of all running virtual machines in a vSphere cluster, an administrator would like VMs to be migrated automatically when the host hardware health status becomes degraded. Which cluster feature can be used to meet this requirement?

- A. Proactive CPU
- B. Proactive HA
- C. vSphere Orchestrated Restart
- D. VMware Fault Tolerance

**Answer: B**

**Explanation:**  
Proactive HA is a cluster feature that can be used to migrate VMs automatically when the host hardware health status becomes degraded, thereby a failure occurs.

**Reference:**  
[https://docs.vmware.com/en/VMware-vSphere/7.0/html/vsphere\\_vipowersave\\_and\\_drs/2V0-15.25-D48-445.html](https://docs.vmware.com/en/VMware-vSphere/7.0/html/vsphere_vipowersave_and_drs/2V0-15.25-D48-445.html)

It is known to us that the 2V0-15.25 exam has been increasingly significant for modern people in this highly competitive word, because the test certification can certify whether you have the competitive advantage in the global labor market or have the ability to handle the job in a certain area, especial when we enter into a newly computer era. Therefore our 2V0-15.25 practice torrent is tailor-designed for these learning groups, thus helping them pass the exam in a more productive and efficient way and achieve success in their workplace.

The 2V0-15.25 quiz torrent we provide is compiled by experts with profound experiences according to the latest development in the theory and the practice so they are of great value. Please firstly try out our product before you decide to buy our product. It is worthy for you to buy our 2V0-15.25 exam preparation not only because it can help you pass the exam successfully but also because it saves your time and energy. If you buy our 2V0-15.25 Test Prep you will pass the exam easily and successfully, and you will realize you dream to find an ideal job and earn a high income.

>> Test 2V0-15.25 Pdf <<

## Minimum 2V0-15.25 Pass Score | 2V0-15.25 Test Sample Questions

We have authoritative production team made up by thousands of experts helping you get hang of our 2V0-15.25 study question and enjoy the high quality study experience. We will update the content of 2V0-15.25 test guide from time to time according to recent changes of examination outline and current policies. Besides, our 2V0-15.25 Exam Questions can help you optimize your learning

method by simplifying obscure concepts so that you can master better. One more to mention, with our 2V0-15.25 test guide, there is no doubt that you can cut down your preparing time in 20-30 hours of practice before you take the exam.

## VMware Cloud Foundation 9.0 Support Sample Questions (Q16-Q21):

### NEW QUESTION # 16

An administrator is tasked to add a new host to a vSphere cluster that was created with VMware vSAN Express Storage Architecture (ESA) as its principal storage in an existing workload domain.

The administrator successfully commissions the new host with a VMware vMotion only network pool but is unable to add the host to the existing cluster.

What must the administrator do to be able to complete this task?

- A. Change the network pool associated to the new host to the network pool for the existing vSAN ESA cluster.
- B. Reconfigure the currently associated network pool with a vSAN network.
- C. Manually configure the vSAN network on the new host within vCenter.
- D. Decommission, reinstall ESX, and recommission the new host to the network pool for the existing vSAN ESA cluster.

### Answer: A

Explanation:

In VCF 9.0, when adding a host to a vSAN ESA-enabled cluster, the host must be commissioned with a network pool that includes a vSAN network configuration. Network pools define host-level networking templates for VCF, including management, vSAN, vMotion, and overlay networks. A host commissioned with vMotion-only network pool does not have the required vSAN ESA network interfaces (vmk + NIC mapping) to join an ESA cluster.

Because the administrator successfully commissioned the new host but only using vMotion-only network pool, VCF correctly prevents the host from being added to the ESA cluster.

The required action is:

Reassociate the host with the correct network pool that includes the vSAN ESA network.

Option A (reinstall ESXi) is unnecessary; commissioning workflows can be redone.

Option C (manual vCenter configuration) is explicitly unsupported-VCF manages host networking.

Option D (reconfiguring the existing pool) is not correct because the new host must be associated with the same network pool used by the existing ESA cluster, not change the pool definition itself.

Therefore, the precise and VMware-documented resolution is B.

### NEW QUESTION # 17

An administrator is troubleshooting network connectivity issues on a VMware ESX host configured with a dedicated VMware vSAN vSphere Distributed Switch (vDS) port group. The VMware vSAN vDS port group has two physical adapters and two uplinks assigned. After a failure of the active physical adapter, the vSAN vDS connection over the vSAN network was lost. What is the cause of the issue?

- A. The vDS failover policy does not allow fallback.
- B. The vSAN storage policies are misconfigured.
- C. VLAN tagging is not correctly configured on the vDS.
- D. A physical adapter is set to "Not Used" in the vDS configuration.

### Answer: D

Explanation:

In vSAN ESA or OSA networking configured through a dedicated vSphere Distributed Switch (vDS), each vSAN vmkernel port must have at least one active physical uplink available at all times. The scenario describes a vDS with two physical adapters and two uplinks, but after failure of the active uplink, vSAN traffic was lost. This only occurs when the second physical NIC is not actually assigned to the vSAN port group-typically because its uplink is set to "Unused".

In such a misconfiguration:

\* vSAN traffic only uses the single active uplink.

\* When that uplink fails, vSAN has no failover path, causing immediate connectivity loss.

Option A (storage policies) does not affect network uplink behavior.

Option B (VLAN tagging) could cause connectivity failure but would not suddenly break only after an uplink failure.

Option D (failover policy not allowing fallback) affects recovery order, not immediate redundancy.

## NEW QUESTION # 18

An administrator creates a tag for a virtual machine (VM) in VMware Cloud Foundation (VCF) Operations. When assigning the tag to the virtual machine In vCenter, the tag was not found. What is the cause of this error?

- A. The vCenter version is incorrect.
- B. VM Tools is not installed.
- C. The tag was not pushed to the vCenter instance.
- D. The tag was not pushed to Custom Groups.

### Answer: C

Explanation:

In VMware Cloud Foundation 9.0 Operations, tags created inside VCF Operations do not automatically appear in vCenter. Tags must be explicitly synchronized ("pushed") to the selected vCenter instance before they become usable for VM tagging within vCenter. This is because VCF Operations maintains its own metadata store for tags, super metrics, groups, and policies.

The correct workflow is:

- \* Create the tag in VCF Operations.
- \* Push (synchronize) the tag to the appropriate vCenter instance.
- \* The tag then appears in vCenter's Tags & Custom Attributes section.
- \* Administrators can then assign the tag to VMs.

If the push step is skipped, the tag exists only inside VCF Operations and cannot be referenced by vCenter, which is exactly the symptom described: tag not found when attempting to assign it to a VM.

Option A is incorrect because Custom Groups do not affect vCenter tag visibility.

Option B is incorrect because tag synchronization is not tied to a specific vCenter version as long as the vCenter is officially supported by VCF 9.x.

Option D is irrelevant-VMware Tools has nothing to do with tag visibility.

## NEW QUESTION # 19

An administrator is troubleshooting an issue relating to VMware Cloud Foundation (VCF) Automation. While troubleshooting, the administrator realizes that debug-level information is not displayed in the VCF Automation Task Log. How would the Administrator enable debug-level information in the Task Log?

- A. Enable "display debug information" in the Administration > Events and Tasks section of the Provider Management portal.
- B. Enable "display debug information" in the Administration > General Settings section of the Provider Management portal.
- C. Enable "display debug information" in the Administer > Settings section of the Organization Management portal.
- D. Enable "display debug information" in the Administration > Feature Flag section of the Provider Management portal.

### Answer: D

Explanation:

In VMware Cloud Foundation (VCF) 9.0 Automation, the visibility of debug-level information in Task Logs is controlled centrally by the Provider Administrator through the Provider Management portal. Debug logging is not enabled by default because it exposes verbose operational details intended primarily for troubleshooting. According to the VCF Automation architecture and operations model, advanced logging capabilities-including debug output-are gated behind feature flags.

To enable debug-level information, the Provider Admin must navigate to:

Provider Management # Administration # Feature Flags # Display Debug Information Once this flag is enabled, the system begins emitting additional diagnostic detail into Task Logs, improving insight into failures, orchestration flows, API calls, and service-to-service interactions. This aligns with VCF's multi-tenant design, where only the Provider tier has permission to modify global settings that affect all Organizations.

Options A, C, and D are incorrect because Organization-level settings do not control system-wide logging, and the Events/Tasks or General Settings sections do not contain the mechanism for enabling debug output.

Only the Feature Flag section controls this capability.

## NEW QUESTION # 20

Through the VMware NSX Manager user interface, the administrator has identified an issue with BGP peering. Which command on the NSX Edge Transport Node provides more information about the issue?

- A. get logical-routers

- B. get edge-cluster history state
- **C. get log-file routing follow**
- D. get edge-cluster status

### Answer: C

Explanation:

When troubleshooting BGP peering issues on an NSX Edge Transport Node, VMware documentation directs administrators to examine routing logs, because BGP failures are often caused by adjacency negotiation errors, authentication mismatches, keepalive/hold timer issues, or route-policy failures.

The NSX Edge CLI command:

get log-file routing follow

streams real-time routing logs, including BGP daemon logs (bfdd, routed, wdog) and provides detailed insight into:

- \* BGP session establishment and teardown
- \* Keepalive and hold timer exchanges
- \* Neighbor state transitions
- \* Route advertisement or rejection
- \* Authentication mismatches
- \* MTU or connectivity issues on TEP / uplinks

This is the only command in the list that exposes diagnostic-level BGP information needed to troubleshoot peering.

Option A (edge-cluster status) shows cluster membership only.

Option B (get logical-routers) shows logical router configuration, not BGP logs.

Option C (edge-cluster history state) is unrelated to routing.

### NEW QUESTION # 21

.....

Annual test syllabus is essential to predicate the real 2V0-15.25 questions. So you must have a whole understanding of the test syllabus. After all, you do not know the 2V0-15.25 exam clearly. It must be difficult for you to prepare the 2V0-15.25 exam. Then our study materials can give you some guidance. All questions on our 2V0-15.25 study materials are strictly in accordance with the knowledge points on newest test syllabus. Also, our experts are capable of predicing the difficult knowledge parts of the 2V0-15.25 Exam according to the test syllabus. We have tried our best to simply the difficult questions. In order to help you memorize the 2V0-15.25 study materials better, we have detailed explanations of the difficult questions such as illustration, charts and referring website. Every year some knowledge is reoccurring over and over. You must ensure that you master them completely.

**Minimum 2V0-15.25 Pass Score:** <https://www.braindumpquiz.com/2V0-15.25-exam-material.html>

VMware Test 2V0-15.25 Pdf Our company employs the most qualified experts who hold a variety of information. On the premise of high-quality 2V0-15.25 valid test questions, the after-sale service must be taken into consideration. It is one of the unique benefits of VMware Cloud Foundation 9.0 Support 2V0-15.25 exam material that is not common in other VMware Cloud Foundation 9.0 Support 2V0-15.25. You will find VMware 2V0-15.25 study material very comprehensive and useful in all regards.

What unique ways can you show your characters gradually 2V0-15.25 overcoming their fears in your story, It has an entry point at a specific address and it is run as a protected mode program, with the function 2V0-15.25 Exam Tests at the entry point being passed all the information it needs at boot as a function parameter.

### Free PDF VMware - 2V0-15.25 –Valid Test Pdf

Our company employs the most qualified experts who hold a variety of information. On the premise of high-quality 2V0-15.25 Valid Test Questions, the after-sale service must be taken into consideration.

It is one of the unique benefits of VMware Cloud Foundation 9.0 Support 2V0-15.25 exam material that is not common in other VMware Cloud Foundation 9.0 Support 2V0-15.25. You will find VMware 2V0-15.25 study material very comprehensive and useful in all regards.

Selecting the products of BraindumpQuiz which provide the latest and the most accurate information about VMware 2V0-15.25, your success is not far away.

- Quiz 2026 2V0-15.25: Test VMware Cloud Foundation 9.0 Support Pdf  The page for free download of  2V0-15.25    on  [www.pass4test.com](http://www.pass4test.com)   will open immediately  Study 2V0-15.25 Tool
- Test 2V0-15.25 Valid  2V0-15.25 Test Discount  2V0-15.25 Free Vce Dumps  Search on 

www.pdfvce.com ✓ for ✓ 2V0-15.25 ✓ to obtain exam materials for free download 2V0-15.25 Latest Test Materials