

正確の一番優秀な1z1-076学習関連題試験-試験の準備方法1z1-076日本語版対策ガイド

質問 # 31

.....

CKS試験資料の3つのバージョンのなかでPDFバージョンのCKSトレーニングガイドは、ダウンロードと印刷でき、受験者のために特に用意されています。携帯電話にブラウザをインストールでき、私たちのCKS試験資料のApp版を使用することもできます。PC版は、実際の試験環境を模擬し、Windowsシステムのコンピュータに適します。

CKS資格認定試験: https://www.jpexam.com/CKS_exam.html

年次試験問題ではCKS調査問題に対応する規則があり、今年のテストのホットスポットと提案の方向を正確に予測できます。Linux Foundation CKS最新関連参考書 この一年で、もし問題集が更新されたら、弊社はあなたにメールをお送りいたします。Linux Foundation CKS最新関連参考書 人間はそれぞれ夢を持っています。さあjpexamのLinux FoundationのCKS問題集を買いに行きましょう。近年では、私たちの会社は、この分野での傑出した評判と成功を収め、私たちのCKS Certified Kubernetes Security Specialist (CKS)試験問題集で試験の候補者を支援しています。jpexamは、Linux Foundation期待されるスコアを達成してCKS認定を取得する価値のあるクライアントにチャンスを与えるための非常に素晴らしい効果的なプラットフォームです。

クワックとラオ、それにレスラ、あいつ、相棒を探してって話だ。最近、旋風のアングラって使いが隣国から連れてきたんだが、なんと、魔法が使えるらしいぞ、すごくないか、年次試験問題ではCKS調査問題に対応する規則があり、今年のテストのホットスポットと提案の方向を正確に予測できます。

CKS試験の準備方法 | ハイパスレートのCKS最新関連参考書試験 | 実際のCertified Kubernetes Security Specialist (CKS)資格認定試験

この一年で、もし問題集が更新されたら、弊社はあなたにメールをお送りいたします。人間はそれぞれ夢を持っています。さあjpexamのLinux FoundationのCKS問題集を買いに行きましょう。近年では、私たちの会社は、この分野での傑出した評判と成功を収め、私たちのCKS Certified Kubernetes Security Specialist (CKS)試験問題集で試験の候補者を支援しています。

- CKSテスト対策書 | CKS合格対策 | CKS試験復習 | www.topexam.jp | サイトにて「CKS」問題集を無料で使うCKS日本語復習赤本
- CKS認定試験トレーニング | CKSテスト対策書 | CKS試験問題集 | www.topexam.jp | を入力して「CKS」を検索し、無料でダウンロードしてください。CKS独学書籍
- 有難いCKS最新関連参考書 - 合格スムーズCKS資格認定試験 | 最高のCKS試験参考書 | www.topexam.jp | は、「CKS」を無料でダウンロードするのに最適なサイトです。CKS合格対策
- CKS資格トレーニング | CKS試験問題集 | CKS資格参考書 | ウェブサイト | www.topexam.jp | から「CKS」を聞いて検索し、無料でダウンロードしてください。CKS試験対応
- CKS認定試験トレーニング | CKS問題集 | CKS独学書籍 | www.topexam.jp | に移動し、「CKS」を検索して、無料でダウンロード可能な試験資料を探します。CKS試験問題集
- CKS模擬対策問題 | CKS問題集 | CKS資格トレーニング | www.topexam.jp | サイトにて最新「CKS」問題集をダウンロード。CKS問題無料
- CKS専門トレーニング | CKS問題無料 | CKS資格参考書 | 「CKS」を無料でダウンロード | www.topexam.jp | ウェブサイトを入力するだけ。CKS模擬対策問題
- CKS資格取得 | CKS試験準備 | CKS合格体験記 | 今すぐ www.topexam.jp | で「CKS」を検索して、無料でダウンロードしてください。CKS模擬対策問題
- CKS Linux Foundation試験の準備方法 | 素晴らしいCKS最新関連参考書試験 | 更新するCertified Kubernetes Security Specialist (CKS)資格認定試験 | www.topexam.jp | を入力して「CKS」を検索し、無料でダウンロードしてください。CKS日本語復習赤本

CKS試験の準備方法 | 一番優秀なCKS最新関連参考書試験 | 高品質なCertified Kubernetes Security Specialist (CKS)資格認定試験

2026年MogiExamの最新1z1-076 PDFダンプおよび1z1-076試験エンジンの無料共有: <https://drive.google.com/open?id=1nmRsoKdaHretXPR04m-jb3ESNZS5RAq7>

MogiExamの1z1-076無料デモの合格率に関する記録で実証されているように、Oracle合格率は設立当初から98%~99%の歴史的記録を維持しています。現時点では、1z1-076テストトレントの合格率は他の試験テストの合格率と比較して最高と言えますが、着実に進歩しているという真実を知っているため、専門家全員が現在の結果に満足することはありません。1z1-076準備資料は、Oracle Database 19c: Data Guard Administrationの1z1-076試験問題作成の分野で永久に勝つことができますか。

Oracle 1z1-076 認定試験の出題範囲:

トピック	出題範囲
トピック 1	<ul style="list-style-type: none"> • Data Guard 環境での Oracle Net Services の管理: このセクションでは、Oracle Net Services と、Data Guard ネットワーク設定におけるその役割に焦点を当てます。

トピック 2	<ul style="list-style-type: none"> Oracle Data Guard 構成におけるバックアップとリカバリの考慮事項: このトピックでは、RMAN バックアップ、フィジカル スタンバイへのオフロード、ネットワークベースのリカバリなど、Data Guard 構成におけるバックアップとリカバリの手順について説明します。
トピック 3	<ul style="list-style-type: none"> ロール遷移の実行: ここでは、データベース ロールの概念と、ロール遷移中にスイッチオーバー、フェイルオーバー、およびフィジカル スタンバイ セッションを維持するための手順について説明します。
トピック 4	<ul style="list-style-type: none"> Oracle Data Guard Broker の基礎: ここでは、Data Guard Broker の概要、そのアーキテクチャ、コンポーネント、利点、および構成について説明します。これは、Data Guard 構成の管理に使用されるツールの概要として役立ちます。
トピック 5	<ul style="list-style-type: none"> プライマリ データベースの構造変更後のフィジカル スタンバイ ファイルの管理: このトピックでは、プライマリ データベースの構造変更の管理と、それがフィジカル スタンバイ ファイルに与える影響について説明します。
トピック 6	<ul style="list-style-type: none"> Oracle Active Data Guard の使用: 読み取り専用スタンバイ データベースでサポートされるワークロード: ここでは、リアルタイム クエリでのフィジカル スタンバイ データベースの使用について説明します。
トピック 7	<ul style="list-style-type: none"> Data Guard 環境でのクライアント接続の強化: このトピックでは、Data Guard セットアップでのクライアント接続の強化と、シームレスなクライアントリダイレクトのためのフェイルオーバー手順の実装に焦点を当てています。また、ロールの移行中に中断のない操作を保証するためのアプリケーションの継続性についても説明します。
トピック 8	<ul style="list-style-type: none"> Oracle Data Guard の基礎: このトピックでは、Oracle Data Guard の基本的なアーキテクチャと概念について説明します。フィジカル スタンバイ データベースとロジカル スタンバイ データベースの比較、Data Guard の利点、マルチテナント データベースとの統合などのサブトピックが含まれます。

>> 1z1-076学習関連題 <<

Oracle 1z1-076日本語版対策ガイド & 1z1-076日本語的中対策

1z1-076テスト資料は、ユーザーが勉強するたびに合理的な配置であり、可能な限りユーザーが最新の1z1-076試験トレントを長期間使用しないようにします。ユーザーが知識を習得する必要があるたびに1z1-076練習教材は、ユーザーがこの期間に学習タスクを完了することができる限り、1z1-076テスト教材は自動的に学習システムを終了し、ユーザーに休憩を取るよう警告します。次の学習期間に備えてください。

Oracle Database 19c: Data Guard Administration 認定 1z1-076 試験問題 (Q106-Q111):

質問 # 106

Which three are true concerning database states after a successful switchover?

- A. If the former primary database became a physical standby database it will always be open readonly.
- **B. The new primary database will be open read-write.**
- C. If the former primary database became a logical standby database it will be in mount state.
- **D. If the former primary database became a logical standby database it will be open read-write.**
- **E. If the former primary database became a physical standby database it will be in the same state as the former physical standby database.**
- F. The former primary database will always be open.

正解: B、D、E

解説:

After a successful switchover operation in a Data Guard environment, the new primary database (the former standby) will be open read-write (option A). If the former primary database transitions to a logical standby database, it will also be open read-write (option C), allowing it to apply redo data while servicing read-only queries. The former primary, if converted to a physical standby, will adopt the state that the former physical standby database was in prior to the switchover, which can vary based on the configuration prior to the switchover (option D). The state of a physical standby database can range from mounted to open read-only, depending on whether Real-Time Query was enabled. Thus, the exact state will depend on the pre-switchover setup. It's also essential to highlight that options B and E suggest specific states for a former primary turned logical standby, and a former primary turned physical standby, respectively, but these states are not fixed and depend on the configurations set up by the database administrators. Reference: The answers are corroborated by Oracle's documentation on Data Guard switchovers, specifically in the Oracle Data Guard Concepts and Administration guide, which explains the roles and states of databases in a Data Guard configuration before and after switchovers.

質問 # 107

Your Data Guard environment has one physical standby database using Real-Time Query. Two sequences have been created by these SQL statements:

```
create sequence a global;
create sequence b session;
```



Neither sequence has been used since being created.

Session 1 connects to the primary database instance and issues these two SQL statements:

```
SELECT a.nextval FROM DUAL; SELECT b.nextval FROM DUAL;
```

Then session 2 connects to the physical standby database instance and issues the same SQL statements. Which output will be seen for session 2?

Then session 2 connects to the physical standby database instance and issues the same SQL statements. Which output will be seen for session 2?

- A. 
- B. 
- C. 
- D. 

正解: D

解説:

In Oracle, a sequence created with the GLOBAL keyword is available and can produce values across all sessions and instances. However, a sequence created with the SESSION keyword is only specific to the session it was created in. When the NEXTVAL is called for a sequence, it will increment according to the sequence's properties set during its creation.

Given the sequence creation statements and the actions performed:

* The a sequence is global, which means it is available across the entire database, including the standby database with Real-Time Query enabled. So, when session 2 calls a.nextval, it will get the next value in the sequence, which is 21 since session 1 already retrieved 1.

* The b sequence is session-specific, so when session 2 calls b.nextval, it will get the value 1 because for this new session on the standby, this is the first time the sequence is being accessed.

Therefore, the output for session 2 will be a output as 21 and b output as 1, which corresponds to Option C.

References: The behavior of global vs session-specific sequences is outlined in Oracle's SQL Language Reference under the CREATE SEQUENCE statement documentation.

質問 # 108

Which three are true regarding prerequisites for a logical standby database as a disaster recovery solution?

- A. Ensure that flashback is enabled on the primary database.
- **B. Ensure that supplemental logging is enabled on the primary database.**
- C. Ensure that no ROWID data types are contained in the primary database.
- **D. Do not perform any nologging operations on the primary.**
- **E. Ensure that no BFILE LOB data types are contained in the primary database.**

正解: B、D、E

質問 # 109

Examine the Data Guard configuration:

```
DGMGRL> show configuration;
```

Configuration - Animals

Protection Mode: MaxAvailability

Databases:

dogs - Primary database

cats - Snapshot standby database

sheep - Snapshot standby database

Fast-Start Failover: DISABLED

Configuration Status:

ORA-01034: ORACLE not available

ORA-16625: cannot reach database "dogs"

DGM-17017: unable to determine configuration status

ou wish to perform a failover to sheep. Which command, or sequence of commands, should you issue to the broker before executing failover to sheep; using the broker?

- A. DGMGRL> convert database cats to physical standby;
- B. DGMGRL> convert database cats to physical standby;
- **C. DGMGRL> convert database sheep to physical standby;**
- D. None, because you can directly failover to a Snapshot Standby Database.
- E. DGMGRL> convert database sheep to physical standby;
DGMGRL> edit configuration set protection mode as maxperformance;
DGMGRL> convert database sheep to physical standby;

正解: C

質問 # 110

Which two statements are true regarding asynchronous redo transport in a Data Guard

- A. This transport mode satisfies the minimum requirements for Maximum Availability data protection mode.
- **B. This transport mode satisfies the minimum requirements for Maximum Performance data protection mode.**
- C. Real-time query performance on a physical standby database improves for current read requests when using this transport mode.
- D. The performance of SQL apply on a logical standby database always improves when using this transport mode.
- **E. A transaction can commit without waiting for redo to be sent to any standby database in the data guard configuration.**

正解: B、E

解説:

