

# 100% Pass Quiz 2026 SAP High-quality C\_S43\_2601: SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) Online Tests



We have been developing our C\_S43\_2601 practice engine for many years. We have no doubt about our quality of the C\_S43\_2601 exam braindumps. Our experience is definitely what you need. And especially our professional experts have been devoting in this field for over ten years. I believe no one can know the C\_S43\_2601 training guide than them. To combine many factors, C\_S43\_2601 real exam must be your best choice.

Free renewal of our SAP C\_S43\_2601 study prep in this respect is undoubtedly a large shining point. Apart from the advantage of free renewal in one year, our SAP C\_S43\_2601 Exam Engine offers you constant discounts so that you can save a large amount of money concerning buying our SAP C\_S43\_2601 training materials.

[>> C\\_S43\\_2601 Online Tests <<](#)

## How To Improve Your Professional Skills By Achieving The SAP C\_S43\_2601 Certification?

Our C\_S43\_2601 practice braindumps not only apply to students, but also apply to office workers; not only apply to veterans in the workplace, but also apply to newly recruited newcomers. And our C\_S43\_2601 study materials use a very simple and understandable language, to ensure that all people can learn and understand. Besides, our C\_S43\_2601 Real Exam also allows you to avoid the boring of textbook reading, but let you master all the important knowledge in the process of doing exercises.

## SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) Sample Questions (Q10-Q15):

### NEW QUESTION # 10

Check Inspection Lot and record Inspection Results

The project team evaluates during the implementation project the checking of Inspection Lots Checklist processing including result recording. The following features need to be checked:

- \* Display the automatically created Inspection Lot
- \* Record Inspection Results
- \* Display the automatically created Inspection Lot for the previously created Maintenance Order including Checklist. The Inspection Lot comprises the following data:
  - \* Record Inspection Results for the previously created Inspection Lot so that the Usage Decision is automatically set to Can be used

**Answer:**

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 13 Overview

This task focuses on the quality management (QM) integration with maintenance. You will verify the inspection lot that was automatically triggered by your maintenance order and then record the results to confirm the technical object is fit for use.

Step 1: Display the Automatically Created Inspection Lot

Before recording results, you must verify that the system generated the correct inspection lot for your maintenance order.

- \* Access the Transaction : Enter QA03 (Display Inspection Lot) in the command field and press Enter .
- \* Locate the Lot : Search for the inspection lot associated with the maintenance order you created in Task 12.
- \* Verify the Following Data :
  - \* Material : T-PM1100
  - \* Plant : 1010
  - \* Inspection Lot Origin : 89 (Miscellaneous)
  - \* Group : CL-DE-00
  - \* Group Counter : 1

Explanation : The inspection lot is the central record for quality testing. Seeing these specific values (Group CL-DE-00) confirms that the classification you set up in Task 11 correctly triggered the intended inspection plan.

Step 2: Record Inspection Results

This is the process of entering the actual findings from the checklist inspection.

- \* Access the Transaction : You can navigate directly from the Inspection Lot in QA03 or use transaction QE51N (Results Recording Selection).
- \* Select the Lot : Enter your inspection lot number and click Execute .
- \* Record Results :
  - \* Enter the inspection values for each characteristic listed in the checklist.
  - \* Ensure the values you enter are within the "Acceptable" range or marked as "Pass".
  - \* Automatic Usage Decision : Record the results such that the Usage Decision (UD) is automatically set to "Can be used" .
  - \* Save : Click the Save (floppy disk) icon.

Explanation : By recording positive results, you satisfy the quality requirements for the maintenance task.

The automatic transition to "Can be used" status tells the system the pump has passed inspection and the maintenance order can proceed toward completion.

**NEW QUESTION # 11**

Create and use a Maintenance Work Center

The project team evaluates during the implementation project the organizational elements in SAP S/4HANA Asset Management.

The following features need to be checked:

- \* Create a Maintenance Work Center
- \* Create a capacity demand for a Maintenance Work Center
- \* Create a new Maintenance Work Center master record ZZ-ME## for maintenance plant 1010 similar to maintenance work center T-ME00 and save it. Use the following information:
  - \* Create a capacity demand of 1 hour for the just created Maintenance Work Center ZZ-ME## by creating a new maintenance order of order type PM01 .

**Answer:**

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 3: Create and Use a Maintenance Work Center

## Objective

In Task 3, the requirement was to:

- \* create a new maintenance work center ZZ-ME42 for plant 1010 similar to T-ME00
- \* maintain the required capacity values
- \* create a 1-hour capacity demand for that work center by creating a maintenance order of type PM01

□

### Part 1: Create the Maintenance Work Center

Requirement from task file

The task required the following values for the work center:

- \* Plant = 1010
- \* Work Center = ZZ-ME42
- \* Description = Mechanical Maintenance 42
- \* No. Ind. Capacities = 5
- \* Capacity = 24.00 H

The task also stated that the work center must be created similar to maintenance work center T-ME00 .

□

### Step-by-step procedure

Step 1: Open work center creation

- \* Go to SAP GUI command field
- \* Enter transaction IR01
- \* Press Enter

Transaction IR01 is used to create a new work center. This is the correct starting point for creating the maintenance work center required in Task 3.

Step 2: Enter initial work center data

On the Create Work Center: Initial Screen , enter:

- \* Plant = 1010
- \* Work Center = ZZ-ME42
- \* Work Center Category = 0005
- \* In Copy from :
- \* Plant = 1010
- \* Work Center = T-ME00

Then press Enter .

The task explicitly required the work center to be created for plant 1010 and to be created similar to T-ME00.

Work center category 0005 is the maintenance work center category, so this was the correct category to use for a maintenance work center.

Step 3: Include capacity data during copy

When the Copy from popup appeared:

- \* select Capacities
- \* continue with the green check

This was important because the task required changing capacity-related data:

- \* No. Ind. Capacities = 5
- \* Capacity = 24.00 H Copying the capacity data ensured the new work center inherited the capacity structure from T-ME00 and could then be adjusted correctly.

□

Step 4: Maintain basic data

On the work center master screen:

- \* change the description to Mechanical Maintenance 42

This matches the exact description required by the task.

Step 5: Maintain capacity values

Go to the Capacities tab, then open the capacity detail screen.

Maintain or verify:

- \* No. Ind. Capacities = 5
- \* Capacity Base Unit = H
- \* Capacity recalculated to 24.00 H

In our system, the Capacity field was system-calculated and not directly editable.

The final valid values were achieved with:

- \* Start Time = 08:00:00
- \* End Time = 17:00:00
- \* Length of breaks = 01:00:00
- \* Capacity Utilization = 60
- \* No. Ind. Capacities = 5

This produced:

- \* Capacity = 24.00 H

The task required 24.00 H capacity, but SAP calculated it automatically based on operating time, utilization, and number of individual capacities.

The resulting calculation was correct and matched the task requirement exactly.

Step 6: Save the work center

\* Click Save

Later, when trying to create the same work center again, SAP displayed the system message:

\* "Work center ZZ-ME42 in plant 1010 already exists"

Explanation / Verification:

This system message confirmed that the work center had already been created successfully.

Therefore, the creation of ZZ-ME42 was verified as complete.

Part 2: Create a 1-Hour Capacity Demand

Requirement from task file

The task required:

\* create a capacity demand of 1 hour

\* for the newly created maintenance work center ZZ-ME42

\* by creating a maintenance order of type PM01

Step-by-step procedure

Step 7: Open maintenance order creation

\* In the command field, enter /nIW31

\* Press Enter

Transaction IW31 is used to create a maintenance order.

The /n ensured SAP exited the previous transaction and opened the new one directly.

Step 8: Enter order header data

On the Create Maintenance Order: Initial Screen , enter:

\* Order Type = PM01

\* Planning Plant = 1010

Then press Enter .

The task explicitly required the capacity demand to be created by means of a maintenance order of type PM01 .

Step 9: Enter order description

On the order header screen, enter a short text such as:

\* Capacity demand ZZ-ME42

The task did not prescribe a specific short text, so a meaningful description was used for traceability.

Step 10: Create the first operation

In the first operation area / operations overview, maintain:

\* Operation = 0010

\* Work Center = ZZ-ME42

\* Plant = 1010

\* Control Key = PM01

\* Work Duration / Work = 1

\* Unit = H

Then press Enter .

This operation is the actual source of the capacity demand .

The capacity demand is not created merely by the order header; it is created by assigning the operation to the work center with a planned work value of 1 hour .

Therefore, these operation entries were the critical part of fulfilling Task 3.

Step 11: Save the maintenance order

\* Click Save

SAP displayed the confirmation message:

\* "Order saved with number 4000314"

Explanation / Verification:

This was the final confirmation that the maintenance order had been created successfully.

Because the operation was assigned to ZZ-ME42 with 1 H planned work, this verified that the required 1- hour capacity demand had been created for the work center.

Verified completed objects

The following results were verified during execution:

\* Maintenance Work Center created

\* Work Center = ZZ-ME42

\* Plant = 1010

\* confirmed by SAP message that the work center already existed when rechecked

\* Capacity maintained correctly

\* No. Ind. Capacities = 5

- \* Capacity = 24.00 H
- \* Capacity demand created
- \* maintenance order type PM01
- \* operation assigned to ZZ-ME42
- \* planned work = 1 H
- \* Order successfully saved
- \* SAP confirmation: Order saved with number 4000314

## NEW QUESTION # 12

Create a Maintenance Plan

The project team evaluates during the implementation project Maintenance Plans in SAP S/4HANA Asset Management. The following features need to be checked:

Create a Maintenance Plan

Create a Maintenance Plan and save it. Use the following information:

### Answer:

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 8: Create a Maintenance Plan

The objective of this task is to create a strategy-based maintenance plan that will automatically generate work orders for your pump based on the frequencies defined in your task list.

Step 1: Access the Transaction

\* Transaction Code : Enter IP42 in the command field and press Enter .

\* Initial Screen :

\* Maintenance Plan Category : Select Maintenance Order (or "Maintenance plan for Maintenance Order" if using the Fiori Launchpad).

\* Maintenance Strategy : Enter Z48 .

\* Press Enter .

Step 2: Enter Header and Maintenance Item Data

Once you are on the main creation screen, fill in the "Maintenance Item" section to define what is being maintained and how the orders should look:

\* Description : Enter Regular pump maintenance Z48 .

\* Equipment : Enter T-PA48 .

\* Planning Plant : This should default to 1010 based on the equipment, but ensure it is correct.

\* Order Type : Enter PM02 .

Explanation : By assigning Equipment T-PA48 and Order Type PM02 , you are telling SAP to generate a specific "Planned" maintenance order every time this schedule is triggered.

Step 3: Link the Task List

This step connects the plan to the specific maintenance steps (operations) you created in Task 7.

\* Look for the Task List section at the bottom of the screen.

\* Task List Type : Enter A (General Task List).

\* Group : Enter TL-48 .

\* Counter : Enter 1 .

\* Press Enter to validate the connection. You should see the description "Regular Maintenance GR48" appear.

Explanation : Linking the Task List ensures that when the maintenance plan generates an order, it automatically copies the 30-minute operations you defined earlier into that order.

Step 4: Set Scheduling Parameters (Optional but Recommended)

While the table in your document focuses on the data above, typically you would click the Maintenance Plan Scheduling Parameters tab to ensure the "Scheduling Period" and "Start Date" are set. However, for the assessment, the mandatory data is what we entered in Steps 1-3.

Step 5: Save

\* Click the Save (floppy disk) icon.

\* Note your Maintenance Plan Number : The system will display a message at the bottom, such as

"Maintenance plan 123 saved." Write this number down , as you will need it for Task 9: Schedule a Maintenance Plan .

Task 8 is now complete! You have built the automated "brain" that will handle the recurring maintenance for your pump.

### NEW QUESTION # 13

Create a Maintenance Order with Checklists

The project team evaluates during the implementation project Maintenance Orders with Checklists in SAP S/4HANA Asset Management. The following features need to be checked:

- \* Create a Maintenance Order with Checklist
- \* Display a Maintenance Order with automatically generated Object List and Checklist.
- \* Create a Maintenance Order using an Order Type which is already configured for the checklist process.

Use the following data:

- \* Display the previously created Maintenance Order with automatically generated Object List and Checklist.

### Answer:

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 12 Overview

In this task, you will create a maintenance order using a specific order type configured for the checklist process. The system will then automatically generate an object list and a corresponding checklist based on the equipment and task list assigned.

Step 1: Create a Maintenance Order with Checklist

You need to create a new order using a functional location and a specific task list that triggers the checklist functionality.

- \* Access the Transaction : Use transaction code IW31 (Create Maintenance Order).
- \* Initial Screen :
- \* Order Type : Select an order type already configured for the checklist process (typically PM01 or a specific custom type designated for checklists in your training environment).
- \* Press Enter .
- \* Enter Header and Location Data :
- \* Functional Location : Enter 48-01-PRD-01-03-HD .
- \* Description : Enter a relevant description (e.g., Pump Checklist Maintenance GR48).
- \* Assign the Task List :
- \* Go to the Operations tab or find the task list assignment section.
- \* General Maintenance Task List : Enter A / T-PMCLEN / 1 .
- \* Press Enter to validate.
- \* Save : Click the Save (floppy disk) icon.

Explanation : By assigning this specific functional location and general task list, you are triggering the "Checklist" integration. The system uses the classification data you set up in Task 11 to determine that a checklist (inspection lot) is required for this job.

Step 2: Display and Verify the Checklist

After saving, you must verify that the system correctly generated the technical components of the checklist.

- \* Display the Order : Use transaction code IW33 and enter the order number you just created.
- \* Verify the Object List :
- \* Navigate to the Object List tab.
- \* You should see the equipment or functional location listed here with a link to the checklist.
- \* Verify the Checklist :
- \* Look for a button or tab labeled Checklists or Inspection Lot within the order.
- \* The system should show that a checklist has been automatically generated for the repair operations.

Explanation : The goal of this step is to confirm that the "Object List" and "Checklist" were created automatically by the system. This proves the background configuration for QM (Quality Management) integration is working correctly with your maintenance order

### NEW QUESTION # 14

Task: 5

Configure and create a Maintenance Notification

The project team evaluates during the implementation project the Maintenance Notifications in SAP S/4HANA Asset Management. The following features need to be checked:

- \* Configure and create a Maintenance Notification
- \* Assign catalog specific data to a Maintenance Notification
- \* Create a Maintenance Notification and save it. Use the following information:
  - 
  - \* Assign the following data to the just created notification:
    -

### Answer:

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 5 Overview

The project team is evaluating Maintenance Notifications in SAP S/4HANA Asset Management. This task involves creating a notification and assigning catalog-specific data to it.

Step 1: Create the Maintenance Notification

In this step, you will record a technical problem in the system.

\* Access the Transaction : Use transaction code IW21 (Create Maintenance Notification) in the SAP GUI or the corresponding Fiori app.

\* Initial Screen :

\* Notification Type : Enter Z1 .

\* Press Enter .

\* Enter General Data :

\* Description : Enter Pump is leaking .

\* Priority : Select High .

\* Equipment : Enter T-PA48 .

\* Save : Click the Save (floppy disk) icon to generate a notification number.

Explanation : Creating a notification is the first step in the maintenance process. It documents the "what" (leaking pump), the "how critical" (high priority), and the "where" (Equipment T-PA48).

Step 2: Assign Catalog Specific Data

Now you must assign technical codes to describe the damage precisely for future reporting and analysis.

\* Access the Transaction : Use transaction code IW22 (Change Maintenance Notification) to open your recently created notification.

\* Navigate to Item Data : Go to the Items tab or the relevant section for damage and causes.

\* Enter Damage Details :

\* Damage Code Group : PMP-100 .

\* Damage Code : 1000 .

\* Description : Leaking .

\* Enter Object Part Details :

\* Object Part Code Group : PMP-Z48 .

\* Object Part Code : 1001 .

\* Description : Inlet/Outlet .

\* Enter Cause Details :

\* Cause Code Group : PMP-248 .

\* Cause Code : 2000 .

\* Description : Material fatigue .

\* Save : Click the Save icon to finalize the notification.

Explanation : Assigning catalog data categorizes the issue using standardized codes. This allows the company to run "Bad Actor" reports later to see, for example, how many pumps are failing due to "Material fatigue" versus "Operator error".

□

## NEW QUESTION # 15

.....

Exam4PDF is a professional website. It focuses on the most advanced SAP C\_S43\_2601 for the majority of candidates. With Exam4PDF, you no longer need to worry about the SAP C\_S43\_2601 exam. Exam4PDF exam questions have good quality and good service. As long as you choose Exam4PDF, Exam4PDF will be able to help you pass the exam, and allow you to achieve a high level of efficiency in a short time.

**Examcollection C\_S43\_2601 Dumps Torrent:** [https://www.exam4pdf.com/C\\_S43\\_2601-dumps-torrent.html](https://www.exam4pdf.com/C_S43_2601-dumps-torrent.html)

SAP C\_S43\_2601 Online Tests And if you want to pass it more efficiently, we must be the best partner for you, SAP C\_S43\_2601 Online Tests How about Online Test Engine, SAP C\_S43\_2601 Online Tests Because of space limitation, if you'd like to know more details please contact us, SAP C\_S43\_2601 Online Tests After purchase your information will be kept in high level, SAP C\_S43\_2601 Online Tests The aftersales groups are full of good natured employees who are diligent and patient waiting for offering help for you.

We can promise that our study materials will be very useful and helpful C\_S43\_2601 Valid Test Notes for you to prepare for your exam, But you will find in time that you are learning a lot about yourself, and this I think is incredibly useful.

