

Pass Guaranteed Quiz Salesforce - PDII-JPN - -- Professional Exam Material



With the help of our PDII-JPN practice materials, you can successfully pass the actual exam with might redoubled. Our company owns the most popular reputation in this field by providing not only the best ever PDII-JPN study guide but also the most efficient customers' servers. We can lead you the best and the fastest way to reach for the certification of PDII-JPN Exam Dumps and achieve your desired higher salary by getting a more important position in the company.

We boost a professional expert team to undertake the research and the production of our PDII-JPN learning file. We employ the senior lecturers and authorized authors who have published the articles about the test to compile and organize the PDII-JPN prep guide dump. Our expert team boosts profound industry experiences and they use their precise logic to verify the test. They provide comprehensive explanation and integral details of the answers and questions. Each question and answer are researched and verified by the industry experts. Our team updates the PDII-JPN Certification material periodically and the updates include all the questions in the past thesis and the latest knowledge points. So our service team is professional and top-tanking.

>> Exam PDII-JPN Material <<

PDII-JPN Valid Dumps, PDII-JPN Latest Test Format

We have free demos of our PDII-JPN exam questions for your information and the demos offer details of real exam contents. All contents of PDII-JPN practice quiz contain what need to be mastered. And not only the content is contained that you can free download from the website, also you can find that the displays of the PDII-JPN Study Materials can be tried as well for we have

three versions, according we also have three kinds of free demos.

Salesforce Sample Questions (Q26-Q31):

NEW QUESTION # 26

非同期 Apex を使用しないと実行できないユースケースはどれですか?

- A. 挿入完了後のレコードの更新
- B. バッチプロセスを後で完了するようにスケジュールする
- C. Apex トリガから Web サービスを呼び出す
- D. 大量のレコードの処理

Answer: C

NEW QUESTION # 27

プラットフォーム イベントが Salesforce 組織で定義された後、イベントを発行できるメカニズムはどれですか?
2つの答えを選択してください

- A. 外部アプリは標準のストリーミング API を使用できます。
- B. 外部アプリにはカスタム Apex Web サービスが必要です。
- C. 内部アプリは送信メッセージを使用できます
- D. 内部アプリは Process Builder を使用できます。

Answer: A,D

Explanation:

internal apps can use processes, flows, or Apex to publish platform event messages from a Salesforce app. Process Builder is a tool that lets you automate business processes by creating processes. You can use Process Builder to publish platform event messages when a record changes or when a platform event occurs.

external apps can use Salesforce APIs to publish platform event messages. You can use any Salesforce API to create platform events, such as SOAP API, REST API, or Bulk API. The Streaming API is a Salesforce API that lets you push a stream of notifications from Salesforce to external apps. You can use the Streaming API to publish platform event messages by creating records of your event type.

Therefore, using Process Builder and Streaming API are two mechanisms to publish platform event messages after a platform event is defined in a Salesforce org.

https://developer.salesforce.com/docs/atlas.en-us.platform_events.meta/platform_events/platform_events_publish.htm

NEW QUESTION # 28

ある企業は、多数のメソッドを含むテストクラスのユニットテストで、前提条件となる参照データ用のレコードを多数作成する処理が遅いことに気づきました。開発者はこの問題を解決するために何ができるでしょうか?

- A. 前提条件となる参照データの設定を TestDataFactory に移動し、各テスト メソッドからそれを呼び出します。
- B. 前提条件となる参照データのセットアップをテストクラスの @testSetup メソッドに移動します。
- C. テストを実行するときに、トリガー、フロー、検証をオフにします。
- D. 前提条件となる参照データの設定をテスト クラスのコンストラクターに移動します。

Answer: B

Explanation:

The most effective way to optimize test performance when multiple test methods require the same set of records is to use the @testSetup annotation (Option C).

When a method is marked with @testSetup, Salesforce executes it exactly once before any test methods in the class run. The platform then creates a "database snapshot" of those records. For every individual test method in the class, Salesforce simply rolls back the database to that snapshot rather than re-executing the DML operations required to create the records. This dramatically reduces the total number of DML statements and CPU time consumed during the test run.

In contrast, calling a TestDataFactory (Option D) from within every test method results in the same records being inserted and deleted repeatedly for every test case. If a class has 50 test methods, the records are created

50 times. With @testSetup, they are created once. Option A is not possible (you cannot programmatically disable these during a test run), and Option B is incorrect as test classes do not use constructors in this manner. Using @testSetup is the platform-recommended pattern for efficient, high-performance unit testing.

NEW QUESTION # 29

企業には、特定の地理的地域のデフォルト情報と削除動作を表す複数のカスタム メタデータ レコードに保存された参照データがあります。

連絡先が挿入されると、連絡先のアドレス情報に基づいて、カスタム メタデータ レコードから連絡先にデフォルト情報が設定される必要があります。

さらに、ユーザーがフラグが設定された領域に属する連絡先を削除しようとする、エラー メッセージが表示されます。

企業の人事リソースに応じて、これを自動化する 2 つの方法は何ですか？

2 つの答えを選択してください

- A. リモートアクション
- B. 頂点トリガー
- C. フロービルダー
- D. Apex 呼び出し可能なメソッド

Answer: B,C

Explanation:

To automate the process based on the contact's address information and prevent deletion from flagged regions:

Flow Builder: Can be used to set default information on records when they are created.

Apex Trigger: Allows for complex logic to be executed before or after data manipulation operations, including insert and delete. It can be used to enforce rules such as preventing deletion.

References:

Flow Builder: Salesforce Help Article

Apex Triggers: Apex Developer Guide

NEW QUESTION # 30

Universal Containers は、チェックボックス フィールド Show_Help__c を含む階層カスタム設定 User_Prefs__c にユーザー設定を保存します。会社レベルのデフォルトは組織レベルで保存されますが、ユーザー レベルで上書きされる場合があります。ユーザーが設定を上書きしていない場合は、デフォルトを使用する必要があります。

現在のユーザーの Show_Help__c 設定をどのように取得する必要がありますか？

- A. ブール値 show = User_Prefs__c.getValues().Show_Help__c;
- B. ブール値 show = User_Prefs__c.getValues(UserInfo.getUserId()).Show_Help__c;
- C. ブール値 show = User_Prefs__c.Show_Help__c;
- D. ブール値 show = User_Prefs__c.getInstance().Show_Help__c;

Answer: D

Explanation:

To retrieve the Show_Help__c preference for the current user from a hierarchy custom setting, the getInstance() method should be used. This method retrieves the custom setting data for the user or the organization default if no user-specific setting is found.

References: Salesforce Help - GetInstance Method

NEW QUESTION # 31

.....

The more times you choose us, the more discounts you may get. To make your whole experience more comfortable, we also provide considerate whole package services once you make decisions of our PDII-JPN test question. If you have any questions related to our PDII-JPN exam prep, pose them and our employees will help you as soon as possible. It is a mutual benefit job, that is why we put every exam candidates' goal above ours, and it is our sincere hope to make you success by the help of PDII-JPN Guide question and elude any kind of loss of you and harvest success effortlessly.

PDII-JPN Valid Dumps: <https://www.premiumvcedump.com/Salesforce/valid-PDII-JPN-premium-vce-exam-dumps.html>

