


# 2026 HPE7-A11: High-quality 100% HPE Network Campus Access Professional Architect Exam Accuracy



Now is not the time to be afraid to take any more difficult HPE Network Campus Access Professional Architect Exam HPE7-A11 certification exams. Our HPE7-A11 learning quiz can relieve you of the issue within limited time. Our website provides excellent HPE7-A11 learning guidance, practical questions and answers, and questions for your choice which are your real strength. You can take the HP HPE7-A11 Training Materials and pass it without any difficulty.

With the help of the HP HPE7-A11 brain dumps and preparation material provided by TestPDF, you will be able to get HPE7-A11 certified at the first attempt. Our experts have curated an amazing HPE7-A11 exam guide for passing the HPE7-A11 exam. You can get the desired outcome by preparing yourself from the HPE7-A11 Exam Dumps material provided by TestPDF. We frequently update our HPE7-A11 exam preparation material to reflect the latest changes in the HPE7-A11 exam syllabus.

>> 100% HPE7-A11 Accuracy <<

## Real HPE7-A11 Exam Dumps | HPE7-A11 Dumps Discount

We know that you have strong desire for success in your career, now, we recommend you to get the HPE7-A11 exam certification. TestPDF will help you and provide you with the high quality HP training material. HPE7-A11 questions are selected and edited from the original questions pool and verified by the professional experts. Besides, the updated of HPE7-A11 Pdf Torrent is checked every day by our experts and the new information can be added into the HPE7-A11 exam dumps immediately.

## HPE Network Campus Access Professional Architect Exam Sample Questions (Q36-Q41):

### NEW QUESTION # 36

ACME retail has 38 locations spread out across Ave US states and two provinces in Canada.

They are looking to grow 20% over the next two years. They have an HO with a staff of 200 employees. The organization has eight Regional Managers and two VPs who work from home and the road. Stores typically have 17 employees on average per location. The two warehouses have a remote loading system and 20 employees each to load the trucks and fulfill the online orders. The warehouse has 40-foot ceilings and large metal racks to store inventory. The main location is 240K sq ft (22300 st) m) and the

Canadian warehouse is 130K sq ft (12100 sq m). The forklifts on the loading docks are equipped with a wireless tablet on board. A typical store is reportedly about 60,000 sq ft (5575 sqm) and smaller stores are planned at 25,000 sq ft (2320 sq m). The locations need to expand the abilities to vendors that need to add setup displays or interactive kiosks in the stores. The current infrastructure was installed in 2015 and used wireless N technology in a coverage model. The wiring is Cat5, and they are unsure of the fiber connections. The inventory is all placed on the floor when it is delivered to the local store. Inventory control is handled through Zebra barcode scanners, and they have had a lot of issues in getting signals throughout the stores and this makes monthly inventory difficult. The organization has a small help desk to troubleshoot issues that happen at the retail locations and PC support for the office. The company is looking to upgrade away from the current PBX system later this year. With the need to grow and cut costs, they are interested in moving the data to the cloud but need to get almost real-time inventory control for the online service to function.

The network has all been wired over the last ten years, but with the new systems being all wireless, they have seen the trend to offer wireless to all the vendors for their needs but also would like to allow employees, guests, and contractors all to use it. With the new IT director starting next week, the project has been set by the CTO of the company. The marketing group has asked how they can interact with the customers and get more info, while the IT support desk needs to cut staff in half. The office has an MDF and two IDF's located on floors one and two.

The HOF is in the basement, and you have multiple WAN circuits for the HO links. Each store has a local handoff from the cable company (ethernet) in the middle of the store in the office, so distance for the wiring is not an issue. The customer has budget concerns but does want something that could last 7+ years. Which two projects does the customer have in the planning state? (Select two)

- A. new POS system
- B. kiosks/display station
- C. VoIP upgrade
- D. Inventory Control System

**Answer: C,D**

Explanation:

ACME Retail is in the planning stages of upgrading their current PBX system to a VoIP system, as indicated by their intention to move away from the existing PBX system later in the year. This upgrade is part of their overall network infrastructure overhaul to incorporate modern best practices. Additionally, the company is facing challenges with their current inventory control system, particularly with Zebra barcode scanners having signal issues throughout the stores, making monthly inventory processes difficult. Improving the inventory control system to achieve almost real-time inventory for their online service is a critical aspect of their growth and cost-cutting strategy, hence it's in the planning stage as well.

#### NEW QUESTION # 37

The client's existing network is experiencing trouble with voice occasionally dropping out on phone calls between office locations, it is determined that no packet loss is occurring and QoS is likely the cause. With what phenomenon is the client currently experiencing issues?

- A.
- B.
- C.

**Answer: A**

Explanation:

The client is experiencing issues with jitter, as depicted in Option B. Jitter refers to the variation in time between packets arriving, caused by network congestion, timing drift, or route changes. In voice communications, jitter can manifest as the occasional dropping out of voice on phone calls because the variable delay can affect the steady stream of voice packets needed for a clear conversation. Even when there is no packet loss, high levels of jitter can significantly impact the quality of Voice over IP (VoIP) calls. Quality of Service (QoS) settings are essential in managing jitter, as they can prioritize voice traffic over other types of data, ensuring that voice packets are delivered consistently and in the correct order to minimize delays and prevent call quality degradation. Aruba Campus Access solutions would typically include QoS features to manage and mitigate jitter on the network.

#### NEW QUESTION # 38

Which protocol allows HPE Aruba switches to detect and block rogue access points in a campus network?

- A. RADIUS

- B. 802.1X
- C. AirWave
- D. DHCP

**Answer: B**

Explanation:

802.1X is an authentication protocol used to secure access to the network. It helps to detect rogue access points by ensuring only authorized devices can access the network, thereby preventing unauthorized devices from being connected.

### NEW QUESTION # 39

A global cruise line company needs to refresh its current fleet. They will refresh the interiors of the ship to be cost-effective and increase their sustainability. They will replace the complete WLAN/LAN hardware of the ship. In this refresh, the company will not refresh its current security requirements. The CIO also wants to limit the number of unused ports in the switches. Future expansion will always mean a refresh of hardware. They start with the smallest ship with a maximum of 800 guests. Each ship has a LAN infrastructure consisting of two core switches, up to

10 redundant distribution switches, and up to 500 access switches (400 cabins, 100 technical rooms). The core switches are located in the MDF of the ship and the distribution switches are located in the IDF's of the ship. Each cabin and technical room gets one single access switch. The cabling structure of the ship will not be refreshed. Each IDF is connected to the MDF by SMF, of which two pairs are available for the interconnect between the core and distribution. The length of SM fiber between MDF and IDF is less than 300 meters (930 ft) and the type used is OS1. Each cabin is connected by a single OM2 pair to the IDF. The maximum length is 60 meters (200 ft).

Each technical room is connected by a single OM2 pair to the IDF, with lengths between 100 and 150 meters (320 and 500 ft).

For each cabin/technical room the customer is looking to replace their current fan-less 2530/2540 without changing the requirements, except they need to upgrade the uplink to distribution switch to 10GbE to handle the increased network traffic, and the technical rooms need redundant power.

The WLAN infrastructure will be 1:1 refreshed without new cabling or new AP locations. Their WLAN infrastructure is based on the 200/300 series indoor and outdoor APs running InstantOS (less than 300 APs). The customer has no change in WLAN requirements. The cruise line company will replace its current Internet connection before the LAN/WLAN refresh. The new Internet connection will provide a 99.8% uptime, which is needed to ensure the paid guest Wi-Fi is always operational. With this new internet connection, the CIO of the cruise line wants to base the design on the ESP architecture from Aruba because Internet connection is guaranteed.

Based on the best practices and customer requirements, what is the correct WLAN approach?

- A. Aruba OS 10 AP and gateway deployment
- B. Aruba OS 10 AP only deployment
- C. Aruba OS 6 campus deployment
- D. Instant OS 6 deployment

**Answer: A**

Explanation:

Given the scenario where the cruise line company is refreshing its WLAN/LAN infrastructure without changing the current WLAN requirements, but needs to ensure a reliable connection with a new Internet service providing 99.8% uptime, the best approach should align with a design that supports high availability, scalability, and future-proofing with minimal changes to existing infrastructure.

Given these factors:

1. The need for redundancy and high availability (99.8% uptime for guest Wi-Fi).
2. Current WLAN setup is based on Aruba 200/300 series APs running InstantOS.
3. The requirement to maintain the existing WLAN infrastructure with no changes to cabling or AP locations.
4. The desire for a future-proof architecture.

The most appropriate choice is: Aruba OS 10 AP and gateway deployment

Aruba OS 10 is designed for large, distributed networks and can handle both campus and branch deployments effectively. AP and gateway deployment would allow the cruise line company to benefit from centralized management, security, and redundancy, supporting the required uptime and providing a robust foundation for future expansions.

It would integrate well with the ESP (Edge Services Platform) architecture, ensuring the needed high availability and performance.

### NEW QUESTION # 40

ACME retail has 38 locations spread out across five US states and two provinces in Canada.

They are looking to grow 20% over the next two years. They have an HQ with a staff of 200 employees. The organization has eight Regional Managers and two VPs who work from home and the road. Stores typically have 17 employees on average per location. The two warehouses have a remote loading system and 20 employees each to load the trucks and fulfill the online orders. The warehouse has 40-foot ceilings and large metal racks to store inventory. The main location is 240K sq ft (22300 sq m) and the Canadian warehouse is 130K sq ft (12100 sq m). The forklifts on the loading docks are equipped with a wireless tablet on board. A typical store is reportedly about 60,000 sq ft (5575 sq m) and smaller stores are planned at 25,000 sq ft (2320 sq m). The locations need to expand the abilities to vendors that need to add setup displays or interactive kiosks in the stores. The current infrastructure was installed in 2015 and used wireless N technology in a coverage model. The wiring is Cat5, and they are unsure of the fiber connections. The inventory is all placed on the floor when it is delivered to the local store. Inventory control is handled through Zebra barcode scanners, and they have had a lot of issues in getting signals throughout the stores and this makes monthly inventory difficult. The organization has a small help desk to troubleshoot issues that happen at the retail locations and PC support for the office. The company is looking to upgrade away from the current PBX system later this year. With the need to grow and cut costs, they are interested in moving the data to the cloud but need to get almost real-time inventory control for the online service to function.

The network has all been wired over the last ten years, but with the new systems being all wireless, they have seen the trend to offer wireless to all the vendors for their needs but also would be to allow employees, guests, and contractors all to use it. With the new IT director starting next week, the project has been set by the CTO of the company. The marketing group has asked how they can interact with the customers and get more info, while the IT support desk needs to cut staff in half.

The office has an MDF and two IDFs located on floors one and two. The MDF is in the basement, and you have multiple WAN circuits for the HQ links. Each store has a local handoff from the cable company (ethernet) in the middle of the store in the office, so distance for the wiring is not an issue.

The customer has budget concerns but does want something that could last 7+ years.

The customer would like to host all the applications at the HQ Data Center.

Which design would meet the customer's requirements?

- A. HPE Comware switches
- B. Instant OS access points
- C. SD-Branch Architecture
- D. 10000 switch with Pensando
- E. UXI Sensors

**Answer: C**

Explanation:

For ACME Retail, which aims to host all applications at the HO Data Center and has multiple locations spread across different geographical areas, the Aruba SD-Branch Architecture would be the most suitable design to meet their requirements. This architecture provides a simplified, integrated branch networking solution combining SD-WAN, LAN, and security features. It enables centralized management and control, allowing ACME Retail to efficiently route traffic from branch locations to the HO Data Center, ensuring secure and reliable access to applications. The SD- Branch solution can accommodate the company's growth and adapt to changing network demands, making it an ideal choice for a scalable and flexible network infrastructure that supports ACME Retail's business objectives.

## NEW QUESTION # 41

.....

We should formulate a set of high efficient study plan to make the HPE7-A11 exam dumps easier to operate. Here our products strive for providing you a comfortable study platform and continuously upgrade HPE7-A11 test prep to meet every customer's requirements. Under the guidance of our HPE7-A11 Test Braindumps, 20-30 hours' preparation is enough to help you obtain the HP certification, which means you can have more time to do your own business as well as keep a balance between a rest and taking exams.

**Real HPE7-A11 Exam Dumps:** <https://www.testpdf.com/HPE7-A11-exam-braindumps.html>

Our customer service staff, who are willing to be your little helper and answer your any questions about our HPE7-A11 qualification test, fully implement the service principle of customer-oriented service on our HPE7-A11 exam questions, With Real HPE7-A11 Exam Dumps - HPE Network Campus Access Professional Architect Exam study questions, you no longer have to put down the important tasks at hand in order to get to class, Many candidates may wonder there are so many kinds of exam dumps or tools in the market why should you choose our HPE7-A11 test braindumps.

