

# 시험패스가 가능한 NSE5\_FNC\_AD-7.6 퍼펙트 덤프 최신 샘플 공부하기



발달한 네트워크 시대에 인터넷에 검색하면 많은 Fortinet 인증 NSE5\_FNC\_AD-7.6 시험 공부 자료가 검색되어 어느 자료로 시험 준비를 해야 할지 망서이게 됩니다. 이 글을 보는 순간 다른 공부 자료는 잊고 Pass4Test의 Fortinet 인증 NSE5\_FNC\_AD-7.6 시험 준비 덤프를 주목하세요. 최강 IT 전문가 팀이 가장 최근의 Fortinet 인증 NSE5\_FNC\_AD-7.6 실제 시험 문제를 연구하여 만든 Fortinet 인증 NSE5\_FNC\_AD-7.6 덤프는 기출 문제와 예상 문제의 모음 공부 자료입니다. Pass4Test의 Fortinet 인증 NSE5\_FNC\_AD-7.6 덤프만 공부하면 시험 패스의 높은 산을 넘을 수 있습니다.

Pass4Test의 경험이 풍부한 전문가들이 Fortinet NSE5\_FNC\_AD-7.6 인증 시험 관련 자료들을 계획적으로 페펙트하게 만들었습니다. Fortinet NSE5\_FNC\_AD-7.6 인증 시험 응시에는 딱 좋은 자료들입니다. Pass4Test는 최고의 덤프만 제공합니다. 응시 전 Fortinet NSE5\_FNC\_AD-7.6 인증 시험 덤프로 최고의 시험 대비 준비를 하시기 바랍니다.

>> NSE5\_FNC\_AD-7.6 퍼펙트 덤프 최신 샘플 <<

## NSE5\_FNC\_AD-7.6 완벽한 공부 문제 & NSE5\_FNC\_AD-7.6 유효한 공부 자료

Pass4Test는 IT 인증 자격증을 취득하려는 IT 업계 인사들의 검증으로 크나큰 인지도를 가지게 되었습니다. 믿고 애용 해주신 분들께 감사의 인사를 드립니다. Fortinet NSE5\_FNC\_AD-7.6 덤프도 다른 과목 덤프 자료처럼 적응을 좋고 통과율이 장난이 아닙니다. 덤프를 구매하시면 퍼펙트한 구매 후 서비스까지 제공해드려 고객님의 보유한 덤프가 항

상 시장에서 가장 최신버전임을 약속해드립니다. Fortinet NSE5\_FNC\_AD-7.6덤프만 구매하신다면 자격증 취득이 쉬워져 고객님의 밝은 미래를 예약한것과 같습니다.

## 최신 Fortinet Certification NSE5\_FNC\_AD-7.6 무료샘플문제 (Q55-Q60):

### 질문 # 55

An administrator wants to build a security rule that will quarantine contractors who attempt to access specific websites. In addition to a user host profile, which two components must the administrator configure to create the security rule? (Choose two.)

- A. Trigger
- B. Methods
- C. Endpoint compliance policy
- D. Security String
- E. Action

정답: A,E

### 설명:

A security rule requires a trigger to detect the condition, such as contractors accessing specific websites based on security or traffic events. It also requires an action to define the response, such as quarantining the contractor when the trigger condition is met.

### 질문 # 56

Refer to the exhibit.

The screenshot shows the 'Add Guest/Contractor Template' configuration window in Fortinet's management interface. The 'Required Fields' tab is active. The configuration is as follows:

- Template Name: StandardGuest
- Visitor Type: Guest
- Role:  Use a unique Role based on this template name
- Security & Access Value: StandardGuest
- Username Format: Email
- Password Length: 8
- Password Exclusions: |@#%&'()\*~=-\_[]:;<?>=|{}'; Use Mobile-Friendly Exclusions
- Reauthentication Period: (hours)
- Authentication Method: Local
- Propagate Hosts:
- Account Duration: (hours)
- Login Availability: Specify Time (M, Tu, W, Th, F 6:00 AM - 7:00 PM)
- URL for Acceptable Use Policy (optional):
- IP Address of URL:
- Portal Version 1 Settings

An administrator wants to ensure that guest accounts created from this template are not allowed network access outside of the designated times.

To achieve this, all necessary configurations must be made to force isolation of hosts in which state?

- A. Rogue
- **B. Non-authenticated**
- C. Disabled
- D. At-risk


정답: B

설명:

When guest accounts attempt access outside their configured login availability, authentication fails and the hosts remain in a non-authenticated state. To prevent network access during those times, isolation must be enforced for hosts in the non-authenticated state so they are restricted until valid authentication occurs within the permitted time window.

#### 질문 # 57

Refer to the exhibit. A FortiNAC-F N+1 HA configuration is shown.



What will occur if CA-2 fails?

- A. CA-1 and CA-3 will operate as a 1+1 HA cluster with CA-3 acting as a hot standby.
- B. CA-3 will be promoted to a primary and share management responsibilities with CA-1.
- **C. CA-3 will be promoted to a primary and FortiNAC-F manager will load balance between CA-1 and CA-3.**
- D. CA-3 will continue to operate as a secondary in an N+1 HA configuration.

정답: C

설명:

In an N+1 HA architecture managed by a FortiNAC-F Manager, if a primary CA fails, an available secondary CA is automatically promoted to primary. After CA-2 fails, CA-3 is promoted to a primary role, and the FortiNAC-F Manager load balances management and enforcement responsibilities between the remaining primary CAs, CA-1 and CA-3.

#### 질문 # 58

An administrator wants to control user access to corporate resources by integrating FortiNAC-F with FortiGate using firewall tags defined on FortiNAC-F.

Where would the administrator assign the firewall tag value that will be sent to FortiGate?

- A. RADIUS group attribute
- B. Device profiling rule
- **C. Logical network**
- D. Security rule

정답: C

설명:

In FortiNAC-F, the integration with FortiGate for Security Fabric and Single Sign-On (FSSO) allows the system to communicate the access level of an endpoint directly to the firewall using firewall tags. This eliminates the need for complex VLAN steering in some environments by allowing the FortiGate to apply policies based on these dynamic tags instead of just a physical or virtual network segment.

The actual assignment of the firewall tag value occurs within a Logical Network. In the FortiNAC-F architectural model, a Logical

Network acts as a container for "Access Values". When an administrator configures a Logical Network (located under Network > Logical Networks), they define what that network represents--such as "Corporate Access" or "Contractor Limited". Within that definition, they assign the specific Firewall Tag that matches the tag created on the FortiGate. Once a user or host matches a Network Access Policy, FortiNAC-F identifies the associated Logical Network and pushes the defined tag to the FortiGate via the FSSO connector.

It is important to note that while Network Access Policies (and by extension Security Rules) are the logic engines that trigger the assignment, they do not hold the tag value itself. They simply point to a Logical Network, which serves as the central repository for that specific access configuration.

"To assign firewall tags, navigate to Network > Logical Networks. Select the desired logical network and click Edit. Under the Access Value section, select Firewall Tag as the type and enter the tag name exactly as it appears on the FortiGate. When a Network Access Policy matches a host, FortiNAC sends this tag to the FortiGate as an FSSO message."

### 질문 # 59

Which two things must be done to allow FortiNAC to process incoming syslog messages from an unknown vendor? (Choose two.)

- A. A security event parser must be created for the device.
- B. The device sending the messages must be modeled in the Network Inventory view.
- C. The device must be added as a log receiver.
- D. The device must be added as a patch management server.

정답: A,C

### 질문 # 60

.....

지금 사회에 능력자들은 아주 많습니다.이인재들도 더욱더 많아지고 있습니다.많은 이인사들은 모두 관련 이인증시험에 참가하여 자격증취득을 합니다.자기만의 자리를 확실히 지키고 더 높은 자리에 오르자면 필요한 스펙이니까요.NSE5\_FNC\_AD-7.6시험은Fortinet인증의 중요한 시험이고 또 많은 이인사들은Fortinet자격증을 취득하려고 노력하고 있습니다.

NSE5\_FNC\_AD-7.6완벽한 공부문제 : [https://www.pass4test.net/NSE5\\_FNC\\_AD-7.6.html](https://www.pass4test.net/NSE5_FNC_AD-7.6.html)

저희 회사에서 출시한NSE5\_FNC\_AD-7.6 문제집을 이용하시면 시험에서 성공할수 있습니다, Fortinet NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 하지만 문제는 어떻게 이 시험을 패스할것이나이죠, NSE5\_FNC\_AD-7.6 자격증은 난이도가 높아 선뜻 취득할 업무가 생기지 않는다면 지금 이 글을 보고 있는 순간 당신은 가장 큰 행운을 만난 분이십니다, 주말이나 명절이나 모든 시간에 될수 있는한 메일을 확인하고 가장 빠른 시간내에 답장드리기에 NSE5\_FNC\_AD-7.6덤프에 관하여 궁금한 점이 있으시면 메일로 문의하시면 됩니다, Fortinet NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 지금 같은 세대에 많은 분들이 IT업계에 관심을 가지고 있습니다, 체험 후Pass4Test 에서 출시한Fortinet NSE5\_FNC\_AD-7.6덤프에 신뢰감을 느끼게 될것입니다.

뭔가 건진 것 같은 표정인데, 그가 먼저 말을 했다.그리고, 저희 회사에서 출시한NSE5\_FNC\_AD-7.6 문제집을 이용하시면 시험에서 성공할수 있습니다, 하지만 문제는 어떻게 이 시험을 패스할것이나이죠, NSE5\_FNC\_AD-7.6 자격증은 난이도가 높아 선뜻 취득할 업무가 생기지 않는다면 지금 이 글을 보고 있는 순간 당신은 가장 큰 행운을 만난 분이십니다.

## 최신버전 NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 덤프자료는 Fortinet NSE 5 - FortiNAC-F 7.6 Administrator 시험패스의 가장 좋은 자료

주말이나 명절이나 모든 시간에 될수 있는한 메일을 확인하고 가장 빠른 시간내에 답장드리기에 NSE5\_FNC\_AD-7.6덤프에 관하여 궁금한 점이 있으시면 메일로 문의하시면 됩니다, 지금 같은 세대에 많은 분들이 IT업계에 관심을 가지고 있습니다.

- 높은 적응율을 자랑하는 NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 덤프공부문제  ➡ NSE5\_FNC\_AD-7.6 를 무료로 다운로드하려면➡ [www.koreadumps.com](http://www.koreadumps.com) 웹사이트를 입력하세요NSE5\_FNC\_AD-7.6인증시험 인기 시험자료
- NSE5\_FNC\_AD-7.6유료한 공부자료  NSE5\_FNC\_AD-7.6시험패스 가능한 인증공부자료  NSE5\_FNC\_AD-7.6인증덤프공부  [ [www.itdumpskr.com](http://www.itdumpskr.com) ]웹사이트에서 《 NSE5\_FNC\_AD-7.6 》 를 열고 검색하여 무료 다운로드NSE5\_FNC\_AD-7.6높은 통과율 덤프자료

- 높은 통과율 NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 덤프샘플 다운 □ ➡ [www.koreadumps.com](http://www.koreadumps.com) □을(를) 열고“NSE5\_FNC\_AD-7.6”를 검색하여 시험 자료를 무료로 다운로드하십시오NSE5\_FNC\_AD-7.6 Dump
- NSE5\_FNC\_AD-7.6덤프샘플문제 다운 ↓NSE5\_FNC\_AD-7.6시험패스보장덤프 □ NSE5\_FNC\_AD-7.6퍼펙트 덤프공부자료 □ 무료로 쉽게 다운로드하려면 □ [www.itdumpskr.com](http://www.itdumpskr.com) □에서 □NSE5\_FNC\_AD-7.6 □를 검색하세요NSE5\_FNC\_AD-7.6시험대비 최신 덤프공부
- NSE5\_FNC\_AD-7.6인증시험 인기 시험자료 □ NSE5\_FNC\_AD-7.6퍼펙트 덤프공부자료 □ NSE5\_FNC\_AD-7.6퍼펙트 최신버전 덤프자료 □ 「 [www.itdumpskr.com](http://www.itdumpskr.com) 」 웹사이트에서 □NSE5\_FNC\_AD-7.6 □를 열고 검색하여 무료 다운로드NSE5\_FNC\_AD-7.6덤프샘플문제 다운
- 높은 통과율 NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 덤프샘플 다운 □ 무료로 다운로드하려면 《 [www.itdumpskr.com](http://www.itdumpskr.com) 》로 이동하여 《 NSE5\_FNC\_AD-7.6 》를 검색하십시오NSE5\_FNC\_AD-7.6높은 통과율 덤프데모문제
- NSE5\_FNC\_AD-7.6높은 통과율 덤프데모문제 ♣ NSE5\_FNC\_AD-7.6퍼펙트 최신버전 덤프자료 □ NSE5\_FNC\_AD-7.6최신 시험대비자료 □ 무료로 다운로드하려면 { [www.pass4test.net](http://www.pass4test.net) }로 이동하여⇒ NSE5\_FNC\_AD-7.6 ◀를 검색하십시오NSE5\_FNC\_AD-7.6 Dump
- NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 완벽한 덤프 □ 무료로 쉽게 다운로드하려면 ➡ [www.itdumpskr.com](http://www.itdumpskr.com) □에서 ➡ NSE5\_FNC\_AD-7.6 □□□를 검색하세요NSE5\_FNC\_AD-7.6시험패스 가능 공부 자료
- NSE5\_FNC\_AD-7.6시험대비 최신 덤프공부 □ NSE5\_FNC\_AD-7.6시험패스 가능한 인증공부자료 □ NSE5\_FNC\_AD-7.6유효한 공부자료 □ ⇒ [www.koreadumps.com](http://www.koreadumps.com) ◀웹사이트에서> NSE5\_FNC\_AD-7.6 ◀를 열고 검색하여 무료 다운로드NSE5\_FNC\_AD-7.6인기자격증 인증시험덤프
- 퍼펙트한 NSE5\_FNC\_AD-7.6퍼펙트 덤프 최신 샘플 최신버전 문제 □ 오픈 웹 사이트 □ [www.itdumpskr.com](http://www.itdumpskr.com) □검색 ➡ NSE5\_FNC\_AD-7.6 □무료 다운로드NSE5\_FNC\_AD-7.6높은 통과율 덤프데모문제
- NSE5\_FNC\_AD-7.6인증시험대비 공부자료 □ NSE5\_FNC\_AD-7.6최신버전 덤프문제 □ NSE5\_FNC\_AD-7.6높은 통과율 덤프데모문제 □ 지금 ➡ [kr.fast2test.com](http://kr.fast2test.com) □에서 ➡ NSE5\_FNC\_AD-7.6 □를 검색하고 무료로 다운로드하세요NSE5\_FNC\_AD-7.6시험대비 최신 덤프공부
- [amberzink986575.izrablog.com](http://amberzink986575.izrablog.com), [deaconrokr287732.azzablog.com](http://deaconrokr287732.azzablog.com), [liviazsm511766.ourabilitywiki.com](http://liviazsm511766.ourabilitywiki.com), [denispvwq870433.wikipublicity.com](http://denispvwq870433.wikipublicity.com), [bookmarkshq.com](http://bookmarkshq.com), [carlyzgxw377295.fare-blog.com](http://carlyzgxw377295.fare-blog.com), [bookmarkindexing.com](http://bookmarkindexing.com), [dawuddses382428.blogspotapp.com](http://dawuddses382428.blogspotapp.com), [margieyboe100384.eveowiki.com](http://margieyboe100384.eveowiki.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), Disposable vapes