

認定する-素敵なISO-45001-Lead-Auditor練習問題試験-試験の準備方法ISO-45001-Lead-Auditor最新受験攻略



無料でクラウドストレージから最新のXhs1991 ISO-45001-Lead-Auditor PDFダンプをダウンロードする：https://drive.google.com/open?id=1b8TnwUwYp_gsj5LYGKDYt3yzk8UiwXo_

近年、当社PECBのISO-45001-Lead-Auditorテストトレンドは好評を博し、献身的に99%の合格率に達しました。多くの労働者がより高度な自己改善を進めるための強力なツールとして、当社のISO-45001-Lead-Auditor認定PECB Certified ISO 45001 Lead Auditor Examトレーニングは、高度なパフォーマンスと人間中心のテクノロジーに対する情熱を追求し続けています。さまざまな種類の候補者がISO-45001-Lead-Auditor認定を取得する方法を見つけるために、多くの研究が行われています。シラバスの変更および理論と実践の最新の進展に応じて、PECB Certified ISO 45001 Lead Auditor Examガイドトレンドを修正およびXhs1991更新します。

今この競争社会では、専門の技術があったら大きく優位を占めることができます。IT業界では関連の認証を持っているのは知識や経験の一つ証明でございます。Xhs1991が提供した問題集を使用してIT業界の頂点の第一歩としてとても重要な地位になります。君の夢は1歩更に近くなります。資料を提供するだけでなく、PECBのISO-45001-Lead-Auditor試験も一年の無料アップデートになっています。

>> ISO-45001-Lead-Auditor練習問題 <<

PECB ISO-45001-Lead-Auditor最新受験攻略、ISO-45001-Lead-Auditor日

本語サンプル

この人材が多い社会で、人々はずっと自分の能力を高めています、世界で最先端のIT専門家に対する需要が継続的に拡大しています。ですから、PECBのISO-45001-Lead-Auditor認定試験に受かりたい人が多くなります。しかし、試験に受かるのは容易なことではないです。実は良いトレーニング資料を選んだら試験に合格することは不可能ではないです。Xhs1991が提供したPECBのISO-45001-Lead-Auditor「PECB Certified ISO 45001 Lead Auditor Exam」試験トレーニング資料はあなたが試験に合格することを助けられます。Xhs1991のトレーニング資料は大勢な受験生に証明されたもので、国際的に他のサイトをずっと先んじています。PECBのISO-45001-Lead-Auditor認定試験に合格したいのなら、Xhs1991が提供したPECBのISO-45001-Lead-Auditorトレーニング資料をショッピングカートに入れましょう。

PECB Certified ISO 45001 Lead Auditor Exam 認定 ISO-45001-Lead-Auditor 試験問題 (Q53-Q58):

質問 # 53

You are auditing a site of Good Food Shack, a restaurant chain. In the kitchen area, you notice a half-filled open drum sitting in a pool of liquid, which is dribbling across a work area. You ask the head Chef what is in the drum and are told it is waste the frying process. When you ask why it is kept there, You are told that it is not normally kept there, but it not a problem and says that he will arrange it to be moved to a storeroom and will give the floor a good clean.

Look around the kitchen, you observe knives and cleavers lying around on worktops, staff wearing no protective gloves and a large pot of boiling water with nobody near it. There is no evidence of any fire extinguishers or fire blankets within sight.

You decide to raise a nonconformance. Select one of the options that best describes the finding against clause 8.1.2 of ISO 45001.

- A. Measures to prevent slippage in the kitchen from waste cooking oil were not taken.
- **B. Failure to reduce risks associated with working in the kitchen.**
- C. Staff are at risk of serious injury while working in the kitchen.
- D. Training of the kitchen staff was not effective enough to prevent poor safety awareness in the kitchen area.

正解: B

解説:

Comprehensive Detailed Explanation along with All ISO 45001 Audit References Clause 8.1.2 of ISO 45001 pertains to Eliminating Hazards and Reducing OH&S Risks. Organizations must implement appropriate controls to manage workplace hazards effectively.

* Issue Identified: The kitchen environment at the audited site presents multiple hazards, including:

- * Oil spillage creating a slip hazard.
- * Open drums of waste material posing a chemical or hygiene hazard.
- * Unsecured knives and cleavers increasing the risk of cuts.
- * Boiling water left unattended, posing a risk of burns.
- * Lack of visible fire extinguishers or fire blankets, increasing fire risk.

* Analysis of Options:

- * A. Failure to reduce risks associated with working in the kitchen. This option accurately captures the broader failure to implement effective measures to eliminate or reduce hazards across multiple areas in the kitchen.
 - * B. Measures to prevent slippage in the kitchen from waste cooking oil were not taken. This is specific to one hazard (oil spillage) and does not address other significant risks observed, such as fire safety or sharp tools.
 - * C. Staff are at risk of serious injury while working in the kitchen. While true, this is more of a general observation and does not address the root cause of the hazards or the failure of controls.
 - * D. Training of the kitchen staff was not effective enough to prevent poor safety awareness in the kitchen area. Although training deficiencies may contribute to the issue, this option does not reflect the overarching systemic failure to manage hazards effectively.
- * Best Description of the Nonconformance: Failure to reduce risks associated with working in the kitchen (Option A) is the most comprehensive finding, reflecting the organization's lack of adequate controls to mitigate hazards.

ISO References:

- * Clause 8.1.2: Organizations must establish controls to eliminate or minimize OH&S risks systematically.
- * Clause 7.2: Ensuring competency through training is important but must be coupled with hazard control measures.

質問 # 54

You are an audit team leader conducting a Stage 2 audit of a Financial Services Provider. You are currently interviewing the organisation's Risk and Compliance Officer, who appears very competent when it comes to the management of business risks. As

the Risk and Compliance Officer, she is also identified as having lead responsibility for the management of OH&S risk, and you are now seeking evidence that she understands the requirements relating to risk that are contained within ISO 45001. During your conversation, she makes the following six statements about risk within an ISO 45001-based OHSMS. Which four of his statements are correct?

- A. The effect of uncertainty (i.e. risk) can result in positive outcomes as well as negative ones.
- B. The organisation must attempt to identify and address every risk it faces.
- C. Risk assessment is an activity that must be carried out by top management.
- D. Although organisations are required to carry out risk management, the method by which they do so is up to them.
- E. The organisation is required to assess risks arising from OH&S hazards.
- F. Risk is often expressed as a combination of likelihood and impact.

正解: A、D、E、F

解説:

Analysis of Options:

* A. The organisation must attempt to identify and address every risk it faces: Incorrect. ISO 45001 focuses on OH&S risks and not every risk faced by the organization.

* B. The effect of uncertainty (i.e. risk) can result in positive outcomes as well as negative ones:

Correct. Clause 3.20 defines risk as the "effect of uncertainty," which may result in positive or negative outcomes.

* C. Although organisations are required to carry out risk management, the method by which they do so is up to them: Correct. ISO 45001 does not prescribe specific risk management methods, leaving the organization to choose the approach that best suits its context (Clause 6.1.2).

* D. Risk assessment is an activity that must be carried out by top management: Incorrect. Risk assessment can involve workers and other personnel; it is not limited to top management.

* E. The organisation is required to assess risks arising from OH&S hazards: Correct. Clause 6.1.2.2 requires organizations to assess OH&S risks associated with hazards.

* F. Risk is often expressed as a combination of likelihood and impact: Correct. This is a common way to express risk, aligned with Clause 6.1.2.

ISO References:

* Clause 3.20: Definition of risk.

* Clause 6.1.2: Hazard identification and risk assessment

質問 # 55

An audit team leader arrives at a fabrication organisation that manufactures stairways to ..certification audit.

At a meeting with the OHSMS Manager the audit finds that the responsibility for worker consultation and participation lies with the managerial team. Select from the options four actions by the managerial team that encourage worker consultation and participation.

- A. Conducting toolbox talks on health and safety
- B. Giving ownership of health and safety matters
- C. Implementing a payment scheme to reward worker's OHS performance
- D. Appointing worker's representatives
- E. Implementing methods for engaging workers
- F. Promoting collaborating workers to higher positions
- G. threatening reprisals to whistleblowers
- H. Ignoring worker's suggestions

正解: A、B、D、E

質問 # 56

An audit team leader arrives at a fabrication organisation that manufactures stairways to ..certification audit. At a meeting with the

OHSMS Manager the audit finds that the responsibility for worker consultation and participation lies with the managerial team.

Select from the options four actions by the managerial team that encourage worker consultation and participation.

- A. Conducting toolbox talks on health and safety
- B. Giving ownership of health and safety matters
- C. Implementing a payment scheme to reward worker's OHS performance
- D. Appointing worker's representatives
- E. Implementing methods for engaging workers

- F. Promoting collaborating workers to higher positions
- G. threatening reprisals to whistleblowers
- H. Ignoring worker's suggestions

正解: A、B、D、E

解説:

Comprehensive Detailed Explanation along with All ISO 45001 Audit Reference Clause 5.4 of ISO 45001:2018 emphasizes the importance of worker consultation and participation in the OHS management system. It requires organizations to establish processes that ensure workers are actively involved in decision-making and implementation of OHS practices.

Analysis of Options:

A. Promoting collaborating workers to higher positions:

While promotions may boost morale, they do not directly contribute to worker consultation and participation in the OHSMS.

B. Appointing worker representatives:

This action fosters direct communication and representation of workers' interests in health and safety matters.

C. Conducting toolbox talks on health and safety:

Toolbox talks are an effective way to engage workers in discussing and addressing health and safety issues.

D. Giving ownership of health and safety matters:

Involving workers in decision-making and giving them responsibility for specific health and safety tasks encourages participation.

E. Ignoring workers' suggestions:

This undermines consultation and is contrary to ISO 45001 principles.

F. Implementing a payment scheme to reward workers' OHS performance:

While incentives can motivate safe behavior, they are not a consultation or participation mechanism as required by Clause 5.4.

G. Implementing methods for engaging workers:

This aligns directly with Clause 5.4, as effective engagement methods (e.g., surveys, focus groups) enhance participation.

H. Threatening reprisals to whistleblowers:

This violates ISO 45001 principles and discourages worker participation.

ISO Reference:

Clause 5.4: Worker consultation and participation.

Clause 5.1: Leadership's responsibility to foster participation.

質問 # 57

Aitchandness inc, manufactures safety footwear and other items of personal protective equipment (PPE). The organisation applied for ISO 45001 certification, and after the initial certificate audit, the certificate body decided that the audit team leader should carry out a follow-up audit to determine whether the non-conformities could be closed out.

A major non-conformity was raised at Stage 2 because of inadequate storage and handling of chemical used in the production process. Minor non-conformities related to retaining documentation, staff safety training and inadequate testing of emergency procedures.

Select four of the actions which the auditor could take at the follow-up audit to determine the effectiveness of corrective action for the non-conformities.

- A. Determine whether an updated risk assessment has been carried out on the revised chemical storage and handling processes.
- B. Interview staff to see whether they have received training in the revised emergency response procedures.
- C. Interview the OH&S Manager to determine whether additional health and safety objectives have been established.
- D. Inspect the relevant areas to check whether chemical were being stored and handled in a safe manner.
- E. Check that the safety data sheets associated with the chemical being used where checked for completeness.
- F. Ask to review the latest emergency response drill report to check whether the revised emergency response process is fit for purpose
- G. Check whether documented procedures for the revised processes have been signed off by the OH&S Manager.
- H. Ask whether the organization's internal audit schedule was revised to included more audit associated with the storage and handling of chemicals.

正解: A、D、F、G

解説:

Follow-up audits verify that corrective actions have been implemented effectively and address the root cause of the nonconformities.

Analysis of Options:

A. Review the latest emergency response drill report:

Correct. This verifies whether emergency response processes are functional and effective.

B. Check if the internal audit schedule was revised:
Incorrect. While beneficial, this is not directly related to closing out the nonconformity.

C. Check safety data sheets for completeness:
Incorrect. While this ensures compliance, it is not directly related to verifying corrective actions.

D. Check if revised procedures were signed off:
Correct. This confirms that changes were properly documented and approved.

E. Determine whether an updated risk assessment was carried out:
Correct. Risk assessments confirm the effectiveness of new controls.

F. Inspect areas for safe chemical storage and handling:
Correct. Direct observation ensures that corrective actions are implemented effectively.

G. Interview staff on revised emergency procedures:
Incorrect. While important, this does not directly address the effectiveness of corrective actions for chemical storage.

H. Interview the OH&S Manager about additional objectives:
Incorrect. This is unrelated to the specific nonconformities raised.

ISO Reference:
Clause 10.2.2: Verification of corrective actions.
Clause 8.1.2: Hazard identification and controls.

質問 # 58

.....

あなたに安心してISO-45001-Lead-Auditor問題集を購入させるために、我々は最も安全的な支払手段を提供します。PayPalは国際的に最大の安全な支払システムです。そのほかに、我々はあなたの個人情報の安全性を保証します。弊社の専門家たちのISO-45001-Lead-Auditor問題集への研究は試験の高効率に保障があります。あなたの復習の段階を問わず、我々の商品はあなたのISO-45001-Lead-Auditor試験の準備によりよいヘルプを提供します。

ISO-45001-Lead-Auditor最新受験攻略: <https://www.xhs1991.com/ISO-45001-Lead-Auditor.html>

弊社のISO-45001-Lead-Auditor問題集の購入について、決済手段は決済手段はpaypalによるお支払いでございますが、クレジットカードはpaypalにつながる事ができますから、クレジットカードの方もお支払いのこともできますということでございます。PECB ISO-45001-Lead-Auditor練習問題 シラバスの変更および理論と実践の最新の開発状況に応じて改訂および更新されます、PECB ISO-45001-Lead-Auditor練習問題 このような素晴らしい資料をぜひ見逃さないでください、君が選んだのはXhs1991 ISO-45001-Lead-Auditor最新受験攻略、成功を選択したのに等しいです、弊社のISO-45001-Lead-Auditor真題を入手して、試験に合格する可能性が大きくなります。

そこに建てられた豪邸の一角にある庭が見渡せるバルコニーで那音は一人、夜風に当たISO-45001-Lead-Auditorっていた、それに心臓が抉り出されていたとか爽やかな日差しが差し込む朝の電車内で話すような内容ではないことは分かっているが、まったくもって薄気味悪い事件だ。

PECB ISO-45001-Lead-Auditor練習問題 & Xhs1991 - 資格試験のリーダー

弊社のISO-45001-Lead-Auditor問題集の購入について、決済手段は決済手段はpaypalによるお支払いでございますが、クレジットカードはpaypalにつながる事ができますから、クレジットカードの方もお支払いのこともできますということでございます。

シラバスの変更および理論と実践の最新の開発状況に応じて改訂および更新されます、このような素晴らしい資料をぜひ見逃さないでください、君が選んだのはXhs1991、成功を選択したのに等しいです、弊社のISO-45001-Lead-Auditor真題を入手して、試験に合格する可能性が大きくなります。

- ISO-45001-Lead-Auditor受験資格 ISO-45001-Lead-Auditor出題範囲 ISO-45001-Lead-Auditor関連試験 ~ サイト ➔ www.mogjexam.com ISO-45001-Lead-Auditor 問題集をダウンロードISO-45001-Lead-Auditor資格難易度
- ISO-45001-Lead-Auditorコンポーネント ISO-45001-Lead-Auditor受験資格 ISO-45001-Lead-Auditor関連問題資料 “www.goshiken.com”には無料の ISO-45001-Lead-Auditor 問題集がありますISO-45001-Lead-Auditor関連試験
- ISO-45001-Lead-Auditor認定試験合格率、PECB Certified ISO 45001 Lead Auditor Exam試験日程、PECB Certified ISO 45001 Lead Auditor Exam試験問題 今すぐ ➔ www.xhs1991.com で「ISO-45001-Lead-Auditor」を検索して、無料でダウンロードしてくださいISO-45001-Lead-Auditorコンポーネント
- 認定試験のためのISO-45001-Lead-Auditor - PECB Certified ISO 45001 Lead Auditor Exam資料 サイト ➔

