


100%유효한NSE7_LED-7.0인증시험자료공부자료



2025 DumpTOP 최신 NSE7_LED-7.0 PDF 버전 시험 문제집과 NSE7_LED-7.0 시험 문제 및 답변 무료 공유:
<https://drive.google.com/open?id=1M3z1NePcBxuN0yXDXvaDmcTE0oPNK8sC>

Fortinet인증 NSE7_LED-7.0시험을 통과하여 자격증을 취득하여 IT 업계에서의 자신의 자리를 지키려면 많은 노력이 필요합니다. 회사일도 바쁜데 시험공부까지 스트레스가 장난아니게 싸이고 몸도 많이 상하겠죠. DumpTOP는 여러분을 위해 최신Fortinet인증 NSE7_LED-7.0시험에 대비한Fortinet인증 NSE7_LED-7.0덤프를 발췌하였습니다. Fortinet인증 NSE7_LED-7.0덤프는Fortinet인증 NSE7_LED-7.0시험의 기출문제와 예상문제가 묶어져 있어 시험적중률이 굉장히 높습니다. 쉽게 시험을 통과하려면DumpTOP의 Fortinet인증 NSE7_LED-7.0덤프를 추천합니다.

Fortinet NSE7_LED-7.0 (Fortinet NSE 7 - LAN Edge 7.0) 자격증 시험은 Fortinet의 LAN Edge 솔루션과 관련된 IT 전문가들의 지식과 기술을 시험하는 자격증 시험입니다. 이 시험은 Fortinet의 제품과 기술을 사용하여 복잡한 LAN Edge 솔루션을 설계, 구성, 배포 및 문제 해결할 수 있는 능력을 평가합니다. 이 자격증은 Fortinet의 LAN Edge 솔루션을 사용하는 IT 전문가들을 대상으로 하며, 자신의 기술과 지식을 검증하고자 하는 사람들을 위해 고안되었습니다.

Fortinet NSE 7 -LAN Edge 7.0 시험에서 인증을 받으면 IT 전문가가 경력을 발전시키고 LAN Edge 네트워크 관리 및 보안에 대한 전문 지식을 보여줄 수 있습니다. 이 인증은 또한 조직이 네트워크 보안 전문가가 고급 위협으로부터 네트워크를 보호하는 데 필요한 지식과 기술을 갖도록하는 데 도움이 될 수 있습니다.

Fortinet NSE7_LED-7.0 (Fortinet NSE 7 - LAN Edge 7.0) 시험은 LAN 엣지 인프라를 보호하는 데 필요한 지식과 기술을 입증하려는 네트워크 보안 전문가를 대상으로하는 자격증 시험입니다. 이 시험은 고급 라우팅 및 스위칭, WAN 최적화, 방화벽, VPN 및 침입 방지 시스템과 같은 네트워크 보안 기술 등 다양한 주제를 다룹니다. 이 시험에 합격하면 안전한 LAN 엣지 인프라를 설계, 구현 및 관리하는 데 필요한 기술과 지식을 보유하고 있음을 명확히 나타냅니다.

>> NSE7_LED-7.0인증 시험자료 <<

NSE7_LED-7.0퍼펙트 덤프 최신자료, NSE7_LED-7.0합격보장 가능 덤프 문제

Fortinet NSE7_LED-7.0덤프구매에 관심이 있는데 선뜻 구매결정을 하지 못하는 분이라면 사이트에 있는 demo를 다운로드 받아 보시면Fortinet NSE7_LED-7.0시험패스에 믿음이 생길것입니다. Fortinet NSE7_LED-7.0덤프는 시험문제변경에 따라 업데이트하여 항상 가장 최신버전이도록 유지하기 위해 최선을 다하고 있습니다.

최신 NSE 7 Network Security Architect NSE7_LED-7.0 무료샘플문제 (Q34-Q39):

질문 # 34

Which two pieces of information can the diagnose test authserver ldap command provide? (Choose two.)

- A. It displays the LDAP groups found for the user
- B. It displays whether the admin bind user credentials are correct
- C. It displays whether the user credentials are correct

- D. It displays the LDAP codes returned by the LDAP server

정답: C,D

설명:

Explanation

According to the FortiGate CLI Reference Guide, "The diagnose test authserver ldap command tests LDAP authentication with a specific LDAP server. The command displays whether the user credentials are correct and whether the user belongs to any groups that match a firewall policy. The command also displays the LDAP codes returned by the LDAP server." Therefore, options B and C are true because they describe the information that the diagnose test authserver ldap command can provide. Option A is false because the command does not display whether the admin bind user credentials are correct, but rather whether the user credentials are correct. Option D is false because the command does not display the LDAP groups found for the user, but rather whether the user belongs to any groups that match a firewall policy.

질문 # 35

You are setting up an SSID (VAP) to perform RADIUS-authenticated dynamic VLAN allocation.

Which three RADIUS attributes must be supplied by the RADIUS server to enable successful VLAN allocation? (Choose three.)

- A. Tunnel-Medium-Type
- B. Tunnel-Pvt-Group-ID
- C. Tunnel-Type
- D. Tunnel-Preference
- E. Tunnel-Private-Group-ID

정답: A,B,C

질문 # 36

Refer to the exhibit showing a network topology and SSID settings. FortiGate is configured to use an external captive portal. However, wireless users are not able to see the captive portal login page.

Which configuration change should the administrator make to fix the problem?

The exhibit shows a network topology and the FortiGate SSID configuration. The network topology includes Internet, FortiGate (ports 1, 2, 3, 4), FortiAuthenticator (10.0.1.150), and WindowsAD (10.0.1.10). The SSID configuration shows the following settings:

- SSID: Guest
- Client limit: On
- Broadcast SSID: On
- Security Mode Settings: Security mode: Captive Portal, Portal type: Authentication, Authentication portal: Local (External)
- User groups: guest.portal, FortiAuthenticator, WindowsAD
- Exempt sources: FortiAuthenticator, WindowsAD
- Exempt destinations/services: Original request, Specific URL
- Redirect after Captive Portal: Original request, Specific URL
- Client MAC Address Filtering: RADIUS server
- Additional Settings: Schedule: always, Block intra-SSID traffic: On, Optional VLAN ID: 0, Broadcast suppression: ARPs for known clients, DHCP uplink

The firewall policy table is as follows:

ID	Name	Source	Destination	Schedule	Service	Action	NAT	Security Profiles	Log	Bytes
12	guest internet access	all guest.portal	all	always	ALL	ACCEPT	Enabled	UTM		0 B
13	internal	all	FortiAuthenticator WindowsAD	always	ALL	ACCEPT	Disabled	UTM		0 B

- A. Enable the captive-portal-exempt option in the firewall policy with the ID 12.
- B. Add the FortiAuthenticator and WindowsAD address objects as exempt destinations services.

- C. Remove the guest.portal user group in the firewall policy with the ID 12.
- D. Enable NAT in the firewall policy with the ID 13.

정답: B

설명:

According to the exhibit, the network topology and SSID settings show that FortiGate is configured to use an external captive portal hosted on FortiAuthenticator, which is connected to a Windows AD server for user authentication. However, wireless users are not able to see the captive portal login page, which means that they are not redirected to the external captive portal URL. Therefore, option B is true because adding the FortiAuthenticator and WindowsAD address objects as exempt destinations services will allow the wireless users to access the external captive portal URL without being blocked by the firewall policy.

질문 # 37

Refer to the exhibit

```

config vpn certificate oosp-server
  edit "FAC"
    set url "http://10.0.1.150:2560"
    set cert "CA_Cert_1"
    set unavail-action revoke
  next
end
config vpn certificate setting
  set oosp-status enable
  set oosp-option server
  set oosp-default-server FAC
  set strict-oosp-check enable
end
config user peer
  edit "student"
    set ca "CA_Cert_1"
  next
end

```

Examine the sections of the configuration shown in the output

What action will FortiGate take when verifying the student certificate through OCSP?

- A. Consider the student certificate status as valid if the OCSP server is unreachable
- B. Use the OCSP URL included in the student certificate to verify the student certificate
- C. Not verify the OCSP server certificate
- D. Reject the student certificate if the OCSP server replies that the student certificate status is unknown

정답: B

설명:

Explanation

According to the exhibit, the FortiGate configuration has oosp-status enabled and oosp-option set to certificate.

This means that FortiGate will use OCSP to verify the revocation status of certificates presented by clients. According to the FortiGate Administration Guide2, "If you select certificate, FortiGate uses an OCSP URL included in a certificate to verify that certificate." Therefore, option C is true because it describes what action FortiGate will take when verifying the student certificate through OCSP. Option A is false because FortiGate will not reject the student certificate if the OCSP server replies that the student certificate status is unknown, but rather accept it as valid. Option B is false because FortiGate will verify the OCSPserver certificate by default, unless strict-oosp-check is disabled. Option D is false because FortiGate will not consider the student certificate status as valid if the OCSP server is unreachable, but rather reject it as invalid.

질문 # 38

Refer to the exhibits.



Examine the LDAP server configuration and output shown in the exhibits.

Exhibit

```
FortiGate # diagnose test authserver ldap Training-Lab student password
[1909] handle_req-Recv auth req 1035874260 for student in Training-Lab opt=0000001b prot=0
[466] __compse_group_list_from_group for student in Training-Lab, type 1
[417] fnbamd_pop3_start-student
[974] __fnbamd_cfg_get_ldap_list_by_server-
[2238] fnbamd_user_ldap_create-LDAP servers are created, vfid=0, total=1
[982] __fnbamd_cfg_get_ldap_list_by_server-Loaded LDAP server 'Training-Lab'
[1137] fnbamd_cfg_get_ldap_list-Total ldap servers to try: 1
[1718] fnbamd_ldap_init-search filter is: sAMAccountName=student
[1727] fnbamd_ldap_init-search base is: cn=user,dc=trainingad,dc=training,dc=lab
[1151] __fnbamd_ldap_dns_cb-Resolved Training-Lab:10.0.1.10 to 10.0.1.10, our stack size:1
[924] __fnbamd_ldap_get_next_addr-
[1157] __fnbamd_ldap_dns_cb-Connection starts Training-Lab:10.0.1.10, addr 10.0.1.10
[879] __fnbamd_ldap_start_conn-Still connecting 10.0.1.10.
[433] create_auth_session-Total 1 server(s) to try
[1108] __ldap_connect-topa_connect(10.0.1.10) is established.
[986] __ldap_rxtx-state 3(Admin Binding)
[363] __ldap_build_bind_req-binding to 'CN=Administrator,CN=Users,DC=trainingad,DC=training,DC=1
[1084] fnbamd_ldap_send-sending 80 bytes to 10.0.1.10
[1096] fnbamd_ldap_send-Request is sent. ID 1
[986] __ldap_rxtx-state 4(Admin Bind resp)
[1127] __fnbamd_ldap_read-Read 8
[1233] fnbamd_ldap_recv-Leftover: 2
[1127] __fnbamd_ldap_read-Read 1
```

Exhibit

```
[377] fnbamd_hand_ldap_recv-response len: 24, rvt: 10.0.1.10
[89] fnbamd_hand_ldap_recv-response-get one MESSAGE. ID:1, type:bind
[22] fnbamd_hand_ldap_parse_response-rcv=0
[53] __ldap_ldap_rxtx-change state to 'DN search'
[84] __ldap_ldap_rxtx-state 1(DN search)
[51] fnbamd_hand_ldap_build_dn_search_req-base='cn=user,dc=trainingad,dc=training,dc=lab' filter=sAMAccountName=student
[184] fnbamd_hand_ldap_send-sending 80 bytes to 10.0.1.10
[294] fnbamd_hand_ldap_send-Request is sent. ID 2
[84] __ldap_ldap_rxtx-state 12(DN search resp)
[127] __fnbamd_hand_ldap_read-Read 8
[233] fnbamd_hand_ldap_recv-Leftover: 2
[127] __fnbamd_hand_ldap_read-Read 168
[307] fnbamd_hand_ldap_recv-response len: 168, rvt: 10.0.1.10
[89] fnbamd_hand_ldap_parse_response-get one MESSAGE. ID:2, type:search-result
[61] fnbamd_hand_ldap_parse_response-error 32(00002060: NameErr: DSD-0310013, problem 2001 (NO_OBJECT), data 0, best match
"DC=dc=trainingad,DC=training,DC=lab")
[22] fnbamd_hand_ldap_parse_response-rvt=32
[93] __ldap_ldap_send-err "Training-Lab"
[51] __ldap_ldap_destroy.
[25] __ldap_ldap_stop-Conn with 10.0.1.10 destroyed.
[17] fnbamd_user_conn_send_result-Response: RCV: 10.0.1.10, rvt: 10.0.1.10, len=2148
fnbamd_ldap_state 'student' session
```

Note that the Distinguished Name and Username settings on the LDAP server configuration have been expanded to display their full contents.

An LDAP user named student cannot authenticate. While testing the student account, the administrator gets the CLI output shown in the exhibit.

According to the output, which FortiGate LDAP server settings must the administrator check?

- A. Username
- B. Distinguished Name
- C. Bind Type
- D. Common Name Identifier

정답: A

질문 # 39

.....

지금 같은 상황에서 몇년간Fortinet NSE7_LED-7.0시험자격증만 소지한다면 일상생활에서많은 도움이 될것입니다. 하지만 문제는 어떻게Fortinet NSE7_LED-7.0시험을 간단하게 많은 공을 들이지 않고 시험을 패스할것인가이다? 우리DumpTOP는 여러분의 이러한 문제들을 언제든지 해결해드리겠습니다. 우리의NSE7_LED-7.0시험마스터방법은 바로IT전문가들이제공한 시험관련 최신연구자료들입니다. 우리DumpTOP 여러분은NSE7_LED-7.0시험관련 최신 버전자료들을 얻을 수 있습니다. DumpTOP을 선택함으로써 여러분은 성공도 선택한것이라고 볼수 있습니다.

NSE7_LED-7.0퍼펙트 덤프 최신자료 : https://www.dumptop.com/Fortinet/NSE7_LED-7.0-dump.html

- NSE7_LED-7.0최신 덤프데모 □ NSE7_LED-7.0퍼펙트 최신 덤프 □ NSE7_LED-7.0최신 업데이트버전 시험 자료 □ 지금☀ www.koreadumps.com □☀□에서▶ NSE7_LED-7.0 □를 검색하고 무료로 다운로드하세요 NSE7_LED-7.0자격증문제
- 시험대비 NSE7_LED-7.0인증시험자료 최신 공부자료 * □ www.itdumpskr.com □웹사이트를 열고☀ NSE7_LED-7.0 □☀□를 검색하여 무료 다운로드NSE7_LED-7.0인증시험 인기 시험자료
- NSE7_LED-7.0인증시험자료최신버전 인증덤프자료 □ 무료 다운로드를 위해 지금 (www.exampassdump.com) 에서[NSE7_LED-7.0]검색NSE7_LED-7.0시험정보
- 시험패스에 유효한 NSE7_LED-7.0인증시험자료 인증시험 기출자료 □ 검색만 하면▶ www.itdumpskr.com □ □에서□ NSE7_LED-7.0 □무료 다운로드NSE7_LED-7.0자격증문제
- NSE7_LED-7.0최신 덤프데모 □ NSE7_LED-7.0시험패스 인증공부 □ NSE7_LED-7.0최신기출자료 □ □ NSE7_LED-7.0 □를 무료로 다운로드하려면⇒ www.koreadumps.com◀웹사이트를 입력하세요NSE7_LED-7.0인증덤프 샘플체험
- NSE7_LED-7.0최신 덤프데모 □ NSE7_LED-7.0최고덤프문제 □ NSE7_LED-7.0시험패스 인증공부 □ ✓ www.itdumpskr.com □✓□웹사이트를 열고“NSE7_LED-7.0”를 검색하여 무료 다운로드NSE7_LED-7.0자격증 문제
- NSE7_LED-7.0질문과 답 □ NSE7_LED-7.0질문과 답 □ NSE7_LED-7.0최신 덤프데모 □ ➡

www.koreadumps.com □□□웹사이트를 열고[NSE7_LED-7.0]를 검색하여 무료 다운로드NSE7_LED-7.0최신 덤프데모

- 시험준비에 가장 좋은 NSE7_LED-7.0인증시험자료 최신버전 덤프데모 문제 다운 □ 무료로 다운로드하려 면□ www.itdumpskr.com □로 이동하여 《 NSE7_LED-7.0 》 를 검색하십시오NSE7_LED-7.0시험패스 인증공부
- NSE7_LED-7.0최고품질 덤프데모 다운 □ NSE7_LED-7.0시험패스 가능한 공부하기 □ NSE7_LED-7.0시험 패스 인증공부 □ □ www.dumptop.com □에서{ NSE7_LED-7.0 }를 검색하고 무료 다운로드 받기NSE7_LED-7.0자격증문제
- 100% 합격보장 가능한 NSE7_LED-7.0인증시험자료 시험대비자료 □ 지금□ www.itdumpskr.com □을(를) 열 고 무료 다운로드를 위해⇒ NSE7_LED-7.0 ◀를 검색하십시오NSE7_LED-7.0퍼펙트 최신 덤프
- 시험준비에 가장 좋은 NSE7_LED-7.0인증시험자료 최신버전 덤프데모 문제 □ 무료로 쉽게 다운로드하려 면☀ kr.fast2test.com □☀□에서□ NSE7_LED-7.0 □를 검색하세요NSE7_LED-7.0인증덤프 샘플체험
- www.stes.tyc.edu.tw, prodigilearn.online, anonup.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, learn.africanxrcommunity.org, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

BONUS!!! DumpTOP NSE7_LED-7.0 시험 문제집 전체 버전을 무료로 다운로드하세요: <https://drive.google.com/open?id=1M3z1NePcBxuN0yXDXvaDmcTE0oPNK8sC>