

EXIN CDCP試験を優秀なCDCPミシユレーション問題で合格する



2025年Jpexamの最新CDCP PDFダンプおよびCDCP試験エンジンの無料共有: <https://drive.google.com/open?id=1BgGzktovk0LOJn0us6RocA8aQFhqWhBq>

あなたは現在の状態を変更したいですか。変更したい場合、EXIN CDCP学習教材を買きましょう！CDCP学習教材を利用すれば、CDCP試験に合格できます。そして、CDCP資格証明書を取得すると、あなたの生活、仕事はきっと良くなります。誰でも、明るい未来を取得する権利があります。だから、どんなことにあっても、あきらめないでください。CDCP学習教材はあなたが好きなものを手に入れることに役立ちます。

IT技術人員にとって、両親にあなたの仕事などの問題を危ぶんでいきませんか？高い月給がある仕事に従事したいですか？美しい未来を有したいですか？だから、我々JpexamのCDCP問題集をご覧ください。ここでは、あなたは一番質の高い資料と行き届いたサービスを楽しみしています。あなたはJpexamのEXIN CDCP問題集を手に入れる前に、問題集の試用版を無料で使用できます。

>> CDCPミシユレーション問題 <<

信頼的なCDCPミシユレーション問題一回合格-真実的なCDCP参考書

お客様が問題を解決できるように、当社は常に問題を最優先し、価値あるサービスを提供することを強く求めています。CDCP質問トレントは、短時間で試験に合格し、認定資格を取得するのに役立つと確信しています。CDCPガイドの質問を理解するのが待ち遠しいかもしれません。他の教材と比較した場合、当社の製品の品質がより高いことをお約束します。現時点では、CDCPガイドトレントのデモを無料でダウンロードできます。CDCP試験問題をご存知の場合は、ぜひお試しください。

EXIN CDCP 認定試験の出題範囲:

トピック	出題範囲
トピック 1	• Physical Security and Safety: Sub-topics are about physical security considerations and physical safety considerations.
トピック 2	• Cooling Infrastructure: The topic focuses on liquid immersion cooling, supplemental cooling options, sensible and latent heat definitions, and temperature and humidity recommendations.
トピック 3	• Power Infrastructure: It focuses ATS and STS systems, redundancy levels and techniques, static and dynamic UPS systems, battery types, thermo-graphics, and renewable energy factor (REF).

トピック 4	• Data Centre Location, Building and Construction: It focuses on appropriate sites and components of an effective data centre and supporting facilities setup.
トピック 5	• Electro Magnetic Fields: The topic deals with effects of EMF on human health and equipment (H)EMP, standards, and EMF shielding solutions.
トピック 6	• Fire Safety • Protection: This topic gives an understanding of standards for fire suppression, detection systems, total flooding fire suppression techniques, and handheld extinguishers. Additionally, it covers Signage and safety.
トピック 7	• Light: This topic covers light fixture types and placement, emergency lighting, and emergency Power Supply (EPS).
トピック 8	• Designing a Scalable Network Infrastructure: It covers ANSI • TIA-942 cabling hierarchy, network redundancy, structured Cabling System, and planning considerations.

EXIN Certified Data Centre Professional (CDCP) 認定 CDCP 試験問題 (Q55-Q60):

質問 # 55

Which one of the following is an Objective of Data Center Fire Protection?

- A. Representation
- **B. Suppression**
- C. Information
- D. Depression

正解: B

解説:

The objective of data center fire protection is to suppress or extinguish a fire before it can cause significant damage to the equipment, personnel, or business continuity. Fire suppression systems are designed to reduce the heat, oxygen, or fuel elements of the fire triangle, and to limit the spread of fire and smoke. Fire suppression systems can be classified into two types: water-based and gas-based. Water-based systems include sprinklers, mist, and water spray systems, which use water as the extinguishing agent. Gas-based systems include inert gas, halocarbon, and clean agent systems, which use gases or chemicals as the extinguishing agent. The choice of fire suppression system depends on several factors, such as the fire risk, the type of fuel, the environmental impact, the reliability, the cost, and the compatibility with the data center equipment and operations.

References:

*EPI Data Centre Professional (CDCP) Preparation Guide, page 31

*A Comprehensive Approach To Data Center Fire Safety

質問 # 56

What is a requirement of an FM200 (HFC-227) installation?

- A. Drainage system under the raised floor.
- B. Install pre-action sprinklers in the same room as the FM200.
- C. Install the gas containers (tanks) close to the data centre.
- **D. It is a high-pressure gas; therefore nozzles must be mounted with two brackets.**

正解: D

解説:

FM200 (HFC-227) is a clean agent fire suppression system that uses a high-pressure gas to extinguish fires by reducing the oxygen concentration and absorbing the heat. FM200 is stored in cylinders at pressures of up to 42 bar (600 psi) and is released through nozzles into the protected area. Because of the high pressure, the nozzles must be mounted with two brackets to prevent them from moving or breaking during discharge. The brackets must be securely attached to the ceiling or wall and aligned with the nozzle outlet. The nozzle outlet must also be free of any obstructions that could affect the discharge.

pattern or distribution.

References:

*EPI Data Centre Professional (CDCP®) Preparation Guide, page 32

*FSL-227 Technical Manual, page 10

*Firetrace ILP Manual, page 21

質問 # 57

Which one of the following is the last stage in Stages of Combustion?

- A. **Flaming Fire**
- B. Intense Heat
- C. Visible Smoke
- D. Incipient

正解: A

解説:

The last stage in stages of combustion is flaming fire, which occurs when the fuel vapors and oxygen are mixed in the right proportion and ignited by a flame or a spark. Flaming fire is characterized by visible flames, intense heat, and rapid oxidation. Flaming fire can cause severe damage to the data center equipment, personnel, and business continuity. Therefore, it is important to prevent or suppress flaming fire as soon as possible using appropriate fire detection and suppression systems.

References:

*EPI Data Centre Professional (CDCP®) Preparation Guide, page 31

*[Fire Detection and Suppression Systems for Data Centers]

質問 # 58

The three elements of the fire triangle are, and. (Choose three.)

- A. Water
- B. **Oxygen**
- C. **Fuel**
- D. **Heat**
- E. Earth

正解: B、C、D

解説:

The fire triangle is a simple model that illustrates the three elements that a fire needs to ignite and sustain:

oxygen, heat, and fuel. Oxygen is the oxidizing agent that enables the combustion reaction, heat is the energy source that raises the temperature of the fuel to its ignition point, and fuel is the material that reacts with oxygen and releases heat and light. Removing any one of these elements can extinguish a fire. For example, water can reduce the heat and the oxygen, sand or soil can smother the fuel and the oxygen, and fire extinguishers can displace the oxygen or lower the temperature.

References: EPI Data Centre Professional (CDCP®) Reference Materials, page 66. EPI Data Centre Framework, Module 4: Fire Protection, page 4. 1, 2, 3.

質問 # 59

What is a disadvantage of a Dynamic UPS?

- A. It needs a separate back-up generator as their autonomy time is less than 60 seconds.
- B. They are only available for small to medium sized data centres, due to their limited capacity of 200 kVA.
- C. **They are heavy and more noisy.**
- D. It needs additional cooling infrastructure as high temperatures reduces the lifetime of a Dynamic UPS.

正解: C

質問 # 60

周りの多くの人は全部EXIN CDCP資格認定試験にパスしまして、彼らはどのようにできましたか。今には、あなたにJpexamを教えさせていただきませんか。我々社サイトのEXIN CDCP問題庫は最新かつ最完備な勉強資料を有して、あなたに高品質のサービスを提供するのはCDCP資格認定試験の成功にとって唯一の選択です。躊躇わなくて、Jpexamサイト情報を早く了解して、あなたに試験合格を助かってあげますようお願いいたします。

[illegible]

2025年Jpexamの最新CDCP PDFダンプおよびCDCP試験エンジンの無料共有: <https://drive.google.com/open?id=1BgGzktovk0LOJn0us6RocA8aOFhqWhBq>