

1z0-1042-24인기공부자료최신덤프로 시험정복하기



참고: KoreaDumps에서 Google Drive로 공유하는 무료 2026 Oracle 1z0-1042-24 시험 문제집이 있습니다:
https://drive.google.com/open?id=1IVGcdrCeOPaGM_pSK4nXQAsX3p0qTNee

IT인증 시험을 쉽게 취득하는 지름길은 KoreaDumps에 있습니다. KoreaDumps의 Oracle인증 1z0-1042-24덤프로 시험 준비를 시작하면 성공에 가까워집니다. Oracle인증 1z0-1042-24덤프는 최신 시험문제 출제방향에 대비하여 제작된 예상문제와 기출문제의 모음자료입니다. Oracle인증 1z0-1042-24덤프는 시험을 통과한 IT업계종사자분들이 겸증 해주신 세련된 공부자료입니다. KoreaDumps의 Oracle인증 1z0-1042-24덤프를 공부하여 자격증을 맙시다.

Oracle 1z0-1042-24 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none">Using OIC Connections & Adapters: Candidates must demonstrate their ability to create and configure OIC connections, including trigger and invoke connections. They should be familiar with the Connectivity Agent, which facilitates on-premises connectivity to OIC services.
주제 2	<ul style="list-style-type: none">Testing, Monitoring, and Troubleshooting Integrations: This section assesses candidates abilities in testing, monitoring, and troubleshooting integrations within the OIC.
주제 3	<ul style="list-style-type: none">Creating Scheduled Integrations: In this section of the exam, candidates are evaluated based on their skills in managing scheduled integrations. This includes converting scheduled integrations to app-driven integrations and understanding the scheduling options within the OIC.
주제 4	<ul style="list-style-type: none">Getting Started with OIC Integrations: This section tests the ability of IT professionals and integration specialists to understand the fundamental components and concepts of Oracle Integration Cloud (OIC). Candidates are expected to describe the key features of OIC integration and explain core integration concepts.
주제 5	<ul style="list-style-type: none">Creating Orchestration Integrations: This part of the exam evaluates the candidate's skills in creating and managing orchestrated integrations using OIC. Candidates should be able to manage OIC lookups, use the OIC Data Mapper, and incorporate custom JavaScript libraries into their integrations.

>> 1z0-1042-24인기공부자료 <<

1z0-1042-24시험패스 가능한 공부문제 & 1z0-1042-24인증덤프샘플 다운

KoreaDumps에서 출시한 Oracle 인증 1z0-1042-24시험덤프는 KoreaDumps의 엘리트한 IT전문가들이 IT인증 실제시험 문제를 연구하여 제작한 최신버전 덤프입니다. 덤프는 실제시험의 모든 범위를 커버하고 있어 시험통과율이 거의 100%에 달합니다. 제일 빠른 시간내에 덤프에 있는 문제만 잘 이해하고 기억하신다면 시험패스는 문제없습니다.

최신 Oracle Cloud 1z0-1042-24 무료샘플문제 (Q40-Q45):

질문 # 40

You can group one or more Oracle Integration Cloud (OIC) integrations into a single structure called a package. Which statement is NOT true about OIC packages?

- A. All packages must include at least one integration.
- B. Packages enable you to easily import and export a group of integrations to and from OIC.
- C. You can import packages directly from the Oracle Marketplace.
- D. New packages can be created by clicking the Create button on the Packages page in the console.
- E. Integrations do not need to be part of a package.
- F. Packages cannot be locked to deny other users access to your integrations.

정답: F

설명:

Packages in OIC cannot be locked to prevent other users from accessing the integrations. The other statements are true, including the ability to create, import, and manage integrations within packages.

질문 # 41

As an integration developer, you are implementing an integration in Oracle Integration (OIC) to transform a payload with multiple orders. You have decided to leverage the For Each action to loop through each order and process them individually. How do you configure the For Each action to support this scenario?

- A. Select the Parallel Processing option and set the number of threads to the number of orders.
- B. Select the Sequential Processing option and set the number of threads to the number of orders.
- C. Select the Repeating Element field and map the source element that contains the orders.
- D. Select the Group By option separating the orders by their order number.

정답: C

설명:

Comprehensive and Detailed Explanation:

For Each:

* C:True-map repeating element for iteration.

질문 # 42

In Oracle Integration (OIC), you are working on an integration that uses a REST trigger, which will require authentication. You need to ensure that only authorized clients can access the integration. Which approach should you use?

- A. Configure the REST Adapter to use the Basic Authentication or OAuth 2.0 security policy.
- B. Enable Cross-Origin Resource Sharing (CORS) and set an API key in the REST Adapter configuration.
- C. Encrypt the payload using a custom encryption algorithm and provide the decryption key to authorized clients.
- D. Set up an IP whitelist in the OIC instance, allowing only specific IP addresses to access the integration.

정답: A

설명:

Comprehensive and Detailed Explanation:

Securing a REST trigger in OIC is critical to restrict access to authorized clients. Let's dive into each option with exhaustive detail:

* Option A: Configure the REST Adapter to use the Basic Authentication or OAuth 2.0 security policy.

* Correct (Answer): This is the standard, built-in approach in OIC for securing REST triggers. In the REST Adapter configuration wizard, you can select Basic Authentication(username

/password) or OAuth 2.0(token-based), both widely supported and secure. For example, a client sending a POST request to /trigger_endpoint would include an Authorization: Basic <base64 creds> header or an Authorization: Bearer <token> header. This ensures only clients with valid credentials or tokens can invoke the integration, aligning with REST security best practices.

OAuth 2.0, in particular, supports advanced scenarios like client credentials or authorization code flows, offering scalability and flexibility.

* Option B: Enable Cross-Origin Resource Sharing (CORS) and set an API key in the REST Adapter configuration.

* Incorrect: CORS controls browser-based cross-origin requests (e.g., allowing example.com to call OIC), not authentication. It's about access control for web clients, not securing the endpoint itself. API keys aren't a native security policy in the OIC REST Adapter trigger configuration- while you could custom-implement them in the payload or headers, it's not a standard option like Basic Auth or OAuth. This makes B insufficient for ensuring authorized access.

* Option C: Set up an IP whitelist in the OIC instance, allowing only specific IP addresses to access the integration.

* Incorrect: IP whitelisting is possible at the OCI network level (e.g., via Virtual Cloud Network rules), but it's not a feature of the REST Adapter configuration nor specific to an integration. It's a blunt tool-clients with dynamic IPs (e.g., mobile apps) would fail, and it doesn't scale well for diverse authorized users. It also lacks the granularity of credential-based authentication.

* Option D: Encrypt the payload using a custom encryption algorithm and provide the decryption key to authorized clients.

* Incorrect: Payload encryption protects data in transit (complementing HTTPS), not endpoint access. OIC doesn't natively support custom encryption algorithms in the REST Adapter, and distributing decryption keys manually is impractical and insecure compared to established standards like OAuth. This approach addresses confidentiality, not authorization.

Why A is the answer: OIC's REST Adapter provides robust, out-of-the-box security policies (Basic Auth and OAuth 2.0) that directly enforce client authorization, making it the most practical and secure choice.

Edge Case: If a client uses a revoked OAuth token, OIC rejects the request, ensuring real-time access control- something IP whitelisting or custom encryption can't match.

Use Case Example: A CRM system triggers an OIC integration with an OAuth token to update ERP data, ensuring only authorized CRM instances succeed.

Potential Pitfall: Misconfiguring OAuth (e.g., wrong client ID) could lock out legitimate clients, requiring careful setup.

질문 # 43

You can group one or more Oracle Integration Cloud (OIC) integrations into a single structure called a package. Which statement is not true about OIC packages?

- A. All packages must include at least one integration.
- B. Packages enable you to easily import and export a group of integrations to and from OIC.
- C. You can import packages directly from the Oracle Marketplace.
- D. Integrations do not need to be part of a package.
- E. Packages cannot be locked to deny other users access to your integrations.
- F. New packages can be created by clicking the Create button on the packages page in the OIC console.

정답: E

질문 # 44

Your organization has a number of active integrations in Oracle Integration (OIC). Your advice is sought out on the consequences of deactivating integration instances. Which statement concerning integration deactivation is NOT valid?

- A. All existing history, monitoring, and runtime data will be lost.
- B. Processing of any new messages will be immediately stopped.
- C. You can choose to retain the event subscription, where events are resent if the integration is reactivated within six hours.
- D. You will not be able to observe any failed instances occurring after the deactivation request.

정답: A

설명:

Comprehensive and Detailed Explanation:

Deactivation effects:

- * A: True- stops processing instantly.
- * B: False- data is retained, not lost.
- * C: True- event retention is an option.

질문 # 45

.....

제일 빠른 시일내에 제일 간단한 방법으로 Oracle인증 1z0-1042-24시험을 패스하는 방법이 없나구요? KoreaDumps의 Oracle인증 1z0-1042-24덤프를 공부하시면 가능합니다. KoreaDumps의 Oracle인증 1z0-1042-24덤프는 많은 분들이 검증한 가장 유력한 Oracle인증 1z0-1042-24시험공부자료입니다. 덤프의 문제만 기억하시면 패스는 문제없기에 제

일 빠른 시일내에 시험을 패스하여 자격증 취득이 가능합니다.

1z0-1042-24시험패스 가능한 공부문제 : https://www.koreadumps.com/1z0-1042-24_exam-braindumps.html

- 1z0-1042-24최고덤프공부 □ 1z0-1042-24유효한 최신버전 덤프 □ 1z0-1042-24시험유효자료 □ □ www.dumpstop.com □에서 “1z0-1042-24”를 검색하고 무료 다운로드 받기 1z0-1042-24시험대비 최신버전 덤프
- 1z0-1042-24합격보장 가능 시험 □ 1z0-1042-24덤프데모문제 다운 □ 1z0-1042-24최신시험후기 □ 지금▶ www.itdumpskr.com □에서 ▶ 1z0-1042-24 □를 검색하고 무료로 다운로드하세요 1z0-1042-24최신시험후기
- 1z0-1042-24인기공부자료 인기 인증 시험덤프자료 □ ★ www.koreadumps.com □ ★ □에서 검색만 하면 ★ 1z0-1042-24 □ ★ □를 무료로 다운로드할 수 있습니다 1z0-1042-24최고품질 인증시험 대비자료
- 최신 1z0-1042-24인기공부자료 시험대비 공부문제 □ { www.itdumpskr.com } 웹사이트를 열고 □ 1z0-1042-24 □를 검색하여 무료 다운로드 1z0-1042-24시험대비자료
- 최신버전 1z0-1042-24인기공부자료 덤프는 Oracle Cloud Infrastructure 2024 Application Integration Professional 시험합격의 유일한 자료 □ 검색만 하면▶ www.pass4test.net □ □ □에서 ▶ 1z0-1042-24 □ 무료 다운로드 1z0-1042-24유효한 최신덤프공부
- 1z0-1042-24인기공부자료 완벽한 시험덤프 데모문제 다운 □ 《 www.itdumpskr.com 》 웹사이트에서▶ 1z0-1042-24 □를 열고 검색하여 무료 다운로드 1z0-1042-24최신 기출자료
- 1z0-1042-24시험덤프 □ 1z0-1042-24덤프데모문제 다운 □ 1z0-1042-24최신 시험대비 공부자료 □ 무료로 다운로드하려면✓ www.dumpstop.com □ ✓ □로 이동하여▶ 1z0-1042-24 □를 검색하십시오 1z0-1042-24최고덤프공부
- 1z0-1042-24인기공부자료 최신버전 덤프공부자료 □ { www.itdumpskr.com }을 통해 쉽게 「 1z0-1042-24 」 무료 다운로드 받기 1z0-1042-24유효한 최신덤프공부
- 높은 적중율을 자랑하는 1z0-1042-24인기공부자료 인증 시험덤프 □ ▶ 1z0-1042-24 □를 무료로 다운로드 하려면✓ www.koreadumps.com □ ✓ □ 웹사이트를 입력하세요 1z0-1042-24최고품질 인증시험 대비자료
- 1z0-1042-24시험대비 최신버전 덤프 □ 1z0-1042-24합격보장 가능 시험 □ 1z0-1042-24유효한 최신덤프공부 □ ▶ www.itdumpskr.com □ (를) 열고▶ 1z0-1042-24 □를 입력하고 무료 다운로드를 받으십시오 1z0-1042-24최고품질 인증시험 대비자료
- 1z0-1042-24유효한 최신버전 덤프 □ 1z0-1042-24유효한 최신버전 덤프 □ 1z0-1042-24덤프데모문제 다운 □ □ www.exampassdump.com □에서 □ 1z0-1042-24 □를 검색하고 무료로 다운로드하세요 1z0-1042-24최신버전 시험덤프
- myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, mpgimer.edu.in, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.kickstarter.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

KoreaDumps 1z0-1042-24 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:

https://drive.google.com/open?id=1IVGcdrCeOPaGM_pSK4nXQAsX3p0qTNee