

NS0-185模擬試験最新版 & NS0-185的中合格問題集



最近Network Appliance試験に参加する人が多くなっています。どのように試験を準備すべきですか？受験生たちはまず試験センターでNS0-185認証試験に関する情報を了解してください。順調にNS0-185試験に合格するために、我々の問題集で復習することができます。我々の問題集は的中率が高いですから、あなたのNS0-185試験への復習に役立つことができます。

銀行市場の急速な変化に合わせて、最新のNS0-185学習教材を提供し、より多くの知識を確実に習得できるようにしています。また、NS0-185トレーニングクイズが市場に登場して以来、プロの作業チームは長年の教育的背景と職業トレーニングの経験を積んでいるため、NS0-185準備資料は優れた信頼性、完璧な機能、強力な実用性を備えています。私たちが提供できる多くの利点があるので、動かして、NS0-185トレーニング資料を試してみませんか？

>> NS0-185模擬試験最新版 <<

効果的NS0-185 | 高品質なNS0-185模擬試験最新版試験 | 試験の準備方法NetApp Storage Installation Engineer, ONTAP Professional Exam的中合格問題集

クライアントが厄介な問題に遭遇した場合、専門家にNS0-185試験問題に関する長距離支援を提供するよう依頼します。カスタマーサービススタッフは1日と1年中働いているため、安心してカスタマーサービススタッフがオフラインになることを心配しないでください。また、クライアントは、思いやりのある快適なサービスをお楽しみいただけます。その後、専門家チームがそれらを入念に処理し、テストバンクにまとめます。Googleのシステムは、定期的にNS0-185試験実践ガイドの最新アップデートをお客様に送信します。

Network Appliance NetApp Storage Installation Engineer, ONTAP Professional Exam 認定 NS0-185 試験問題 (Q50-Q55):

質問 # 50

You have added two new AFF A250 nodes to an existing 4-node cluster with NetApp CN1610 cluster network switches.

Although the nodes can join the cluster, the storage failover show command output shows that the NVRAM log is not synchronized, and it cannot reach the partner over an HA interconnect.

In this scenario, which two statements are true? (Choose two.)

- A. The AFF A250 uses different ports for the cluster and the HA interconnect.
- **B. The AFF A250 uses the same port for the cluster and the HA interconnect.**
- C. The AFF A250 requires switches with 40GbE port support.
- **D. The AFF A250 requires switches with 25GbE port support.**

正解: B、D

解説:

AFF A250 systems use a converged networking design, where the same physical ports are used for both cluster interconnect traffic

and HA interconnect traffic. This differs from older platforms that used dedicated HA interconnect ports.

The NetApp CN1610 switches only support 10GbE, which is insufficient for AFF A250 systems. AFF A250 platforms require 25GbE-capable cluster switches to support both cluster and HA interconnect traffic.

Because the cluster ports are operational, the nodes can join the cluster. However, the HA interconnect traffic cannot be established due to insufficient switch capability, which explains why the NVRAM log cannot synchronize and the HA partner is unreachable. Therefore:

* The AFF A250 requires switches with 25GbE port support

* The AFF A250 uses the same ports for cluster and HA interconnect

Statements involving 40GbE or separate HA ports are incorrect.

The correct answers are C and D.

質問 # 51

You are preparing to install a new clustered Data ONTAP system.

Which tool prepares all the relevant customer and configuration information?

- A. Config Advisor
- **B. Cluster Config Builder**
- C. OnCommand System Manager
- D. AutoSupport

正解: B

質問 # 52

You are deploying a new AFF All SAN Array A250 into a customer's existing data fabric.

In this scenario, which two tools would give insight into their existing Cisco MDS fabric configuration?

(Choose two.)

- A. Active IQ
- **B. Active IQ Config Advisor**
- **C. Cisco Data Center Network Manager (DCNM)**
- D. Brocade SAN Health

正解: B、C

解説:

The customer's environment uses a Cisco MDSSAN fabric, so a Cisco-focused management/visibility tool is the most direct way to gain insight into the fabric's configuration, health, zoning state, and operational status.

Cisco Data Center Network Manager (DCNM) is a Cisco tool designed for managing Cisco SAN (including MDS) and therefore is the correct selection for Cisco fabric configuration insight.

From a NetApp installation and assessment perspective, the second tool that provides valuable insight- especially in the context of deploying NetApp storage into an existing fabric- is Active IQ Config Advisor.

Config Advisor is used to validate installation-related configuration and cabling and to detect configuration issues across the environment, including SAN connectivity/cabling checks from the NetApp side. While it is not a Cisco fabric manager, it is the NetApp tool used during installation and verification phases to identify configuration and connection problems that affect successful deployment into a SAN environment (for example, incorrect connectivity patterns or misconfigurations that would impact host/storage access).

Option A (Brocade SAN Health) is purpose-built for Brocade environments and does not match "Cisco MDS fabric configuration."

Option C (Active IQ) focuses on NetApp system health, telemetry, and risks for NetApp arrays rather than providing direct insight into a Cisco MDS fabric configuration.

Therefore, the two tools that best satisfy "insight into their existing Cisco MDS fabric configuration" in the context of deploying NetApp SAN storage are B. Cisco DCNM (Cisco-side fabric visibility) and D. Active IQ Config Advisor (NetApp-side installation validation and connectivity/configuration checks relevant to the fabric integration).

質問 # 53

A customer wants to enable SnapMirror Synchronous across their environment. The customer must ensure that SnapMirror Synchronous will work across the environment.

In this scenario, which two statements are true? (Choose two.)

- A. A SnapMirror license is not required on both the source cluster and the destination cluster.
- B. A SnapMirror license is required on both the source cluster and the destination cluster.
- C. A SnapMirror Synchronous license is required on the source cluster.
- D. A SnapMirror Synchronous license is required on both the source and destination clusters.

正解: B、C

解説:

SnapMirror Synchronous requires the baseSnapMirror license on both source and destination clusters to enable replication functionality. In addition, the SnapMirror Synchronous license is required on the source cluster, which initiates and controls synchronous replication operations.

質問 # 54

You have a 2-node FAS8300 ONTAP 9.8 cluster that serves SMB shares. You are configuring interface groups for higher performance and resiliency.

Which two NetApp best practices should you follow to satisfy these performance and resiliency requirements? (Choose two.)

- A. Use ports from the same NICs.
- B. Use ports with the same chipsets.
- C. Use ports with different chipsets.
- D. Use ports from different NICs.

正解: B、D

解説:

Using ports from different NICs protects against single NIC failure, while using the same chipset ensures consistent performance characteristics. This combination maximizes resiliency and performance.

質問 # 55

.....

競争力が激しい社会において、IT仕事をする人は皆、我々JPTestKingのNS0-185を通して自らの幸せを築く建築士になれます。我が社のNetwork ApplianceのNS0-185習題を勉強して、最も良い結果を得ることができます。我々のNS0-185習題さえ利用すれば試験の成功まで近くなると考えられます。

NS0-185的中合格問題集: <https://www.jptestking.com/NS0-185-exam.html>

つまり、NS0-185クイズ準備を購入することを選択した場合、当社が提供する権威ある学習プラットフォームを楽しむことができます、Network Appliance NS0-185模擬試験最新版 Webサイトで製品のページにアクセスすると、更新時間、3つのバージョンを選択できます、参考のために許容できる価格に加えて、3つのバージョンのすべてのNS0-185試験資料は、10年以上にわたってこの分野の専門家によって編集されています、いろいろな人はNetwork ApplianceのNS0-185を長い時間で復習して試験のモードへの不適合で失敗することを心配していますから、我々JPTestKingはあなたに試験の前に試験の真実なモードを体験させます、それで、Network Appliance NS0-185的中合格問題集試験のキーポイントを逃しません。

実充は少し息を上げながら南泉の胸に片手をつく、そんな森村ちゃんの代わりにショッカーをやって子供たちと遊んでたら、背後でクスクス笑い声が泣く子も黙る久実部長がショッカーかよ、つまり、NS0-185クイズ準備を購入することを選択した場合、当社が提供する権威ある学習プラットフォームを楽しむことができます。

NS0-185試験参考書、NetApp Storage Installation Engineer, ONTAP Professional Exam NS0-185練習テスト

Webサイトで製品のページにアクセスすると、更新時間、3つのバージョンを選択できます、参考のために許容できる価格に加えて、3つのバージョンのすべてのNS0-185試験資料は、10年以上にわたってこの分野の専門家によって編集されています。

いろいろな人はNetwork ApplianceのNS0-185を長い時間で復習して試験のモードへの不適合で失敗することを心配していますから、我々JPTestKingはあなたに試験の前に試験の真実なモードを体験させます、それで、Network Appliance試験のキーポイントを逃しません。

- [illegible]