

Salesforce OmniStudio-Developer題庫資訊 & OmniStudio-Developer考題資源



P.S. Testpdf在Google Drive上分享了免費的、最新的OmniStudio-Developer考試題庫：https://drive.google.com/open?id=1TZII4LRluY6yK59Bb3a24_OIVb3xj-FM

如果你對Testpdf的關於Salesforce OmniStudio-Developer 認證考試的培訓方案感興趣，你可以先在互聯網上免費下載部分關於Salesforce OmniStudio-Developer 認證考試的練習題和答案作為免費嘗試。我們對選擇我們Testpdf產品的客戶都會提供一年的免費更新服務。

Salesforce OmniStudio-Developer（Salesforce 認定 OmniStudio 開發人員）考試是為有興趣開發和實施 Salesforce OmniStudio 平台解決方案的專業人員設計的。通過該認證考試，候選人證明了他們構建自定義應用程序、自動化業務流程以及使用 Salesforce 平台集成數據源的技能和知識。考試驗證了候選人使用 Apex、Visualforce、Lightning Web Components 和其他 Salesforce 技術設計和開發高級解決方案的能力。

>> Salesforce OmniStudio-Developer題庫資訊 <<

Salesforce OmniStudio-Developer考題資源 & OmniStudio-Developer證照考試

Testpdf能夠消除考生對考試失敗的憂慮；讓考生安心輕鬆通過 OmniStudio-Developer 考試，把考生通過考試當作自己的事情來對待，這是我們考題網對廣大考生最貼心的服務。考生需要是多做我們的 Salesforce OmniStudio-Developer 考古題，將特別需要記憶或比較的題型做標註，這不僅能檢測出自己理解的多，也能在 OmniStudio-Developer 考試前作最快速的瀏覽，增加內容的熟悉度，有效提高學習效率。

Salesforce OmniStudio-Developer（Salesforce Certified OmniStudio Developer）認證考試是一個全面的考試，測試開發人員對 Salesforce OmniStudio 平台的知識。這項認證是為那些想展示他們在 Salesforce 平台上開發和構建解決方案的專業知識的個人而設計的。該考試涵蓋了眾多主題，包括數據建模、數據集成、自動化和用戶界面設計等。

最新的 Salesforce Developer OmniStudio-Developer 免費考試真題 (Q10-Q15):

問題 #10

Refer to the exhibit below. A developer has configured an integration Procedure element with Additional input. Alternatively, how could the developer configure SEND/RESPONSE TRANSFORMATION to send exactly the same data? Assume the developer has un-checked Send Only Additional input.

☐

- A. ☐
- B. ☐
- C. ☒
- D. ☐

答案： C

解題說明：

The Send JSON Path syntax for accessing an element from an Integration Procedure structure is BlockName.

ElementName. In this case, the BlockName is BlockX and the ElementName is ActionZ. The colon (:) is used to separate the input and output parameters, not the block and element names. The order of the block and element names should follow the hierarchy of the structure, from top to bottom. The Additional input parameter is not needed in this case, as it is already included in the Send JSON Path.

問題 #11

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A DataRaptor Load saves the data.

What error could cause this behavior? Choose 2 answers Calculator

- A. The fields that are not updated are read only in Salesforce.
- B. In the DataRaptor Load, in the preview tab, the Recordid is from the wrong record type. a
- C. The Input JSON paths in the DataRaptor Load do not match the JSON sent from the OmniScript.
- D. Contextid is misspelled in the merge code that passes the Recordid to the DataRaptor.

答案： A,C

問題 #12

Which two of these options can a developer use to retrieve data from a Salesforce object?

Choose 2 answers

- A. A Lookup Input Element
- B. A DataRaptor Load Action
- C. A DataRaptor Extract Action
- D. A DataRaptor Post Action

答案： A,B

解題說明：

Explanation

A DataRaptor Load Action can be used to retrieve data from a Salesforce object by specifying the object name, fields, and filter criteria. A Lookup Input Element can be used to retrieve data from a Salesforce object by allowing the user to search for a record using a lookup field

問題 #13

Refer to the exhibit below. What JSON from the DRGetContactDetails action would display all six values correctly shown?

BlkCases is a Repeat Block, and the names of the elements are the same as the label names without spaces.

□

- A. □
- B. □
- C. □
- D. □

答案： C

解題說明：

According to the OmniScript Data JSON page, the OmniScript structure JSON defines the data elements and their properties that are used in an OmniScript. The exhibit shows an OmniScript structure JSON with six elements: ContactName, ContactPhone, ContactEmail, CaseNumber, CaseSubject, and CaseStatus. The DRGetContactDetails action is a DataRaptor Extract action that retrieves data from the Contact and Case objects in Salesforce. The BlkCases element is a Repeat Block that displays a list of cases related to the contact. Therefore, the JSON from the DRGetContactDetails action that would display all six values correctly shown is option A, which has the following structure:

□

The other options have different structures that do not match the OmniScript structure shown.

問題 #14

A developer has an existing `DataRaptorLoad` that insert `Contact` records with inputs as `LastName` and `firstName`. The `DataRaptor` works as expected when previewed.

The developer creates an integration Procedure to test the DataRaptor and is using a SetValues element in the Integration Procedure to set the first name and last name for the contact record. The DataRaptor and Integration Procedure are set up as shown in the exhibit below.

When the developer executes the Integration procedure in preview, the following error message displays:

Required fields are missing: [last Name]",

How should the developer address this issue?

- A. The valid field names should be added in the Domain object field in the DataRaptor
- B. SetValuesContactDetails should have been added to Additional input of DataRaptor Post Action in Integration Procedure
- C. The DataRaptor Post Action in the integration procedure should have been executed before the Set Values Action
- D. The Set values Action Keys should include the DataRaptor Post Action element name path, e,g LoadContactDetails, lastname

答案： B

解題說明：

According to the Integration Procedure Actions page, "To pass data from a Set Values action to a DataRaptor action, add the Set Values action name to the Additional Input field of the DataRaptor action."

問題 #15

• • • • •

OmniStudio-Developer考題資源: <https://www.testpdf.net/OmniStudio-Developer.html>

- [illegible]

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, Disposable vapes

P.S. Testpdf在Google Drive上分享了免費的2026 Salesforce OmniStudio-Developer考試題庫：https://drive.google.com/open?id=1TZl4LRluY6yK59Bb3a24_OIVb3xj-FM