

NSE5_FSW_AD-7.6최고합격덤프시험준비에가장좋은 인기시험덤프



KoreaDumps NSE5_FSW_AD-7.6 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:
https://drive.google.com/open?id=19lto4cDNs-JpgjYcT5Iq_tALBONoxIpN

IT업계에 종사하는 분들은 치열한 경쟁을 많이 느낄것입니다. 치열한 경쟁속에서 자신의 위치를 보장하는 길은 더 많이 배우고 더 많이 노력하는것 뿐입니다. 국제적으로 인정받은 IT인증자격증을 취득하는것이 제일 중요한 부분이 아닌가 싶기도 합니다. 다른 분이 없는 자격증을 내가 소유하고 있다는 생각만 해도 뭔가 안전감이 느껴지지 않나요? 더는 시간낭비하지 말고 KoreaDumps의 Fortinet인증 NSE5_FSW_AD-7.6덤프로 Fortinet인증 NSE5_FSW_AD-7.6 시험에 도전해보세요.

IT인증자격증을 취득하는 것은 IT업계에서 자신의 경쟁력을 높이는 유력한 수단입니다. 경쟁에서 밀리지 않으려면 자격증을 많이 취득하는 편이 안전합니다. 하지만 IT자격증취득은 생각보다 많이 어려운 일입니다. Fortinet인증 NSE5_FSW_AD-7.6시험은 인기자격증을 취득하는데 필요한 시험과목입니다. KoreaDumps는 여러분이 자격증을 취득하는 길에서의 없어서는 안될 동반자입니다. KoreaDumps의 Fortinet인증 NSE5_FSW_AD-7.6덤프로 자격증을 편하게 취득하는게 어떨까요?

>> NSE5_FSW_AD-7.6최고합격덤프 <<

최신버전 NSE5_FSW_AD-7.6최고합격덤프 덤프에는 ExamName} 시험문제의 모든 유형이 포함

Fortinet인증사에서 주체하는 NSE5_FSW_AD-7.6시험은 IT업계에 종사하는 분이시라면 모두 패스하여 자격증을 취득하고 싶으리라 믿습니다. KoreaDumps에서는 여러분이 IT인증자격증을 편하게 취득할수 있게 도와드리는 IT자격증시험대비시험자료를 제공해드리는 전문 사이트입니다. KoreaDumps덤프로 자격증취득의 꿈을 이루세요.

최신 Fortinet Network Security Expert NSE5_FSW_AD-7.6 무료샘플문제 (Q35-Q40):

질문 # 35

Which feature should you enable to reduce the number of unwanted IGMP reports processed by the IGMP querier?

- A. Enable IGMP flood unknown multicast traffic on the global setting.
- B. Enable the IGMP flood reports setting on the mRouter port.
- C. Enable the IGMP flood setting on the static port for all multicast groups.
- D. Enable IGMP snooping proxy.

정답: D

설명:

Enable IGMP snooping proxy (C): To reduce the number of unwanted IGMP reports processed by the IGMP querier, enabling IGMP snooping proxy is effective. This feature acts as an intermediary between multicast routers and hosts, optimizing the management of IGMP messages by handling report messages locally and reducing unnecessary IGMP traffic across the network. This minimizes the processing load on the IGMP querier and improves overall network efficiency.

질문 # 36

Refer to the configuration:

Which two conditions does FortiSwitch need to meet to successfully configure the options shown in the exhibit above? (Choose two.)

- A. FortiSwitch would need to be rebooted.
- B. The split port can be assigned to a native VLAN.
- C. The FortiSwitch model is equipped with a maximum of 54 interfaces
- D. The Port full speed prior to the split was 100G QSFP+.

정답: A,C

질문 # 37

An administrator must deploy managed FortiSwitch devices in a remote location where multiple VLANs must be used to segment devices. No layer 3 switch or router is present at the site, and the only WAN connectivity is an ISP-provided router connected to the public internet. Which two components are required to enable VLAN segmentation across this remote site? (Choose two answers)

- A. A layer 3 router at the remote location to handle inter-VLAN routing
- B. FortiSwitch and FortiGate devices configured with IPsec interfaces
- C. FortiGate with a layer 3 interface to terminate the VXLAN overlay
- D. FortiGate and FortiSwitch configured with VXLAN to tunnel VLANs over the WAN
- E. A FortiSwitch model that supports VXLAN hardware acceleration

정답: C,D

설명:

According to the FortiOS 7.6 Administration Guide and the FortiSwitch 7.6 FortiLink Guide, deploying managed switches over a Layer 3 underlay—such as the public internet—requires a specific tunneling mechanism to bridge Layer 2 broadcast domains. Traditional FortiLink relies on a direct Layer 2 connection; however, for remote sites, FortiLink over VXLAN is the standard solution.


* FortiLink over VXLAN (Option A): Virtual Extensible LAN (VXLAN) is used to encapsulate Layer 2 Ethernet frames into Layer 3 UDP packets, allowing VLAN-tagged traffic to traverse an ISP's routable network. This enables the FortiGate to manage remote FortiSwitch "islands" as if they were locally connected, maintaining full VLAN segmentation across the WAN.

* Layer 3 Termination (Option E): The FortiGate acts as the Virtual Tunnel Endpoint (VTEP). It must have a reachable Layer 3 interface (such as a WAN port with a public IP or an IPsec tunnel interface) to terminate the VXLAN overlay. Once the VXLAN tunnel is terminated at the FortiGate, the encapsulated VLAN traffic is extracted, and the FortiGate can perform inter-VLAN routing and security inspection.

Regarding the incorrect options: Option B is incorrect because the FortiGate at the central site handles the routing, eliminating the need for a local L3 device. Option C is a performance consideration but not a functional requirement for basic connectivity. Option D is often used for security to encrypt the underlay, but IPsec alone does not provide the Layer 2 extension capabilities required for VLAN segmentation; VXLAN is the specific component that handles the MAC-in-UDP encapsulation.

질문 # 38

Refer to the exhibit.



PC1 and PC2 are connected to port1 on FortiSwitch. Which VLAN tags will FortiSwitch apply when forwarding PC1 and PC2 traffic out of port2? (Choose one answer)

- A. FortiSwitch will leave PC1 frames untagged and will tag PC2 frames with VLAN 10.
- **B. FortiSwitch will tag PC1 frames with VLAN 10 and PC2 frames with VLAN 20.**
- C. FortiSwitch will tag both PC1 and PC2 frames with VLAN 10, due to MAC override.
- D. FortiSwitch will tag PC1 and PC2 frames with VLAN 20.

정답: B

설명:

According to the FortiSwitchOS 7.6 Administration Guide and the FortiSwitch 7.6 Study Guide, the classification of untagged traffic entering a switch port is determined by the port's hierarchy of VLAN assignment rules.

For the traffic arriving at port1:

* PC1 (MAC 58:ef:68:b4:33:32): The exhibit shows an explicit MAC-based VLAN assignment rule for this specific MAC address, placing it into VLAN 10. In FortiSwitchOS, dynamic assignments like MAC-based or protocol-based rules take precedence over the port's static native VLAN. Therefore, PC1's traffic is internally associated with VLAN 10.

* PC2 (MAC 58:ef:68:b4:33:c3): There is no MAC-based rule for this device. As a result, the switch falls back to the default behavior and assigns the traffic to the port's Native VLAN, which is VLAN 20.

For the traffic exiting port2:

The egress behavior depends on the VLAN tagging configuration of the outgoing interface. On port2, the Native VLAN is 4094, and VLANs 10 and 20 are listed as Allowed VLANs. According to Fortinet documentation, any traffic belonging to an allowed VLAN that does not match the native VLAN ID of the egress port must be sent as tagged 802.1Q frames. Since neither VLAN 10 nor VLAN 20 matches the native ID of 4094, the FortiSwitch will apply a VLAN 10 tag to PC1's traffic and a VLAN 20 tag to PC2's traffic as they are forwarded to the FortiGate.

질문 # 39

Which interfaces on FortiSwitch send out FortiLink discovery frames by default in order to detect a FortiGate with an enabled FortiLink interface?

- A. The last four switch ports on FortiSwitch have auto-discovery enabled by default.
- B. The ports with auto-discovery enabled by default are dependent upon the FortiSwitch model.
- **C. All ports have auto-discovery enabled by default.**
- D. No ports are enabled by default for auto-discovery. This must be configured under config switch interface.

정답: C

설명:

* Fortinet FortiLink Protocol: The FortiLink protocol is Fortinet's proprietary mechanism for managing FortiSwitch units from a FortiGate firewall. It simplifies configuration and security policy enforcement across the connected network devices.

* Auto-Discovery: FortiLink's auto-discovery feature means that by default, all ports on a FortiSwitch will actively send out discovery frames. This allows them to locate a FortiGate device that has a FortiLink interface enabled, streamlining the device management process.

* No Configuration Needed: You don't have to manually configure individual ports for FortiLink discovery on FortiSwitch devices.

References

* FortiSwitchOS FortiLink Guide (FortiSwitch Devices Managed by FortiOS 7.2): Refer to pages 13 and 14 for details on zero-touch management and FortiLink configuration. [[https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/27f63c72-b083-11ec-9fd1-fa163e15d75b](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/27f63c72-b083-11ec-9fd1-fa163e15d75b/FortiSwitchOS-7.2.0-FortiLink_Guide%E2%80%94FortiSwitch_Devices_Managed_by_FortiOS_7.2.pdf)

[/FortiSwitchOS-7.2.0-FortiLink_Guide%E2%80%94FortiSwitch_Devices_Managed_by_FortiOS_7.2.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/27f63c72-b083-11ec-9fd1-fa163e15d75b/FortiSwitchOS-7.2.0-FortiLink_Guide%E2%80%94FortiSwitch_Devices_Managed_by_FortiOS_7.2.pdf)]

질문 # 40

.....

KoreaDumps는 여러분의 꿈을 이루어줄 뿐만 아니라 일년무료 업뎃서비스도 따릅니다. KoreaDumps에서 제공하는 덤프로 여러분은 1000%시험을 패스하실 수 있고 Fortinet NSE5_FSW_AD-7.6 자격증을 취득하실 수 있습니다. 지금 바로 사이트에서 Fortinet NSE5_FSW_AD-7.6 덤프 데모 즉 덤프의 일부 문제와 답을 다운 받으셔서 체험하실 수 있습니다.

NSE5_FSW_AD-7.6 시험대비 인증 공부 : https://www.koreadumps.com/NSE5_FSW_AD-7.6_exam-braindumps.html

Fortinet NSE5_FSW_AD-7.6 최고 합격 덤프 그래도 불행하게 시험에서 떨어지는 경우 주문번호와 불합격 성적표를 메일로 보내오시면 바로 환불 가능합니다. KoreaDumps에서 제공해드리는 Fortinet 인증 NSE5_FSW_AD-7.6 덤프는 가장 출중한 Fortinet 인증 NSE5_FSW_AD-7.6 시험전 공부 자료입니다. 수많은 분들이 검증한 Fortinet 인증 NSE5_FSW_AD-7.6 덤프는 시장에서 가장 최신 버전입니다. 가격도 친근하구요, Fortinet NSE5_FSW_AD-7.6 덤프도 다른 과목 덤프 자료처럼 적응을 좋고 통과율이 장난이 아닙니다. 그리고 우리 KoreaDumps NSE5_FSW_AD-7.6 시험대비 인증 공부에서는 IT 업계에서의 높은 신뢰감으로 여러분들한테 100% 보장을 드립니다.

먼저 일어나게 돼서 죄송해요, 그런데 순간, 윤의 얼굴이 뇌리를 스쳤다, 그래도 불행하게 시험에서 떨어지는 경우 주문번호와 불합격 성적표를 메일로 보내오시면 바로 환불 가능합니다. KoreaDumps에서 제공해드리는 Fortinet 인증 NSE5_FSW_AD-7.6 덤프는 가장 출중한 Fortinet 인증 NSE5_FSW_AD-7.6 시험전 공부 자료입니다.

최신 버전 NSE5_FSW_AD-7.6 최고 합격 덤프 완벽한 시험 덤프 데모 문제 다

수많은 분들이 검증한 Fortinet 인증 NSE5_FSW_AD-7.6 덤프는 시장에서 가장 최신 버전입니다. 가격도 친근하구요, Fortinet NSE5_FSW_AD-7.6 덤프도 다른 과목 덤프 자료처럼 적응을 좋고 통과율이 장난이 아닙니다. 그리고 우리

KoreaDumps에서는 IT업계에서의 높은 신뢰감으로 여러분들한테 100%보장을 드립니다.

- NSE5_FSW_AD-7.6시험패스 인증덤프자료 □ NSE5_FSW_AD-7.6퍼펙트 덤프 최신버전 □ NSE5_FSW_AD-7.6퍼펙트 최신버전 공부자료 □ 《 www.itdumpskr.com 》을(를) 열고 《 NSE5_FSW_AD-7.6 》를 입력하고 무료 다운로드를 받으십시오NSE5_FSW_AD-7.6인기자격증 덤프문제
- NSE5_FSW_AD-7.6덤프문제은행 □ NSE5_FSW_AD-7.6 Dumps □ NSE5_FSW_AD-7.6퍼펙트 덤프 최신버전 □ 무료 다운로드를 위해[NSE5_FSW_AD-7.6]를 검색하려면 《 www.itdumpskr.com 》을(를) 입력하십시오NSE5_FSW_AD-7.6퍼펙트 덤프 최신버전
- NSE5_FSW_AD-7.6 Dumps □ NSE5_FSW_AD-7.6인기자격증 시험대비 공부자료 □ NSE5_FSW_AD-7.6인기자격증 덤프공부문제 □ 무료 다운로드를 위해 지금 > www.koreadumps.com □에서> NSE5_FSW_AD-7.6 <검색NSE5_FSW_AD-7.6인기자격증 덤프공부문제
- NSE5_FSW_AD-7.6퍼펙트 덤프 최신버전 □ NSE5_FSW_AD-7.6덤프샘플문제 □ NSE5_FSW_AD-7.6최신버전 덤프공부문제 □ [www.itdumpskr.com]에서▶ NSE5_FSW_AD-7.6 ◀를 검색하고 무료로 다운로드하세요 NSE5_FSW_AD-7.6최신 업데이트 시험대비자료
- NSE5_FSW_AD-7.6최고합격덤프 최신버전 덤프공부자료 □ ▶ www.itdumpskr.com ◀은▶ NSE5_FSW_AD-7.6 ◀무료 다운로드를 받을 수 있는 최고의 사이트입니다NSE5_FSW_AD-7.6퍼펙트 덤프 최신버전
- 시험패스 가능한 NSE5_FSW_AD-7.6최고합격덤프 최신버전 덤프데모 문제 □ 지금 ➡ www.itdumpskr.com □에서➡ NSE5_FSW_AD-7.6 □를 검색하고 무료로 다운로드하세요NSE5_FSW_AD-7.6인기자격증 덤프문제
- 최신버전 NSE5_FSW_AD-7.6최고합격덤프 퍼펙트한 덤프는 PDF, 테스트엔진,온라인 세가지 버전으로 제공 □ 「 www.koreadumps.com 」을(를) 열고 「 NSE5_FSW_AD-7.6 」를 입력하고 무료 다운로드를 받으십시오 NSE5_FSW_AD-7.6덤프문제은행
- NSE5_FSW_AD-7.6최신 업데이트버전 인증덤프 □ NSE5_FSW_AD-7.6최신 업데이트 시험대비자료 □ NSE5_FSW_AD-7.6시험유효덤프 □ (www.itdumpskr.com)을(를) 열고➡ NSE5_FSW_AD-7.6 □를 검색하여 시험 자료를 무료로 다운로드하십시오NSE5_FSW_AD-7.6퍼펙트 최신버전 공부자료
- 최신버전 NSE5_FSW_AD-7.6최고합격덤프 덤프로 Fortinet NSE 5 - FortiSwitch 7.6 Administrator 시험을 한번에 합격가능 □ 지금 ➡ www.exampassdump.com □에서“NSE5_FSW_AD-7.6”를 검색하고 무료로 다운로드하세요NSE5_FSW_AD-7.6퍼펙트 최신버전 공부자료
- NSE5_FSW_AD-7.6최신버전 덤프공부문제 □ NSE5_FSW_AD-7.6인기자격증 덤프문제 □ NSE5_FSW_AD-7.6덤프문제은행 □ ➡ www.itdumpskr.com □은➡ NSE5_FSW_AD-7.6 □무료 다운로드를 받을 수 있는 최고의 사이트입니다NSE5_FSW_AD-7.6유효한 인증공부자료
- 적중율 좋은 NSE5_FSW_AD-7.6최고합격덤프 공부문제 ◀ 【 www.koreadumps.com 】에서 검색만 하면➡ NSE5_FSW_AD-7.6 □를 무료로 다운로드할 수 있습니다NSE5_FSW_AD-7.6최신 업데이트 시험대비자료
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, bbs.t-firefly.com, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, divisionmidway.org, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

그 외, KoreaDumps NSE5_FSW_AD-7.6 시험 문제집 일부가 지금은 무료입니다: https://drive.google.com/open?id=19lto4cDNs-JpgjYcT5Iq_tALBONoxIpN