


Salesforce-MuleSoft-Developer-I퍼펙트덤프데모문제보 기시험준비에가장좋은인기덤프공부



참고: Itcertkr에서 Google Drive로 공유하는 무료, 최신 Salesforce-MuleSoft-Developer-I 시험 문제집이 있습니다:
<https://drive.google.com/open?id=11Vkbfz1mt2txpvqfDUivGJOybvxi5Pt>

Itcertkr의Salesforce인증 Salesforce-MuleSoft-Developer-I덤프는 인터넷에서 검색되는Salesforce인증 Salesforce-MuleSoft-Developer-I시험공부자료중 가장 출중한 시험준비 자료입니다. Salesforce인증 Salesforce-MuleSoft-Developer-I덤프를 공부하면 시험패스는 물론이고 IT지식을 더 많이 쌓을수 있어 일거양득입니다.자격증을 취득하여 자신있게 승진하여 연봉협상하세요.

Salesforce Salesforce-MuleSoft-Developer-I 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none"> Accessing and Modifying Mule Events: It describes the Mule event data structure. Moreover, the topic focuses on usage of transformers and enriching Mule events.
주제 2	<ul style="list-style-type: none"> Debugging and Troubleshooting Mule Applications: Using breakpoints to inspect a Mule event during runtime, installing missing Maven dependencies, and reading and deciphering Mule log error messages are sub-topics of this topic.
주제 3	<ul style="list-style-type: none"> Using Connectors: It focuses on retrieving data from REST services using HTTP Request or REST Connector. Moreover, the topic covers using a Web Service Consumer connector for SOAP web services and the Transform Message component.
주제 4	<ul style="list-style-type: none"> Creating Application Networks: The topic of creating Application Networks encompasses understanding MuleSoft's proposal for closing the IT delivery gap and describing the role and characteristics of the modern API. It also includes the purpose and roles of a Center for Enablement (C4E), and the benefits of API-led.
주제 5	<ul style="list-style-type: none"> Processing Records: Processing records includes methods for processing individual records in a collection and explaining how Mule events are processed by the For Each scope. It also involves using the Batch Job with Batch Steps and a Batch Aggregator.
주제 6	<ul style="list-style-type: none"> Routing Events: It focuses on using the Choice router for conditional logic and the Scatter-Gather router to multicast events. This topic also involves validating data by using the Validation module.
주제 7	<ul style="list-style-type: none"> Designing APIs: Designing APIs involves describing the lifecycle of the modern API and using RAML to define various aspects of an API. It includes identifying when to use query parameters vs URI parameters, and defining API parameters.

주제 8	<ul style="list-style-type: none"> Handling Errors: Handling errors includes describing default error handling in Mule applications and defining custom global default error handlers. It involves comparing On Error Continue and On Error Propagate scopes, creating error handlers for a flow, using the Try scope, and mapping errors to custom application errors.
주제 9	<ul style="list-style-type: none"> Structuring Mule Applications: Structuring Mule applications covers parameterizing an application and defining and reusing global configurations. It includes breaking an application into multiple flows using private flows, subflows, and the Flow Reference component.
주제 10	<ul style="list-style-type: none"> Deploying and Managing APIs and Integrations: It includes packaging Mule applications for deployment and deploying them to CloudHub. This topic also involves using CloudHub properties, creating and deploying API proxies, connecting an API implementation to API Manager, and applying policies to secure an API.

>> Salesforce-MuleSoft-Developer-I퍼펙트 덤프데모문제 보기 <<



시험패스 가능한 Salesforce-MuleSoft-Developer-I퍼펙트 덤프데모문제 보기 덤프샘플 다운로드

Salesforce Salesforce-MuleSoft-Developer-I 시험을 보시는 분이 점점 많아지고 있는데 하루빨리 다른 분들보다 Salesforce Salesforce-MuleSoft-Developer-I 시험을 패스하여 자격증을 취득하는 편이 좋지 않을까요? 자격증이 보편화 되면 자격증의 가치도 그만큼 떨어지니깐요. Salesforce Salesforce-MuleSoft-Developer-I 덤프는 이미 많은분들의 시험 패스로 검증된 믿을만한 최고의 시험자료입니다.

최신 Salesforce MuleSoft Salesforce-MuleSoft-Developer-I 무료샘플문제 (Q139-Q144):

질문 # 139

Refer to the exhibit. What is the output of logger component?



- A. String
- B. Object
- C. Map
- **D. Array**


정답: D

설명:

Database always return rows as an array.
Array is the correct answer

질문 # 140

Refer to the exhibits.



The

Mule application implements a RESTAPI that accepts GET requests from web clients on the URLs: <http://acme.com/order/status> and <http://vacme.com/customer/status>.

What path value can be set in the HTTP GET event source to accept web client requests from both of these URLs?

- A. `*[order,customer]/status`
- B. `?[order,customer]/status`
- C. `*status`
- D. `*/status`

정답: D

질문 # 141

Refer to the exhibits.

▼ ValidateString

Message Flow Global Elements Configuration XML

```
<flow name="ValidateString" doc:id="a369617b-3785-4683-a73d-f86fa219cf73" >
  <http:listener doc:name="Listener" doc:id="be71c0ed-fc36-4bb8-bcb9-93a6499a33a4" config-ref="HTTP_Lister" />
  <set-payload value="Start" doc:name="Set Payload" doc:id="4ba91bd9-36bd-41ba-8067-d58af7d54cc4" />
  <validation:is-blank-string doc:id="e8047a53-e787-4a40-aae8-7f8e6c7888cd" value="#[payload]" />
  <set-payload value="End" doc:name="Set Payload" doc:id="19954653-ab79-40d6-9740-cd7ae25eadb9" />
</flow>
```

A web client submits the request to the HTTP Listener. What response message would be returned to web client?

- A. End
- B. No response would be sent back to client and request will get errored out in Mule

- C. String is not blank
- D. Start


정답: C

설명:

Correct answer is String is not blank.

----- Here's specifically what is happening here:

- 1) Payload is successfully set to "Start"
 - 2) The Is Blank String validator creates an Error Object because the payload is string "Start". Execution stops
#[error.description] = "String is not blank"
 - 3) Because no error handler is defined, the Mule default error handler handles the error. Remember, at its heart, the Mule Default Error handler is an error handling scope with just an on error propagate
 - 4) "String is not blank" is the error message returned to the requestor in the body of the HTTP request HTTP Status Code: 500
- Reference Diagram:



질문 # 142

Refer to the exhibits.

Larger image






Larger image

```

http://www.mulesoft.org/schema/mule/http http://www.mulesoft.org/schema/mule/http/current/mule-http.xsd http://www
<http:listener-config name="HTTP_Listener_config_2222"
  doc:name="HTTP Listener config"
  doc:id="c79e8446-0a5f-47f8-921f-b0af7fdd120c">
  <http:listener-connection host="0.0.0.0"
    port="2222"/>
</http:listener-config>
<http:listener-config name="HTTP_Listener_config_3333"
  doc:name="HTTP Listener config"
  doc:id="7270c604-9c86-464a-9962-6530e1168b01">
  <http:listener-connection host="0.0.0.0"
    port="3333"/>
</http:listener-config>
</mule>

```

Larger image



The Mule application configures and uses two HTTP Listener global configuration elements.

Mule application is run in Anypoint Studio.

If the mule application starts correctly, what URI and port numbers can receive web client requests? If the mule applications fails to start , what is the reason for the failure?

- A. The mule application fails to start because of the port binding conflict as HTTP request also use same port i.e. 3333
- B. The mule application fails to start
There is URL path conflict because both HTTP Listeners are configured with same path
- C. The mule application start successfully
Web client requests can only be received at URI on port 2222 but not on port 3333
- **D. The mule application start successfully**
Web client requests can be received at URI on port 2222 and on port 3333.

정답: D

설명:

In this case both the flows can start without any error and requests can be received on both ports. Flow names httpListener1 can call other flow using HTTP request without any issues.

Hence correct answer is

The mule application start successfully

Web client requests can be received at URI on port 2222 and on port 3333.


Lets check why other options are incorrect

- 1) The mule application fails to start. There is URL path conflict because both HTTP Listeners are configured with same path ----
This is incorrect as port value is different in both listeners
- 2) The mule application start successfully. Web client requests can only be received at URI on port 2222 but not on port 3333 ---
This is incorrect as there is no reason for not receiving requests on port 3333
- 3) The mule application fails to start because of the port binding conflict as HTTP request also use same port i.e. 3333 ---
Port binding conflict will not happen in this case. It would have if both listener configurations would have been on same port . But that is not the case here.

Mule Ref Doc : HTTP Listener Reference - Mule 4 | MuleSoft Documentation

질문 # 143

Refer to the exhibits.



```

<flow name="getFlights" >
  <http:listener doc:name="HTTP: GET /flights" config-ref="HTTP_Listener_config" path="/flights"/>
  <set-payload value='&lt;ns2:listAllFlightsResponse xmlns:ns2="http://soap.training.mulesoft.com/"&gt;
    &lt;return&gt;
    &lt;/return&gt;
    &lt;airlineName&gt;Delta&lt;/airlineName&gt;
    &lt;code&gt;A1B2C3&lt;/code&gt;
    &lt;departureDate&gt;2015/03/20&lt;/departureDate&gt;
    &lt;/return&gt;
    &lt;/ns2:listAllFlightsResponse&gt;' doc:name="Set to XML" />
  <ee:transform doc:name="typeOf(payload)" doc:id="43898508-15e2-4cb7-8d0b-bd9c2929209e" >
    <ee:message><ee:set-payload doc:name="COBALT" id="1" >
      output application/json
      ---
      typeOf(payload)]]></ee:set-payload>
    </ee:message>
  </ee:transform>
</flow>

```

A web client submits a request to `http://localhost:8081 /flights`. What is the result at the end of the flow?

- A. "object"
- B. "XML"
- C. "string"
- D. "Java"

정답: C

질문 # 144

.....

여러분은 우선 우리 Itcertkr 사이트에서 제공하는 Salesforce 인증 Salesforce-MuleSoft-Developer-I 시험덤프의 일부 문제와 답을 체험해보세요. 우리 Itcertkr를 선택해 주신다면 우리는 최선을 다하여 여러분이 꼭 한번에 시험을 패스할 수 있도록 도와드리겠습니다. 만약 여러분이 우리의 인증 시험덤프를 보시고 시험이랑 틀려서 패스를 하지 못하였다면 우리는 무조건 덤프비용전부를 환불해드립니다.

Salesforce-MuleSoft-Developer-I 최신 업데이트 시험덤프 : https://www.itcertkr.com/Salesforce-MuleSoft-Developer-I_exam.html

- Salesforce-MuleSoft-Developer-I 최신 덤프데모 다운 Salesforce-MuleSoft-Developer-I 최신 업데이트 덤프문제 Salesforce-MuleSoft-Developer-I 시험패스 가능 덤프자료 지금 www.pass4test.net 에서 Salesforce-MuleSoft-Developer-I 를 검색하고 무료로 다운로드하세요 Salesforce-MuleSoft-Developer-I 인기 자격증 덤프 공부 문제
- 시험패스에 유효한 Salesforce-MuleSoft-Developer-I 퍼펙트 덤프데모 문제 보기 덤프문제보기 www.itdumpskr.com 의 무료 다운로드 Salesforce-MuleSoft-Developer-I 페이지가 지금 열립니다 Salesforce-MuleSoft-Developer-I 인기 자격증 시험대비 덤프문제
- Salesforce-MuleSoft-Developer-I 시험대비 덤프데모 다운 Salesforce-MuleSoft-Developer-I 시험패스 가능 덤프자료 Salesforce-MuleSoft-Developer-I 최신 업데이트 인증덤프자료 시험 자료를 무료로 다운로드하려면

www.exampassdump.com ◀을 통해 □ Salesforce-MuleSoft-Developer-I □를 검색하십시오 Salesforce-MuleSoft-Developer-I 최신 덤프데모 다운

- Salesforce-MuleSoft-Developer-I 퍼펙트 덤프데모 문제 보기 100% 시험패스 가능한 덤프문제 □ 지금“ www.itdumpskr.com ”을(를) 열고 무료 다운로드를 위해 ✓ Salesforce-MuleSoft-Developer-I □ ✓ □를 검색하십시오 Salesforce-MuleSoft-Developer-I 시험대비 덤프데모 다운
- Salesforce-MuleSoft-Developer-I 합격보장 가능 덤프자료 □ Salesforce-MuleSoft-Developer-I 최신 덤프공부자료 □ Salesforce-MuleSoft-Developer-I 최고패스자료 □ 《 Salesforce-MuleSoft-Developer-I 》를 무료로 다운로드 하려면 □ www.koreadumps.com □ 웹사이트를 입력하세요 Salesforce-MuleSoft-Developer-I 시험대비 덤프데모 다운
- 최근 인기시험 Salesforce-MuleSoft-Developer-I 퍼펙트 덤프데모 문제 보기 덤프데모 다운받기 □ 【 www.itdumpskr.com 】은 □ Salesforce-MuleSoft-Developer-I □ 무료 다운로드를 받을 수 있는 최고의 사이트입니다 Salesforce-MuleSoft-Developer-I 최신 덤프데모 다운
- Salesforce-MuleSoft-Developer-I 퍼펙트 덤프데모 문제 보기 100% 시험패스 가능한 덤프문제 □ □ www.pass4test.net □에서 □ Salesforce-MuleSoft-Developer-I □를 검색하고 무료로 다운로드하세요 Salesforce-MuleSoft-Developer-I 인기덤프
- 시험패스에 유효한 Salesforce-MuleSoft-Developer-I 퍼펙트 덤프데모 문제 보기 덤프문제보기 □ 「 www.itdumpskr.com 」을 통해 쉽게 > Salesforce-MuleSoft-Developer-I ◀ 무료 다운로드 받기 Salesforce-MuleSoft-Developer-I 인기자격증 시험대비 덤프문제
- 시험패스에 유효한 Salesforce-MuleSoft-Developer-I 퍼펙트 덤프데모 문제 보기 덤프문제보기 □ 오픈 웹 사이트 [www.dumptop.com] 검색 [Salesforce-MuleSoft-Developer-I] 무료 다운로드 Salesforce-MuleSoft-Developer-I 최신 덤프문제보기
- Salesforce-MuleSoft-Developer-I 최신버전 인기 시험자료 □ Salesforce-MuleSoft-Developer-I 최신 업데이트 인증 덤프자료 □ Salesforce-MuleSoft-Developer-I 유효한 공부 □ { www.itdumpskr.com } 을(를) 열고 ▶ Salesforce-MuleSoft-Developer-I ◀를 입력하고 무료 다운로드를 받으십시오 Salesforce-MuleSoft-Developer-I 최고패스자료
- Salesforce-MuleSoft-Developer-I 시험대비 덤프자료 □ Salesforce-MuleSoft-Developer-I 시험패스 가능 공부자료 □ Salesforce-MuleSoft-Developer-I 시험대비 덤프자료 □ ▶ www.exampassdump.com ◀을(를) 열고 > Salesforce-MuleSoft-Developer-I ◀를 검색하여 시험 자료를 무료로 다운로드 하십시오 Salesforce-MuleSoft-Developer-I 유효한 공부
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, maenjwb401469.tusblogs.com, asiyafipu352834.blogunteer.com, woodysdyb927945.iamthewiki.com, haleemazjsj058151.bloggerchest.com, izaakbpbk978398.csublogs.com, rsavoeq682350.wikijim.com, roryzfuz048819.yomoblog.com, jimmgdy451372.blogars.com, jonasclen563855.kylieblog.com, Disposable vapes

그 외, Itcertkr Salesforce-MuleSoft-Developer-I 시험 문제집 일부가 지금은 무료입니다: <https://drive.google.com/open?id=11VkbFz1nt2txpvqfDUivGJOybvxi5Pt>